



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



36-Port Fiber Patch Panel Enclosure, 1U Rack-Mount (LC/LC)

MODEL NUMBER: **N492-036-LCLC-E**



Highlights

- Supports up to 36 LC/LC patch connections
- Multimode or Singlemode
- Space saving 1U design, 19" rackmountable

Package Includes

- 1U Chassis
- 3 x 12-port LC Feed-Through Adapter plate
- Mounting Brackets
- Mounting Screws

Description

Tripp Lite N492-016-LCLC-E is a pre-loaded, 36-port, LC/LC fiber patch enclosure that supports either Multimode or Singlemode LC Fiber cable patching. Features rugged heavy steel construction, with multiple rear entry points for trunk cable feeding into the panel, providing protection as well as internal management. 1U design takes up minimal space while allowing for maximum patching.

Features

- 36 port LC/LC Feed Through couplers in a 1U panel (3 x 12port modules)
- Supports Singlemode or Multimode Fiber connections
- 19" Wide x 8" Deep x 1.75" High
- Pull-out locking tray for easy access to internal connections
- Heavy Cold-Rolled steel construction, Black Powder Coated finish
- Six rear cable entry ports
- Adjustable depth mounting

Specifications

OVERVIEW	
UPC Code	037332181824
Technology	Singlemode; Multimode(All versions)
PHYSICAL	
Shipping Dimensions (hwd / in.)	20.900 x 1.800 x 9.800



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Shipping Dimensions (hwd / cm)	53.09 x 4.57 x 24.89
Shipping Weight (lbs.)	6.0000
Shipping Weight (kg)	2.72
Unit Dimensions (hwd / in.)	1.75 x 19 x 8
Unit Dimensions (hwd / cm)	4.445 x 48.26 x 20.32
Color	Black
CONNECTIONS	
Ports	36
Side A - Connector 1	LC DUPLEX (FEMALE)
Side B - Connector 1	LC DUPLEX (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>