



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






NCP2815BFCT2GEVB:NOCAP Headphone Amplifier Evaluation Board

Evaluation Board Description

NCP2815 is a dual LongPlay true ground headphone amplifier designed for portable communication device applications such as mobile phones. This part is capable of delivering 26 mW of continuous average power into a 32Ω load from a 1.8 V power supply with a THD+N of 1%.

Based on the power supply delivered to the device, an internal power management block generates a symmetrical positive and negative voltage. Thus, the internal amplifiers provide outputs referenced to Ground and the losses are reduced which helps to increase the battery life. In this NOCAP configuration, the two external heavy coupling capacitors can be removed. This provides a significant space and cost savings compared to a typical stereo application.

This evaluation board showcases the B version of the part with an internal gain of -1.5 V/V. It reaches a superior -100 dB PSRR and noise floor. Thus, it offers high fidelity audio sound, as well as a direct connection to the battery. It contains circuitry to prevent "Pop & Click" noise that would otherwise occur during turn-on and turn-off transitions. The device is available in 12 bump CSP package (1.2 x 1.6 mm) which helps to save space on the board.



Design Support

- »» [Technical Documentation](#)
- »» [Design Resources](#)
- »» [Technical Support](#)
- »» [Sales Support](#)

Evaluation Board Information

Evaluation Board	Status	Pb-free	Short Description	Parts Used	Action
NCP2815BFCT2GEVB	Active		NOCAP Headphone Amplifier Evaluation Board	NCP2815BFCT2G	

Technical Documents

Type	Document Title	Document ID/ Size	Rev
Eval Board: BOM	NCP2815BFCT2GEVB Bill of Materials ROHS Compliant	NCP2815BFCT2GEVB_BOM_ROHS.PDF - 103.0 KB	0
Eval Board: Gerber	NCP2815BFCT2GEVB Gerber Layout Files (Zip Format)	NCP2815BFCT2GEVB_GERBER.ZIP - 156.0 KB	0
Eval Board: Schematic	NCP2815BFCT2GEVB Schematic	NCP2815BFCT2GEVB_SCHEMATIC.PDF - 126.0 KB	0
Eval Board: Test Procedure	NCP2815BFCT2GEVB Test Procedure	NCP2815BFCT2GEVB_TEST_PROCEDURE.PDF - 168.0 KB	0

