

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China













The NanEye 2D sensor provides a true system on chip camera head with fully self timed readout sequencing, AD

conversion to 10 bit and bit serial data transmission over LVDS. AWAIBA's proprietary data interface technology permits cable length's up to 3m with out any additional components at the distal end. Due to the low energy dissipation on the interface no complicated shielding is required to meet EMC norms. With it's 250 x 250 pixels at 3um pitch the sensors provide clear and sharp images with outstanding MTF in a very compact size. A frame rate of 44FPS permit synchronization to any type of display. The NanEye sensor provides delay free, smooth video operation resulting in a safe operation and a clear diagnosis. The sensors are connected to minimal diameter cabling solutions. A small lens is assembled to the chip, this option does not increase the total diameter of the sensor, making it the world most compact digital camera.

It is also possible under request the following options: No Black Paint, No Cable and No Bended Cable.

For pricing and lead time please contact cis_orders@ams.com.

SPECIFICATIONS

Part status	Production		
Resolution	0.0625MP - 250 (H) x 250 (V)		
Pixel size	3 x 3		
Optical format	1/15"		
Shutter type	Electronic rolling shutter		
Frame rate	42 - 55 FPS		
Output interface	10 bit digital LVDS		
Sensitivity	11.5 DN/nJ/cm2 at maximum gain		
Full well charge	15 ke-		
Dark noise	1.1 DN rms		
Dynamic range	58 dB		
SNR max	41		
Fixed pattern noise	DSNU: 2.8 [DN] PRNU: 4.8%		
Chroma	Mono and RGB		
Supply voltage	1.8V - 2.4V		
Power	4.2 mW at nominal supply 2.1V		
Operating temperature range	0ºC - 60ºC		
RoHS compliance	Yes		
Package	Chip + Lens + Cable		

ORDERING INFO - NANEYE MODULE

Part Number	Version	Chroma	Microlens	Package	Glass
NanEye-B&W-F2.7-FOV90-Painted-CableBended	Black Painted, Cable (15cm, 1m, 2m, 3m)	Mono	No	Chip + Lens + Cable	N/A
NanEye-RGB-F2.7-FOV90-Painted-CableBended	Black Painted, Cable (15cm, 1m, 2m, 3m)	RGB Bayer	No	Chip + Lens + Cable	N/A
NanEye-B&W-F4.0-FOV90-Painted-CableBended	Black Painted, Cable (15cm, 1m, 2m, 3m)	Mono	No	Chip + Lens + Cable	N/A
NanEye-RGB-F4.0-FOV90-Painted-CableBended	Black Painted, Cable (15cm, 1m, 2m, 3m)	RGB Bayer	No	Chip + Lens + Cable	N/A
NanEye-B&W-F6.0-FOV90-Painted-CableBended	Black Painted, Cable (15cm, 1m, 2m, 3m)	Mono	No	Chip + Lens + Cable	N/A
NanEye-RGB-F6.0-FOV90-Painted-CableBended	Black Painted, Cable (15cm, 1m, 2m, 3m)	RGB Bayer	No	Chip + Lens + Cable	N/A
NanEye-B&W-F2.8-FOV120-Painted-CableBended	Black Painted, Cable (15cm, 1m, 2m, 3m)	Mono	No	Chip + Lens + Cable	N/A
NanEye-RGB-F2.8-FOV120-Painted-CableBended	Black Painted, Cable (15cm, 1m, 2m, 3m)	RGB Bayer	No	Chip + Lens + Cable	N/A
NanEye-B&W-F2.4-FOV160-Painted-CableBended	Black Painted, Cable (15cm, 1m, 2m, 3m)	Mono	No	Chip + Lens + Cable	N/A
NanEye-RGB-F2.4-FOV160-Painted-CableBended	Black Painted, Cable (15cm, 1m, 2m, 3m)	RGB Bayer	No	Chip + Lens + Cable	N/A