



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



2mm X 2mm SQUARE POST HEADER

SELECTION GUIDE



See opposite page for full part numbers.

Series numbers noted on above drawings are the last 5 positions in the part number.

Contact Sullins Electronics for additional information on parts without a series number noted.

2mm X 2mm SQUARE POST HEADER

PART NUMBER CODING

PLASTIC HOUSING ——— P P P N 40 2
 P = Header, Thermoplastic
 N = Nylon, 6-T
CONTACTS ——— P P
 P = Phosphor Bronze (With Female Only)
 R = Brass (With Male Only)
PLATING ———
 Contact Termination
 P = Gold Flash Gold Flash
 R = .000020 GOLD .00010 TIN (4 Row Only)
CONTACT CENTERS ———
 N = 2mm
NUMBER OF POSITIONS ———
 02 to 40
NUMBER OF ROWS ———
 1 = 1 Row
 2 = 2 Rows
 4 = 4 Rows

ABC N -RC
 RoHS Compliant
 Add -RC FOR RoHS Compliant
 Consult Factory For Modifications
MOUNTING STYLE
 C = SMT, Single Row Pin 1 Left
 D = SMT, Single Row Pin 1 Right
 N = No Mounting
 P = Surface Mount with Guide Pins
 S = Surface Mount without Guide Pins
TERMINATION TYPE

P/N CODE	GENDER	TERMINATION	ROWS	ENTRY
PAE	MALE	STRAIGHT	1 OR 2	N/A
RCC	MALE	STRAIGHT	4	N/A
PAR	MALE	RIGHT ANGLE	1 OR 2	N/A
MAM	MALE	SMT	2	N/A
BFC	FEMALE	STRAIGHT	1	TOP
AFC	FEMALE	STRAIGHT	2	TOP
EFC	FEMALE	STRAIGHT	4	TOP
FGG	FEMALE	RIGHT ANGLE	1	TOP
FJF	FEMALE	RIGHT ANGLE	2	TOP
BFL	FEMALE	SMT	1	TOP
GFN	FEMALE	SMT	2	TOP
GHN	FEMALE	SMT	2	BOTTOM
FFK	FEMALE	SMT	2	TOP