

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China










DATA SHEET

Part Number: NT03 10269



Electrical Specifications:

Zero-Power Resistance @ 25°C	$1.0 \text{K} \Omega \pm 10\%$
Resistance @ 0°C/ Resistance @ 50°C	$6.90 \pm 2\%$
Resistance @ 25°C/ Resistance @ 125°C	$19.27 \pm 2\%$
Beta	$3500 \pm 2\%$
Temp Coefficient of Resistance @ 25°C	-3.83 %/°C
Operating Temperature Range	$-50^{\circ}\text{C} \pm 150^{\circ}\text{C}$
Maximum Permissible Power	0.45 W
Dissipation Constant	2.90mW/°C
Thermal Time Constant	10 seconds

Mechanical Specifications:

D	$2.92 \pm 0.4 \text{ mm}$
T	$2.92 \pm 0.4 \text{ mm}$
Lead Diameter	$0.5 \pm 0.2 \text{ mm}$
S	3.0 mm Nom
L	$40.0 \pm 4.0 \text{ mm}$
Straight Leads	Standard

Revision Date: March 19, 2003

Ametherm, Inc. 3111 N. Deer Run Road #4 Carson City, NV 89701 Telephone: (800) 808-2434 (775) 884-2434 Fax: (775) 884-0670



DATA SHEET

Part Number: NT03 10269

Resistance Temperature Curve:

Resistance re	mperature Curv
Temperature	R@T/R@25°C
-50	38.99
-45	28.74
-40	21.45
-35	16.12
-30	12.25
-25	9.400
-20	7.270
-15	5.671
-10	4.457
-5	3.529
0	2.813
5	2.257
10	1.824
15	1.484
20	1.214
25	1.000
30	0.8282
35	0.6897
40	0.5773
45	0.4857
50	0.4105
55	0.3485
60	0.2972
65	0.2546
70	0.2189
75	0.1890
80	0.1638
85	0.1425
90	0.1244
95	0.1089
100	0.09569
105	0.08417
110	0.07428
115	0.06577
120	0.05842
125	0.05205
130	0.04651
135	0.04167
140	0.03744
145	0.03372
150	0.03045
150	0.05015

Ametherm, Inc. 3111 N. Deer Run Road #4 Carson City, NV 89701 Telephone: (800) 808-2434 (775) 884-2434 Fax: (775) 884-0670

www.ametherm.com