

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








OA254 Series - Salt Fog



AC Fan - 115V, 230V 254 x 89mm (10.0" x 3.5")





Frame	Diecast Aluminum
Impeller	PBT, UL94V-0 plastic
Connection	Terminals
Motor	Capacitor drive, thermally protected
Bearing System	Dual ball
Insulation Resistance	>100M ohm between leadwire and frame (500VDC)
Dielectric Strength	1 min at 1,500 VAC, 50/60Hz


Environmental Protection SALT FOG RATED (SF)

Operating Temperature
Ball Bearing
-20C ~ +80C
Storage Temp
-30C ~ +80C

<u>Life Expectancy</u>
Ball Bearing
60,000 hours (L10 at 40C)

Weight: ~ 4.3 lbs

m2



Model Number	OA254AP-11-1TBSF	OA254AP-22-1TBSF
Part Number	254315562	254615562
Nominal Voltage	115VAC	230VAC
Current (Amps)	0.29 A (0.51 locked)	0.14 A (0.25 locked)
Rated Power	33 W	33 W
Rated Speed	1,650	1,650
Airflow - CFM	550	550
Noise Level - dB	55	55
Max. Static Pressure	0.40" H ₂ O	0.40" H ₂ O