



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Global / English

■ You are not logged in | ■ [Login](#) | ■ [Register](#)

OM13054

LPC-Link 2

Demo board description

LPC-Link 2 is a stand-alone debug adapter that can be configured to support various development tools and IDEs by downloadable firmwares.

Available firmware images include:

J-Link by Segger

CMSIS-DAP by ARM

Code Red Technologies Redlink

The order code for this board is **OM13054**

Features

- Compatible with the LPCXpresso-IDE and Code Red Technologies Red Suite via the Redlink interface
- Compatible with tools/IDEs that support the Segger J-Link via downloadable firmware image.
- Compatible with tools/IDEs that support CMSIS-DAP by ARM via downloadable firmware image.

Descriptive summary

LPC-Link 2 stand alone debug adapter.

The LPC-Link 2 is the latest addition to the LPCXpresso development platform. It is an extensible, stand-alone debug adapter, that can be connector to virtually any development board, and that support a broad variety of development tools and IDEs via downloadable firmware images.

The LPC-Link 2 includes a standard 10-pin JTAG/SWD connector; a 20-pin JTAG/SWD/ETM connector; and analog, digital and serial expansion headers, making it a highly extensible platform.

Available downloads

- [Configuration tool for LPC-Link 2.](#)
- [LPCXpresso - Information about the LPCXpresso platform.](#)
- [LPCXpresso Forums](#)
- [Download the LPCXpresso IDE](#)

All information on this product information page is subject to the subsequent disclaimers:

- [General product disclaimer](#)
- [Quality and reliability disclaimer](#)