



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Ovelo

OVE025309

Old item no.: 16766BK



Ovelo T30 BI 106 932 LED BAS NA

Ovelo is a modern LED task light with a unique design and all metal construction making it stand out in any office environment. A covered spring-balanced arm design provides complete flexibility of the pivoting arm and lamp head, yet its overall size is modest. Ovelo uses dimmable LEDs to illuminate an entire worksurface and incorporates automatic shut-off to further enhance energy savings. Table/desk base mount. Color: black.



Lightsource

Number of lamps	1
Lamp power (W)	6
Lightsource	LED
CRI and/or Color Temperature	CRI 90, 3250K
Lumen Out	350
Lumen/Watt	4.4
LLMF LED 50000h Ta25	0.70
MacAdam step	3,5
Average useful life (IEC 62717) Ta25	50000h L70B50

Termination

Optic	ASY
Plug type	NA
Mounting	Table/desk base
Cord length (ft)	5

Technical data

Maximum ambient temperature (°C)	25
IP classification	20

Body

Body material	Steel
Body color	Black

Electrical data

Maximum voltage (V)	240
Maximum frequency (Hz)	60
Minimum frequency (Hz)	50
Voltage from (V)	100
Total consumption (W)	8

Optic

Color of reflector	White
Material of diffuser	Polycarbonate
Material of reflector	PC
Light distribution Up/Down	0/100

Dimensions

Net weight (kg)	3
Arm length (in.)	29

Ballast

Type of Ballast	AC/DC = alternating current/ direct current
-----------------	---

Ovelo
OVE025309



Ovelo T30 BI 106 932 LED BAS NA

Ovelo is a modern LED task light with a unique design and all metal construction making it stand out in any office environment. A covered spring-balanced arm design provides complete flexibility of the pivoting



Photos



Ovelo
OVE025309



Ovelo T30 BI 106 932 LED BAS NA

Ovelo is a modern LED task light with a unique design and all metal construction making it stand out in any office environment. A covered spring-balanced arm design provides complete flexibility of the pivoting arm and lamp head, yet its overall size is modest. Ovelo uses dimmable LEDs to illuminate an entire worksurface and incorporates automatic



Drawings

