

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Desktop Computer AC Power Cable, NEMA 5-15P to C13 - 10A, 125V, 18 AWG, 4 ft., Red Plugs

MODEL NUMBER: P006-004-RD



Computer power cable allows you to connect your PC, printer or monitor into a surge protector, PDU or UPS with a NEMA 5-15R outlet.

Features

Desktop Computer Power Cord Connects PCs, Printers, Monitors and Other Equipment

This computer power supply cable is designed for home/office desktop computer applications. You can use it to connect a computer, monitor, printer, scanner or other device with a C14 power inlet to an AC wall outlet, surge protector, UPS system or PDU. The four-foot length helps reduce cable clutter and minimize the risk of tripping.

Color-Coded to Avoid Misidentification That Can Cause Costly Downtime

This computer AC power cable features fully molded red ends. The color-coding allows easy, fast identification in a crowded rack or workstation and helps prevent the cable from becoming inadvertently disconnected.

Highlights

- Recommended for powering computers, printers and other home/office peripherals
- 4 ft. length allows flexibility in placing devices, while avoiding cable clutter
- NEMA 5-15P to C13 extension cord is ideal replacement for worn-out or missing cable
- Red plugs for fast, easy identification in a crowded PDU, UPS or surge protector

Applications

- Connect devices like computers, printers and monitors to a PDU up to 4 ft. away in your workstation
- Extend an existing power connection up to 4 ft. to more easily place a device or reach a power source
- Provide a high-quality replacement for a worn-out or missing power cord

Package Includes

 P006-004-RD NEMA 5-15P to C13 Computer Power Cable, 4 ft., Red Plugs

Specifications

| OVERVIEW | |
|------------------------|---------------------|
| UPC Code | 037332168504 |
| Country/Region | North America |
| Power Cord Application | PC; Monitor; Server |





| INPUT | | |
|--|---------------------------|--|
| Maximum Input Amps | 10 | |
| Cable Length (ft.) | 4 | |
| Cable Length (m) | 1.2 | |
| Voltage Compatibility (VAC) | 125 | |
| PHYSICAL | | |
| Power Cord Jacket Type | SJT | |
| Wire Gauge (AWG) | 18 | |
| Wire Gauge (OD - mm²) | 0.82 | |
| Shipping Dimensions (hwd / in.) | 10.00 x 7.10 x 0.50 | |
| Shipping Dimensions (hwd / cm) | 25.40 x 18.03 x 1.27 | |
| Shipping Weight (lbs.) | 0.37 | |
| Shipping Weight (kg) | 0.17 | |
| Color | Black; Red | |
| Number of Conductors | 3 | |
| ENVIRONMENTAL | | |
| Operating Temperature Range | -4 to 140 F (-20 to 60 C) | |
| Storage Temperature Range | -4 to 140 F (-20 to 60 C) | |
| Operating Humidity Range | 10 - 85% RH | |
| CONNECTIONS | | |
| Side A - Connector 1 | NEMA 5-15P | |
| Side B - Connector 1 | IEC-320-C13 | |
| WARRANTY | | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty | |

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies