imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

Hospital-Grade Power Cord, NEMA 5-15P to C13 -Green Dot, 10A, 125V, 18 AWG, 8 ft. Coiled Cord, Black

MODEL NUMBER: P006-C08-HG10





Coiled medical power cord connects your PC or other hospital equipment with a C14 inlet to a grounded hospital-grade AC outlet.

Features

Hospital-Grade Power Cable is a Safe Solution for Medical Facilities

This hospital-grade IEC power cord is designed for computers, mobile carts, printers, scanners, monitors and other compatible hospital equipment with a three-pin C14 inlet. It features a C13 end for connecting to a device and a NEMA 5-15P-HG plug for connecting to a hospital-grade AC power source located outside patient-care vicinities.

Coiled Power Cord Allows You Freedom of Movement

The NEMA 5-15P-HG hospital-grade plug is connected to a coiled power cord that fully extends to eight feet. The cord is designed to resist tangles and knots, and it takes up less space when not stretched to its full length. Best of all, the coiled cable gives you more freedom in placing the power strip where it's most needed at any given time.

Designed and Tested to Strict Hospital-Grade Standards

The hospital-grade power cord is tested to ANSI/UL 62 and 817 standards, as well as CAN/CSA C22.2 no. 21 and 49 standards, ensuring it's a dependable power solution for hospital environments.

Highlights

- Recommended for connecting devices to power outlets outside patient-care vicinities
- Coiled cord extends to 8 ft. to allow flexibility in placing devices away from AC outlet
- Medical power cord replaces or upgrades power cord provided by manufacturer
- NEMA 5-15P-HG plug connects to AC power; C13 plug connects to device's C14 inlet

Applications

- Connect devices like PCs, mobile carts, monitors and printers to a power outlet up to 8 ft. away in a hospital environment outside patientcare vicinities
- Extend an existing power connection up to 8 ft. to more easily place a device or reach a power source
- Update or replace the standard power cord provided by a device's original manufacturer

Package Includes

P006-C08-HG10 Hospital-Grade
Power Cord, NEMA 5-15P to
C13, 8 ft. Coiled, Black

Specifications

OVERVIEW	
UPC Code	037332193322



Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

Country/Region	North America	
Power Cord Application	PC; Monitor; Server; Mobile Cart	
INPUT		
Maximum Input Amps	10	
Cable Length (ft.)	8	
Cable Length (m)	2.4	
Voltage Compatibility (VAC)	125	
PHYSICAL		
Power Cord Jacket Type	SJT	
Wire Gauge (AWG)	18	
Wire Gauge (OD - mm ²)	0.82	
Shipping Dimensions (hwd / in.)	7.00 x 9.90 x 0.50	
Shipping Dimensions (hwd / cm)	17.78 x 25.15 x 1.27	
Shipping Weight (lbs.)	0.60	
Shipping Weight (kg)	0.27	
Color	Black	
Number of Conductors	3	
CONNECTIONS		
Side A - Connector 1	NEMA 5-15P	
Side B - Connector 1	IEC-320-C13	
CERTIFICATIONS		
Certifications	ANSI/UL 62 AND 817, CAN/CSA C22.2 NO. 21 AND 49, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies