imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





15 Ft. Extension Cord, NEMA 5-15P to NEMA 5-15R - 13A, 120V, 16 AWG, Black

MODEL NUMBER: P024-015-13A









15 ft. extension cord with 5-15P and 5-15R connectors connects bulky power transformers without blocking adjacent outlets on your PDU.

Features

15-Foot Extension Cord Connects PCs, Printers, Monitors and Other Equipment

This cord is recommended for home/office desktop computer applications, home theater setups or other applications where multiple devices are plugged into a surge protector, PDU or UPS system. It allows you to connect bulky power adapters to a NEMA 5-15R outlet without blocking adjacent outlets. The 15-foot length allows you great flexibility in placing equipment with respect to the power outlet.

Highlights

- Recommended for powering computers, printers and other home/office peripherals
- 15 ft. length allows great flexibility in placing devices in relationship to AC outlet
- Ideal replacement for worn-out or missing 15 ft. extension cord

Applications

- Connect devices like computers, servers and monitors to a PDU in your data center
- Extend an existing power connection up to 15 ft. to more easily place a device or reach a power source in a rack
- Provide a high-quality replacement for a worn-out or missing power cord

Package Includes

 P024-015-13A 15-Ft Extension
Cord, NEMA 5-15P to NEMA 5-15R, Black

Specifications

| OVERVIEW | | |
|------------------------|-------------------------------|--|
| OVERVIEW | | |
| UPC Code | 037332197153 | |
| Country/Region | North America | |
| Power Cord Application | PC; Monitor; Server; PDU; UPS | |
| | | |
| INPUT | | |
| Maximum Input Amps | 13 | |
| Cable Length (ft.) | 15 | |
| Cable Length (m) | 4.6 | |



| [| |
|--|---------------------------|
| Cable Length (in.) | 180 |
| Voltage Compatibility (VAC) | 120 |
| Cable Length (cm) | 457.20 |
| PHYSICAL | |
| Power Cord Jacket Type | SJT |
| Wire Gauge (AWG) | 16 |
| Wire Gauge (OD - mm²) | 1.31 |
| Shipping Dimensions (hwd / in.) | 0.50 × 7.00 × 10.00 |
| Shipping Dimensions (hwd / cm) | 1.27 x 17.78 x 25.40 |
| Shipping Weight (lbs.) | 1.40 |
| Shipping Weight (kg) | 0.64 |
| Color | Black |
| Number of Conductors | 3 |
| CONNECTIONS | |
| Side A - Connector 1 | NEMA 5-15P |
| Side B - Connector 1 | NEMA 5-15R |
| WARRANTY | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies