## imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





#### Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

# C20 to C13 Splitter, Heavy Duty, IEC 320 C20 to 2x IEC 320 C13 - 15A, 100-250V, 14 AWG, 2 ft., Black

#### MODEL NUMBER: P032-002-2C13



C20-to-C13 splitter allows 2 devices with C14 inlets to share one AC power input cord and one C19 outlet on a PDU or UPS system.

#### Features

#### Heavy-Duty Splitter Cable for Network Devices That Require a Heavy-Gauge Connection

This C20-to-C13 splitter features 14 AWG wire suitable for high power connections, making it a reliable solution for large server applications that require a higher-rated, heavier-gauge cable. It allows two devices with C14 power inlets to share one AC input cord and one C19 outlet. By connecting two devices to one outlet, the splitter frees up space in a PDU or surge protector and helps reduce cable clutter. The two-foot length helps reduce cable clutter and minimize the risk of tripping.

#### **Dual IEC Cable Powers a Wide Variety of Essential Electronics**

With this splitter, a single C19 outlet can power two devices, such as computers, monitors, printers, instrument amplifiers and other equipment compatible with a C19 connector. Ideal for areas where AC outlets are limited, such as rack cabinets, this dual IEC cable is compatible with Tripp Lite power and extension cords.

#### Highlights

- Connects 2 devices to one AC outlet to save space and reduce cable clutter
- Recommended for powering dual computers, monitors or other compatible peripherals
- 2 ft. length allows flexibility in placing devices, while avoiding cable clutter
- Heavy-duty cord replaces or upgrades standard power cords provided by manufacturer
- Thick 14 AWG wire gauge manages high power levels required for larger equipment

#### Applications

- Connect 2 devices like computers, monitors, scanners and printers to one power outlet up to 2 ft. away in your home office, work space or dorm room
- Cut cable clutter by powering both monitors in a dual-monitor display mount with a single cord
- Save space in a 0U vertical rack-mount PDU by plugging two rack devices into one outlet

#### Package Includes

P032-002-2C13 C20 to C13
Splitter, 2 ft., Black

### Specifications

| OVERVIEW |              |  |
|----------|--------------|--|
| UPC Code | 037332156495 |  |



Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

| Country/Region                         | North America             |  |
|--|---------------------------|--|
| Power Cord Application                 | PC; Server; PDU; UPS      |  |
| INPUT                                  |                           |  |
| Maximum Input Amps                     | 15                        |  |
| Cable Length (ft.)                     | 2                         |  |
| Cable Length (m)                       | 0.6                       |  |
| Voltage Compatibility (VAC)            | 100-250                   |  |
| PHYSICAL                               |                           |  |
| Power Cord Jacket Type                 | SJTW                      |  |
| Wire Gauge (AWG)                       | 14                        |  |
| Wire Gauge (OD - mm <sup>2</sup> )     | 2.08                      |  |
| Shipping Dimensions (hwd / in.)        | 12.80 x 8.90 x 0.50       |  |
| Shipping Dimensions (hwd / cm)         | 32.51 x 22.61 x 1.27      |  |
| Shipping Weight (lbs.)                 | 0.56                      |  |
| Shipping Weight (kg)                   | 0.25                      |  |
| Color                                  | Black                     |  |
| Number of Conductors                   | 3                         |  |
| CONNECTIONS                            |                           |  |
| Side A - Connector 1                   | IEC-320-C20               |  |
| Side B - Connector 1                   | (2) IEC-320-C13           |  |
| WARRANTY                               |                           |  |
| Product Warranty Period<br>(Worldwide) | Lifetime limited warranty |  |

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>