



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## AT Serial Cable Adapter (DB9 to DB25 F/F)

MODEL NUMBER: P102-000



### Highlights

- Changes a DB9 Male connector into a DB25 Female Connector
- Fully shielded against EMI/RFI interference

### System Requirements

- DB9M serial port on a PC

### Package Includes

- Serial Gender Changer DB9F to DB25F Gold Connectors

### Description

Tripp Lite's serial adapter has gold plated connectors. It will change a DB9M connector or port into a DB25F connector or port to accept a DB25M cable or device. Gold plated copper contacts provide maximum conductivity and keep data loss to a minimum. 28 AWG stranded tinned copper conductors are individually insulated in polypropylene. This minimizes cross talk and ensures high-speed, error-free transmission. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

### Features

- Change a DB9M connector or port into a DB25F connector or port to accept a DB25M cable or device.
- Gold plated contacts and connectors for superior conductivity
- Fully shielded against EMI/RFI interference
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

## Specifications

OVERVIEW	
UPC Code	037332011640
Technology	DB25; Serial (RS232)
PHYSICAL	
Shipping Dimensions (hwd / in.)	6.75 x 4.00 x 0.50
Shipping Dimensions (hwd / cm)	17.14 x 10.16 x 1.27
Shipping Weight (lbs.)	0.11
Shipping Weight (kg)	0.05



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

<b>CONNECTIONS</b>	
Side A - Connector 1	DB9 (FEMALE)
Side B - Connector 1	DB25 (FEMALE)
<b>WARRANTY</b>	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>