



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Mini DisplayPort to DVI Dual-Link Active Converter, Mini DisplayPort to DVI (M/F), Thunderbolt 1 & 2 Compatible, 2560 x 1600, 6 in.

MODEL NUMBER: P137-06N-DVI-DL



Converts any Mini DisplayPort video signal for display on a DVI-D single-link or dual-link monitor, projector or television.

Description

The P137-06N-DVI-DL Mini DisplayPort to DVI Dual-Link Active Converter (M/F) connects a Mini DisplayPort computer to the DVI-D dual-link port on a monitor, projector or television. With a male Mini DisplayPort connector and a female DVI dual-link connector, this video adapter lets you use your existing DVI display and DVI cable instead of buying a new Mini DisplayPort monitor.

Ideal for displaying video on a large monitor or digital sign, this active converter supports DVI dual-link video resolutions up to 2560 x 1600 and DVI single-link video resolutions up to 1920 x 1080 (1080p). Because it's an active converter, the P137-06N-DVI-DL converts both Multi-Mode (DP++) and Single-Mode DisplayPort output. It's recommended for use with graphics cards, such as AMD Eyefinity, that do not output DP++ signals.

Plug and play with no software, drivers or power supply needed. The unit is powered by connecting its built-in USB cable to the Mini DisplayPort device. Gold-plated connectors and contacts ensure excellent conductivity. Integral strain relief ensures the converter and molded connectors last a long time. The P137-06N-DVI-DL fits easily in a briefcase, backpack or laptop bag for connecting on the go.

Features

Send High-Definition Mini DisplayPort Video Signals to a DVI Display

- Connects Mini DisplayPort computer to DVI-D dual-link monitor, projector or TV
- Active adapter for use with any Mini Displayport (or Thunderbolt 1 & 2) port
- Ideal for displaying video on large monitor or digital sign
- Female DVI dual-link and male Mini DisplayPort connectors

Highlights

- Active converter works with all Mini DisplayPort signals
- Compatible with Thunderbolt 1 and 2 ports on Mac computers
- Supports DVI dual-link video resolutions up to 2560 x 1600
- Supports DVI single-link video resolutions up to 1920 x 1080
- Converts Multi-Mode (DP++) and Single-Mode DisplayPort output
- Plug and play—no software, drivers or power supply needed

System Requirements

- Computer with Mini DisplayPort and USB port
- Display with DVI output
- Not for use with MST Hubs. For compatibility with MST Hubs, use a Displayport 1.2 compliant product such as P137-06N-DVI-V2

Package Includes

- P137-06N-DVI-DL Mini DisplayPort to DVI Dual-Link Active Converter (M/F), 6 in.



Vibrant, Superior Video Quality

- Supports DVI dual-link video resolutions up to 2560 x 1600
- Supports DVI single-link video resolutions up to 1920 x 1080 (1080p)
- Supports 24-bit Deep Color (8 bits per channel)
- Converts Multi-Mode (DP++) and Single-Mode DisplayPort output
- Works with graphics cards that don't output DP++ signals, such as AMD Eyefinity

Superior Materials for Superior Performance

- Gold-plated connectors and contacts for excellent conductivity
- Integral strain relief for long life
- Plug-and-play—no software, drivers or power supply necessary
- Fits easily into briefcase, backpack or laptop bag

Specifications

OVERVIEW	
UPC Code	037332199263
Technology	DVI (all types); DisplayPort (all types)
INPUT	
Cable Length (ft.)	0.5
Cable Length (in.)	6
Cable Length (cm)	15.24
PHYSICAL	
Shipping Dimensions (hwd / in.)	1.200 x 6.100 x 6.200
Shipping Dimensions (hwd / cm)	3.05 x 15.49 x 15.75
Shipping Weight (lbs.)	0.4000
Shipping Weight (kg)	0.18
Color	Silver
CONNECTIONS	
Side A - Connector 1	MINI DISPLAYPORT (MALE)
Side A - Connector 2	USB A (MALE)
Side B - Connector 1	DVI-D DUAL LINK (FEMALE)
WARRANTY	



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Product Warranty Period (Worldwide)	3-year limited warranty
--	-------------------------

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>