



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Keyspan Mini DisplayPort 1.2 to UHD 4K HDMI Active Adapter/Video Converter, Thunderbolt 1 & 2 Compatible, 4K x 2K (3840 x 2160) @ 24/30 Hz (M/F), 6 in.

MODEL NUMBER: **P137-06N-HD-UHD**



Connect a UHD 4K x 2K HDMI monitor to a Mac or PC with a Mini Displayport output

### Description

Tripp Lite's P137-06N-HD-UHD Keyspan Mini DisplayPort 1.2 to UHD 4K HDMI Active Adapter/Video Converter allows you to connect a Mac or PC with a Mini DisplayPort or Thunderbolt™ output to a UHD 4K HDMI TV.

Ideal for Thunderbolt™ /Mini DisplayPort equipped laptops, Chromebooks, MacBooks, Ultrabooks and Microsoft Surface. Mac 10.11, Windows 10 Compatible. Compatible with Thunderbolt 1 and 2 ports on Mac computers.

Supports Ultra High Definition (UHD) video resolutions up to 4K x 2K (3840 x 2160) @ 24/30 Hz. Fully molded ends ensure long life enjoyment.

Converts both Single-Mode and Dual-Mode (DP++) Mini DisplayPort output, and is perfect for use with graphics cards, such as AMD Eyefinity, that do not output DP++ signals.

### Features

- Connect a UHD HDMI TV to a Mac or PC with a Mini Displayport output
- Active adapter for use with any Mini Displayport (or Thunderbolt 1 & 2) port
- Converts Single-Mode and Dual-Mode (DP++) Mini DisplayPort output
- Perfect for use with graphics cards, such as AMD Eyefinity, that do not output DP++ signals
- Displayport 1.2 and HDMI 1.4 compliant
- Plug-and-play convenience—no drivers or software needed

### Highlights

- Connect a UHD HDMI monitor to a Mac or PC with a Mini Displayport output
- Active adapter for use with any Mini Displayport (or Thunderbolt 1 & 2) port
- Plug-and-play convenience—no drivers or software needed
- Supports Ultra High Definition (UHD) video resolutions up to 4Kx2K, 3840 x 2160 (24Hz or 30Hz)
- HDCP compliant

### System Requirements

- Computer with a Mini Displayport (or Thunderbolt 1 & 2) port
- Monitor with a HDMI port.
- Both monitor and source must support 4Kx2K (24Hz or 30Hz) in order to display 4Kx2K video resolutions
- 7.1 Audio Surround Sound is supported as long as it is supported by the source. Check your Mini Displayport source documentation for compatibility.
- The P137-06N-HD-UHD is an Active adapter, and requires that the connected computer has a DP++ ( Displayport ++ ) port, which allows HDMI and DVI signals to be passed through; check the documentation for your Mini Displayport source for compatibility.



- Supports Ultra High Definition (UHD) video resolutions up to 4K x 2K (3840 x 2160) @ 24/30 Hz
- HDCP compliant
- The P137-06N-HD-UHD supports transmission of an audio signal as long as it is supported by the Mini Displayport source-check the documentation for your Mini Displayport source for compatibility.

#### Package Includes

- P137-06N-HD-UHD Keyspan  
Mini DisplayPort 1.2 to UHD 4K  
HDMI Active Adapter/Video  
Converter (M/F), 6 in.

## Specifications

OVERVIEW	
UPC Code	037332183910
Technology	HDMI (All types); DisplayPort (all types)
INPUT	
Cable Length (ft.)	0.5
Cable Length (m)	0.2
Cable Length (in.)	6
Cable Length (cm)	15.24
PHYSICAL	
Shipping Dimensions (hwd / in.)	9.000 x 0.500 x 7.000
Shipping Dimensions (hwd / cm)	22.86 x 1.27 x 17.78
Shipping Weight (lbs.)	0.2600
Shipping Weight (kg)	0.12
Color	White
CONNECTIONS	
Side A - Connector 1	MINI DISPLAYPORT (MALE)
Side B - Connector 1	HDMI (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	3-year limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>