



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



DMS-59 to Dual DVI Splitter Y Cable (M to 2x DVI-I F), 1-ft.

MODEL NUMBER: **P576-001**



Highlights

- Attach two DVI enabled monitors to your DMS59 Digital Media Systems Graphics Card
- Superior molded connectors for long life use

Package Includes

DMS59 to (2) x DVI-I Female Splitter Cable - 1-ft.

Description

Tripp Lites P576-001 Dual DVI Splitter Cable allows you to connect two DVI enabled monitors to a video graphic card with a single LFH59 / LFH60 (DMS59 or DMS60) connector. DMS-59 supports a higher density of video displays, in a similar amount of connector space to a standard DVI connector. DMS-59 supports two DVI Dual Link digital channels or two VGA analog channels from a single connector.

Features

- LFH59 (DMS59) to 2 x DVI-I Female, 1ft
- Compatible with most DMS-59 video cards including nVidia, Matrox, HP, PNY, and ATI
- Rugged molded construction and gold plated contacts

Specifications

OVERVIEW	
UPC Code	037332145970
Technology	DVI (all types)
INPUT	
Cable Length (ft.)	1
Cable Length (m)	0.3
PHYSICAL	
Shipping Dimensions (hwd / in.)	9.000 x 7.000 x 0.500



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Shipping Dimensions (hwd / cm)	22.86 x 17.78 x 1.27
Shipping Weight (lbs.)	0.3000
Shipping Weight (kg)	0.14
Color	Black
CONNECTIONS	
Side A - Connector 1	DMS59 (MALE)
Side B - Connector 1	(2) DVI-I DUAL LINK (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>