



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



15-Pin SATA (Male) to 4-Pin (Female) Power Cable - 26 AWG, 6 in. (0.2 m)

MODEL NUMBER: P944-06I



Highlights

- Connects SATA drive to internal power source
- Supports most current version of Serial ATA
- Meets the newly released updates and listed in Errata 029

System Requirements

- Serial ATA device
- Serial ATA controller

Package Includes

- 6-in. Serial ATA (SATA) Power Adapter Cable 15Pin/4Pin

Description

Tripp Lite expands its line of hard drive cables with the introduction of our new line of Serial ATA cables. The Serial ATA power cable connects any Serial ATA drive to any standard internal power connector. These new hard drives are perfect for the desktop or server that has multiple drives. This cable offers easy installation and comes with 15 pin/4 pin male connectors.

Features

- Connects any Serial ATA drive 15pin Power port to a standard internal 4-pin Molex power connector
- Meets serial ATA 1.0 standards

Specifications

OVERVIEW	
UPC Code	037332117779
Technology	SATA/eSATA
Country/Region	Global
Power Cord Application	PC
INPUT	
Cable Length (ft.)	0.5
Cable Length (m)	0.2
Cable Length (in.)	6
Cable Length (cm)	15.24



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

PHYSICAL	
Power Cord Jacket Type	Null
Wire Gauge (AWG)	26
Shipping Dimensions (hwd / in.)	5.30 x 3.90 x 0.50
Shipping Dimensions (hwd / cm)	13.46 x 9.91 x 1.27
Shipping Weight (lbs.)	0.14
Shipping Weight (kg)	0.06
Color	Black; Red; Yellow
Number of Conductors	0
CONNECTIONS	
Side A - Connector 1	15 PIN SATA POWER
Side B - Connector 1	LP4 (MALE)
CERTIFICATIONS	
Certifications	ROHS
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>