# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



### Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





# 15-Pin SATA (Male) to 4-Pin (Female) / 4-Pin (Male) Power Cable - 6 in. (0.15 m)

#### MODEL NUMBER: P945-06I



#### Description

Tripp Lite expands its line of hard drive cables with the introduction of our new line of Serial ATA cables. The Serial ATA power cable connects any Serial ATA drive to any standard internal power connector. These new hard drives are perfect for the desktop or server that has multiple drives. This cable offers easy installation and comes with 15 pin SATA Power connector, 1 x 4pin Male and 1 x 4pin Female Molex LP4 style connectors.

#### Features

- Connects any Serial ATA drive to a standard internal power connector
- 1 x SATA 15pin Power, 1 x 4pin Male, 1 x 4pin Female
- Meets serial ATA 1.0 standards

### Specifications

OVERVIEW		
UPC Code	037332120250	
Technology	SATA/eSATA	
Country/Region	Global	
Power Cord Application	PC	
INPUT		
Cable Length (ft.)	0.5	
Cable Length (m)	0.2	

#### Highlights

- Connects SATA drive to internal power source
- Supports most current version of Serial ATA
- Meets the newly released updates and listed in Errata 029
- Supports a data transfer rate of 150-MBps

#### **System Requirements**

- Serial ATA device
- Serial ATA controller

#### **Package Includes**

 6-in. Serial ATA Power
Adapter/Ext Cable - 4pin/4pin + 15pin SATA



Cable Length (in.)	6
Cable Length (cm)	15.24
PHYSICAL	
Power Cord Jacket Type	Null
Shipping Dimensions (hwd / in.)	9.00 × 7.00 × 0.50
Shipping Dimensions (hwd / cm)	22.86 x 17.78 x 1.27
Shipping Weight (lbs.)	0.07
Shipping Weight (kg)	0.03
Color	Black; Red; Yellow
Number of Conductors	0
CONNECTIONS	
Side A - Connector 1	15 PIN SATA POWER
Side B - Connector 1	LP4 (MALE)
Side B - Connector 2	LP4 (FEMALE)
CERTIFICATIONS	
Certifications	RoHS-Compliant
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>