



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China

# PAC5223

*Power Application Controller™*

Multi-Mode Power Manager™

Configurable Analog Front End™

Application Specific Power Drivers™

ARM® Cortex™-M0 Controller Core



## TABLE OF CONTENTS

1. Styles and Formatting Conventions.....	25
1.1. Overview.....	25
1.2. Number Representation.....	25
1.3. Formatting Styles.....	25
2. Memory and Register Map.....	26
2.1. Memory Map.....	26
2.2. Register Map.....	27
3. Information Block.....	39
3.1. Register.....	39
3.1.1. Register Map.....	39
3.1.2. ROSC11.....	39
3.1.3. VREFV.....	39
3.1.4. ADCGAIN.....	40
3.1.5. ADCOFF.....	40
3.1.6. FTTEMP.....	40
3.1.7. TEMPS.....	40
3.1.8. CLKREF.....	40
3.1.9. DIEREV.....	40
3.1.10. PACIDR.....	40
3.2. Details of Operation.....	41
3.2.1. Overview.....	41
4. System Clock Control.....	42
4.1. Register.....	42
4.1.1. Register Map.....	42
4.1.2. CCSCTL.....	42
4.1.3. PLLCTL.....	43
4.1.4. OSCCTL.....	43
4.1.5. XTALCTL.....	43
4.2. Details of Operation.....	44
4.2.1. Block Diagram.....	44
4.2.2. Configuration.....	44
4.2.3. ROSC.....	45
4.2.4. CLKREF.....	45
4.2.5. XTAL.....	45
4.2.6. EXTCLK.....	45
4.2.7. PLL.....	45
4.2.8. FRCLK.....	46
4.2.9. FCLK.....	46
4.2.10. HCLK.....	46
4.2.11. ACLK.....	46
4.2.12. Clock Gating.....	46
5. Watchdog Timer.....	47
5.1. Register.....	47
5.1.1. Register Map.....	47
5.1.2. WDTCTL.....	47
5.1.3. WDTCDV.....	48
5.1.4. WDTCTR.....	48
5.2. Details of Operation.....	49
5.2.1. Block Diagram.....	49
5.2.2. Configuration.....	49
5.2.3. Watchdog Timer.....	49

5.2.4. Access WDT Registers.....	49
5.2.5. WDT Clock Setting.....	49
5.2.6. General Purpose Timer Mode.....	49
5.2.7. Watchdog Timer Mode.....	50
6. GPIO Port A.....	51
6.1. Register.....	51
6.1.1. Register Map.....	51
6.1.2. GPIOAO.....	51
6.1.3. GPIOAOUTEN.....	52
6.1.4. GPIOADS.....	52
6.1.5. GPIOAPU.....	53
6.1.6. GPIOAPD.....	54
6.1.7. GPIOAIN.....	54
6.1.8. GPIOAPSEL.....	55
6.1.9. GPIOAINTP.....	56
6.1.10. GPIOAINTE.....	56
6.1.11. GPIOAINTF.....	57
6.1.12. GPIOAINTM.....	58
6.2. Details of Operation.....	59
6.2.1. Block Diagram.....	59
6.2.2. Configuration.....	59
6.2.3. GPIO A Block.....	59
6.2.4. Input.....	59
6.2.5. Output and Output Enable.....	59
6.2.6. Output Drive Strength.....	60
6.2.7. Weak Pull Up and Pull Down.....	60
6.2.8. Peripheral Select.....	60
6.2.9. Interrupt.....	60
7. GPIO Port B.....	61
7.1. Register.....	61
7.1.1. Register Map.....	61
7.1.2. GPIOBOUT.....	61
7.1.3. GPIOBOUTEN.....	61
7.1.4. GPIOBDS.....	62
7.1.5. GPIOBPU.....	62
7.1.6. GPIOBPD.....	63
7.1.7. GPIOBIN.....	63
7.1.8. GPIOBPSEL.....	63
7.1.9. GPIOBINTP.....	64
7.1.10. GPIOBINTE.....	65
7.1.11. GPIOBINTF.....	65
7.1.12. GPIOBINTM.....	66
7.2. Details of Operation.....	67
7.2.1. Block Diagram.....	67
7.2.2. Configuration.....	67
7.2.3. GPIO B Block.....	67
7.2.4. Input.....	67
7.2.5. Output and Output Enable.....	67
7.2.6. Output Drive Strength.....	67
7.2.7. Weak Pull Up and Pull Down.....	68
7.2.8. Peripheral Select.....	68
7.2.9. Interrupt.....	68
8. GPIO Port C.....	69
8.1. Register.....	69

8.1.1. Register Map.....	69
8.1.2. GPIOCOUT.....	69
8.1.3. GPIOCOUTEN.....	70
8.1.4. GPIOCIN.....	70
8.1.5. GPIOCINE.....	71
8.1.6. GPIOCINTP.....	72
8.1.7. GPIOCINTE.....	72
8.1.8. GPIOCINTF.....	73
8.1.9. GPIOCINTM.....	73
8.2. Details of Operation.....	75
8.2.1. Block Diagram.....	75
8.2.2. Configuration.....	75
8.2.3. GPIO C Block.....	75
8.2.4. Analog Input.....	75
8.2.5. Output and Output Enable.....	75
8.2.6. Interrupt.....	75
9. GPIO Port D.....	77
9.1. Register.....	77
9.1.1. Register Map.....	77
9.1.2. GPIODO.....	77
9.1.3. GPIODOUTEN.....	78
9.1.4. GPIODDS.....	78
9.1.5. GPIODPU.....	79
9.1.6. GPIODPD.....	80
9.1.7. GPIODIN.....	80
9.1.8. GPIODPSEL.....	81
9.1.9. GPIODINTP.....	82
9.1.10. GPIODINTE.....	82
9.1.11. GPIODINTF.....	83
9.1.12. GPIODINTM.....	83
9.2. Details of Operation.....	85
9.2.1. Block Diagram.....	85
9.2.2. Configuration.....	85
9.2.3. GPIO D Block.....	85
9.2.4. Input.....	85
9.2.5. Output and Output Enable.....	85
9.2.6. Output Drive Strength.....	86
9.2.7. Weak Pull Up and Pull Down.....	86
9.2.8. Peripheral Select.....	86
9.2.9. Interrupt.....	86
10. GPIO Port E.....	87
10.1. Register.....	87
10.1.1. Register Map.....	87
10.1.2. GPIOEOUT.....	87
10.1.3. GPIOEOUTEN.....	88
10.1.4. GPIOEDS.....	88
10.1.5. GPIOEPU.....	89
10.1.6. GPIOEPD.....	90
10.1.7. GPIOEIN.....	90
10.1.8. GPIOEPSEL.....	91
10.1.9. GPIOEINTP.....	92
10.1.10. GPIOEINTE.....	92
10.1.11. GPIOEINTF.....	93
10.1.12. GPIOEINTM.....	93

10.2. Details of Operation.....	95
10.2.1. Block Diagram.....	95
10.2.2. Configuration.....	95
10.2.3. GPIO E Block.....	95
10.2.4. Input.....	95
10.2.5. Output and Output Enable.....	95
10.2.6. Output Drive Strength.....	95
10.2.7. Weak Pull Up and Pull Down.....	96
10.2.8. Peripheral Select.....	96
10.2.9. Interrupt.....	96
11. General Purpose Timer.....	97
11.1. Register.....	97
11.1.1. Register Map.....	97
11.1.2. RTCCTL.....	97
11.1.3. RTCCDV.....	98
11.1.4. RTCCTR.....	98
11.2. Details of Operation.....	99
11.2.1. Block Diagram.....	99
11.2.2. Configuration.....	99
11.2.3. General Purpose Timer.....	99
11.2.4. Access GPT Registers.....	99
11.2.5. GPT Clock.....	99
11.2.6. General Purpose Timer Mode.....	99
12. Timer A.....	100
12.1. Register.....	100
12.1.1. Register Map.....	100
12.1.2. TACTL.....	101
12.1.3. TAPRD.....	102
12.1.4. TACTR.....	102
12.1.5. TACC0CTRL.....	102
12.1.6. TACC0CTR.....	102
12.1.7. TACC1CTRL.....	103
12.1.8. TACC1CTR.....	103
12.1.9. TACC2CTRL.....	103
12.1.10. TACC2CTR.....	104
12.1.11. TACC3CTRL.....	104
12.1.12. TACC3CTR.....	104
12.1.13. TACC4CTRL.....	104
12.1.14. TACC4CTR.....	105
12.1.15. TACC5CTRL.....	105
12.1.16. TACC5CTR.....	105
12.1.17. TACC6CTRL.....	106
12.1.18. TACC6CTR.....	106
12.1.19. TACC7CTRL.....	106
12.1.20. TACC7CTR.....	107
12.1.21. DTGA0CTL.....	107
12.1.22. DTGA0LED.....	107
12.1.23. DTGA0TED.....	107
12.1.24. DTGA1CTL.....	108
12.1.25. DTGA1LED.....	108
12.1.26. DTGA1TED.....	108
12.1.27. DTGA2CTL.....	108
12.1.28. DTGA2LED.....	109
12.1.29. DTGA2TED.....	109

12.1.30. DTGA3CTL.....	109
12.1.31. DTGA3LED.....	110
12.1.32. DTGA3TED.....	110
12.2. Details of Operation.....	111
12.2.1. Block Diagram.....	111
12.2.2. Configuration.....	111
12.2.3. Timer A Block.....	111
12.2.4. Timer.....	111
12.2.5. Register update.....	112
12.2.6. Timer Modes.....	112
12.2.7. Single Shot Mode.....	112
12.2.8. Input Clock And Pre-Scaler.....	112
12.2.9. Timer Synchronization.....	112
12.2.10. PWM/Compare Units.....	113
12.2.11. Timer and PWM/Capture Interrupt.....	114
12.2.12. Dead-Time Generator.....	115
12.2.13. PWM Output and Capture Input Pin Selection.....	117
13. Timer B.....	118
13.1. Register.....	118
13.1.1. Register Map.....	118
13.1.2. TBCTL.....	118
13.1.3. TBPRD.....	119
13.1.4. TBCTR.....	119
13.1.5. TBCC0CTRL.....	119
13.1.6. TBCC0CTR.....	120
13.1.7. TBCC1CTRL.....	120
13.1.8. TBCC1CTR.....	120
13.1.9. TBCC2CTRL.....	121
13.1.10. TBCC2CTR.....	121
13.1.11. TBCC3CTRL.....	121
13.1.12. TBCC3CTR.....	122
13.1.13. DTGB0CTL.....	122
13.1.14. DTGB0LED.....	122
13.1.15. DTGB0TED.....	123
13.2. Details of Operation.....	124
13.2.1. Block Diagram.....	124
13.2.2. Configuration.....	124
13.2.3. Timer B Block.....	124
13.2.4. Timer.....	124
13.2.5. Register update.....	125
13.2.6. Timer Modes.....	125
13.2.7. Single Shot Mode.....	125
13.2.8. Input Clock And Pre-Scaler.....	125
13.2.9. Timer Synchronization.....	125
13.2.10. PWM/Compare Units.....	126
13.2.11. Timer and PWM/Capture Interrupt.....	127
13.2.12. Dead-Time Generator.....	128
13.2.13. PWM Output and Capture Input Pin Selection.....	130
14. Timer C.....	131
14.1. Register.....	131
14.1.1. Register Map.....	131
14.1.2. TCCTL.....	131
14.1.3. TCPRD.....	132
14.1.4. TCCTR.....	132

14.1.5. TCCC0CTRL.....	132
14.1.6. TCCC0CTR.....	133
14.1.7. TCCC1CTRL.....	133
14.1.8. TCCC1CTR.....	133
14.1.9. DTGC0CTL.....	134
14.1.10. DTGC0LED.....	134
14.1.11. DTGC0TED.....	134
14.2. Details of Operation.....	135
14.2.1. Block Diagram.....	135
14.2.2. Configuration.....	135
14.2.3. Timer C Block.....	135
14.2.4. Timer.....	135
14.2.5. Register update.....	136
14.2.6. Timer Modes.....	136
14.2.7. Single Shot Mode.....	136
14.2.8. Input clock and Pre-scaler.....	136
14.2.9. Timer synchronization.....	136
14.2.10. PWM/Compare Units.....	137
14.2.11. Timer and PWM/Capture Interrupt.....	138
14.2.12. Dead-Time Generator.....	139
14.2.13. PWM Output and Capture Input Pin Selection.....	141
15. Timer D.....	142
15.1. Register.....	142
15.1.1. Register Map.....	142
15.1.2. TDCTL.....	142
15.1.3. TDPRD.....	143
15.1.4. TDCTR.....	143
15.1.5. TDCC0CTL.....	143
15.1.6. TDCC0CTR.....	144
15.1.7. TDCC1CTRL.....	144
15.1.8. TDCC1CTR.....	144
15.1.9. DTGD0CTL.....	145
15.1.10. DTGD0LED.....	145
15.1.11. DTGD0TED.....	145
15.2. Details of Operation.....	146
15.2.1. Block Diagram.....	146
15.2.2. Configuration.....	146
15.2.3. Timer D Block.....	146
15.2.4. Timer.....	146
15.2.5. Register Update.....	147
15.2.6. Timer Modes.....	147
15.2.7. Single Shot Mode.....	147
15.2.8. Input Clock And Pre-Scaler.....	147
15.2.9. Timer Synchronization.....	147
15.2.10. PWM/Compare Units.....	148
15.2.11. Timer and PWM/Capture Interrupt.....	149
15.2.12. Dead-Time Generator.....	149
15.2.13. PWM Output and Capture Input Pin Selection.....	151
16. FLASH Memory Controller.....	152
16.1. Register.....	152
16.1.1. Register Map.....	152
16.1.2. FLASHLOCK.....	152
16.1.3. FLASHCTL.....	153
16.1.4. FLASHPAGE.....	153

16.1.5. FLASHPERASE.....	154
16.1.6. SWDACCESS.....	154
16.1.7. FLASHWSTATE.....	154
16.1.8. FLASHBWRITE.....	154
16.1.9. FLASHBWDATA.....	155
16.2. Details of Operation.....	156
16.2.1. Block Diagram.....	156
16.2.2. Configuration.....	156
16.2.3. FLASH Memory.....	156
16.2.4. Writing to FLASH Controller Registers.....	156
16.2.5. FLASH Wait State.....	156
16.2.6. FLASH Page Erase.....	157
16.2.7. Write to FLASH.....	157
16.2.8. Buffered Write to FLASH.....	157
16.2.9. SWD Debug Access Disable.....	158
17. ADC and AUTO SEQUENCER.....	159
17.1. Register.....	159
17.1.1. Register Map.....	159
17.1.2. EMUXCTL.....	160
17.1.3. EMUXDATA.....	161
17.1.4. ADCCTL.....	162
17.1.5. ADCCR.....	162
17.1.6. ADCINT.....	163
17.1.7. AS0CTL.....	164
17.1.8. AS0S0.....	165
17.1.9. AS0R0.....	165
17.1.10. AS0S1.....	165
17.1.11. AS0R1.....	166
17.1.12. AS0S2.....	166
17.1.13. AS0R2.....	166
17.1.14. AS0S3.....	167
17.1.15. AS0R3.....	167
17.1.16. AS0S4.....	167
17.1.17. AS0R4.....	168
17.1.18. AS0S5.....	168
17.1.19. AS0R5.....	168
17.1.20. AS0S6.....	169
17.1.21. AS0R6.....	169
17.1.22. AS0S7.....	169
17.1.23. AS0R7.....	170
17.1.24. AS1CTL.....	170
17.1.25. AS1S0.....	171
17.1.26. AS1R0.....	171
17.1.27. AS1S1.....	172
17.1.28. AS1R1.....	172
17.1.29. AS1S2.....	172
17.1.30. AS1R2.....	173
17.1.31. AS1S3.....	173
17.1.32. AS1R3.....	173
17.1.33. AS1S4.....	174
17.1.34. AS1R4.....	174
17.1.35. AS1S5.....	174
17.1.36. AS1R5.....	175
17.1.37. AS1S6.....	175

17.1.38. AS1R6.....	175
17.1.39. AS1S7.....	176
17.1.40. AS1R7.....	176
17.2. Details of Operation.....	176
17.2.1. Block Diagram.....	176
17.3. Details of Operation.....	176
17.3.1. Basic Configuration.....	176
17.3.2. ADC, Autosequencer and EMUX.....	177
17.3.3. Clock Setting.....	177
17.3.4. ADC.....	178
17.3.5. EMUX.....	178
17.3.6. Auto Sequencer ASC0, ASC1.....	178
18. I <sup>2</sup> C.....	183
18.1. Register.....	183
18.1.1. Register Map.....	183
18.1.2. I2CCFG.....	183
18.1.3. I2CSTATUS.....	183
18.1.4. I2CIE.....	185
18.1.5. I2CMCTRL.....	185
18.1.6. I2CMRXDATA.....	186
18.1.7. I2CMTXDATA.....	186
18.1.8. I2CBAUD.....	186
18.1.9. I2CSLRXDATA.....	186
18.1.10. I2CSLTXDATA.....	187
18.1.11. I2CADDR.....	187
18.2. Details of Operation.....	188
18.2.1. Block Diagram.....	188
18.2.2. Configuration.....	188
18.2.3. I2C.....	188
18.2.4. I2C Clock setting.....	188
18.2.5. I2C Addressing.....	189
18.2.6. I2C Master Read Transactions.....	189
19. UART.....	192
19.1. Register.....	192
19.1.1. Register Map.....	192
19.1.2. UARTRXTX/UARTDL_L.....	192
19.1.3. UARTIER/UARTDL_H.....	193
19.1.4. UARTIIR.....	193
19.1.5. UARTLCR.....	194
19.1.6. UARTRMCR.....	194
19.1.7. UARTLSR.....	194
19.1.8. UARTRSP.....	195
19.1.9. UARTRFCTL2.....	195
19.1.10. UARTRIER2.....	196
19.1.11. UARTRDL_L2.....	196
19.1.12. UARTRDL_H2.....	196
19.1.13. UARTRFD_F.....	196
19.1.14. UARTRSTAT.....	196
19.2. Details of Operation.....	198
19.2.1. Block Diagram.....	198
19.2.2. Configuration.....	198
19.2.3. UART.....	198
19.2.4. UART Clock Rate Setting.....	198
19.2.5. Data settings.....	200

19.2.6. FIFO Settings.....	200
19.2.7. Error Checking on Received Data.....	200
20. SOC Bus bridge.....	201
20.1. Register.....	201
20.1.1. Register Map.....	201
20.1.2. SOCBCTL.....	201
20.1.3. SOCBCFG.....	201
20.1.4. SOCBCLKDIV.....	202
20.1.5. SOCBSTAT.....	202
20.1.6. SOCBCSSTR.....	203
20.1.7. SOCBD.....	204
20.1.8. SOCBINT_EN.....	204
20.2. Details of Operation.....	205
20.2.1. Block Diagram.....	205
20.2.2. Configuration.....	205
20.2.3. SOC Bridge.....	205
20.2.4. SOC Bridge Clock Rate Setting.....	205
20.2.5. Enable and Setup of SOC Bridge.....	206
20.2.6. SOC Interrupt.....	206
20.2.7. SOC Bridge Protocol.....	206
20.2.8. Reading from SOC Bridge.....	206
20.2.9. Writing to SOC Bridge.....	206
21. SPI.....	207
21.1. Register.....	207
21.1.1. Register Map.....	207
21.1.2. SPICTL.....	207
21.1.3. SPICFG.....	208
21.1.4. SPICLKDIV.....	209
21.1.5. SPISTAT.....	209
21.1.6. SPICSSTR.....	211
21.1.7. SPID.....	212
21.1.8. SPIINT_EN.....	212
21.2. Details of Operation.....	213
21.2.1. Block Diagram.....	213
21.2.2. Configuration.....	213
21.2.3. SPI.....	213
21.2.4. SPI Clock Rate Setting.....	213
21.2.5. Master Slave Mode.....	214
21.2.6. Clock Phase, Polarity.....	214
21.2.7. SPI Early Data Transmit.....	214
21.2.8. Data Format.....	215
21.2.9. Chip Select Settings.....	216
21.2.10. Auto Retransmit Data Word.....	216
21.2.11. Loop Back Mode.....	216
21.2.12. SPI Interrupt.....	217
21.2.13. SPI Enable.....	217
22. Multi-Mode Power Manager.....	218
22.1. Register.....	218
22.1.1. Register Map.....	218
22.1.2. SYSTAT.....	218
22.1.3. DEVID.....	219
22.1.4. VERID.....	219
22.1.5. PWRCTL.....	219
22.1.6. PWRSTAT.....	220

22.1.7. PSTATSET.....	220
22.1.8. IMOD.....	221
22.1.9. SCFG.....	221
22.1.10. SCFG2.....	221
23. Configurable Analog FRONT END.....	223
23.1. Register.....	223
23.1.1. Register Map.....	223
23.1.2. SOC.CFGAIO0.....	224
23.1.3. SOC.CFGAIO1.....	224
23.1.4. SOC.CFGAIO2.....	226
23.1.5. SOC.CFGAIO3.....	226
23.1.6. SOC.CFGAIO4.....	228
23.1.7. SOC.CFGAIO5.....	228
23.1.8. SOC.CFGAIO6.....	230
23.1.9. SOC.CFGAIO7.....	231
23.1.10. SOC.CFGAIO8.....	232
23.1.11. SOC.CFGAIO9.....	233
23.1.12. SOC.SIGSET.....	234
23.1.13. SOC.HPDAC.....	234
23.1.14. SOC.LPDAC0.....	234
23.1.15. SOC.LPDAC1.....	234
23.1.16. SOC.ADCSCAN.....	235
23.1.17. SOC.ADCIN1.....	235
23.1.18. SOC.PROTINTM.....	235
23.1.19. SOC.PROTSTAT.....	236
23.1.20. SOC.DOUTSIG0.....	236
23.1.21. SOC.DOUTSIG1.....	237
23.1.22. SOC.DINSIG0.....	237
23.1.23. SOC.DINSIG1.....	238
23.1.24. SOC.SIGINTM.....	238
23.1.25. SOC.SIGINTF.....	239
23.1.26. SOC.ENSIG.....	239
23.2. Details of Operation.....	240
23.2.1. Block Diagram.....	240
23.2.2. Configuration.....	240
23.2.3. Configurable Analog Front End.....	240
23.3. AIO1, AIO0.....	241
23.3.1. Block Diagram.....	241
23.3.2. AIO1, AIO0.....	241
23.3.3. AIO1, AIO0 digital I/O Mode.....	241
23.3.4. AIO1, AIO0 differential Amplifier Mode.....	242
23.3.5. AIO1, AIO0 Protection.....	242
23.4. AIO3, AIO2.....	244
23.4.1. Block Diagram.....	244
23.4.2. AIO3, AIO2.....	244
23.4.3. AIO3, AIO2 digital I/O Mode.....	244
23.4.4. AIO3, AIO2 differential Amplifier Mode DAO32.....	245
23.4.5. AIO3, AIO2 Protection.....	245
23.5. AIO5, AIO4.....	247
23.5.1. Block Diagram.....	247
23.5.2. AIO5, AIO4.....	247
23.5.3. AIO5, AIO4 digital I/O Mode.....	247
23.5.4. AIO5, AIO4 differential Amplifier Mode DAO54.....	248
23.5.5. AIO5, AIO4 Protection.....	248

23.6. AIO6.....	250
23.6.1. Block Diagram.....	250
23.6.2. AIO6.....	250
23.6.3. AIO6 digital I/O Mode.....	251
23.6.4. AIO6 Single Ended Amplifier Mode.....	251
23.6.5. AIO6 Comparator Mode.....	251
23.6.6. AIO6 Special Mode.....	252
23.6.7. AIO6 Push Button Mode.....	252
23.7. AIO7.....	254
23.7.1. Block Diagram.....	254
23.7.2. AIO7.....	254
23.7.3. AIO7 digital I/O Mode.....	254
23.7.4. AIO7 Single Ended Amplifier Mode.....	255
23.7.5. AIO7 Comparator Mode.....	255
23.7.6. AIO7 Special Mode.....	256
23.8. AIO8.....	258
23.8.1. Block Diagram.....	258
23.8.2. AIO8.....	258
23.8.3. AIO8 digital I/O Mode.....	259
23.8.4. AIO8 Single Ended Amplifier Mode.....	259
23.8.5. AIO8 Comparator Mode.....	259
23.8.6. AIO8 Special Mode.....	260
23.9. AIO9.....	262
23.9.1. Block Diagram.....	262
23.9.2. AIO9.....	262
23.9.3. AIO9 digital I/O Mode.....	263
23.9.4. AIO9 Single Ended Amplifier Mode.....	263
23.9.5. AIO9 Comparator Mode.....	263
23.9.6. AIO9 Special Mode.....	264
23.10. EMUX and ADMUX.....	266
23.10.1. Block Diagram.....	266
23.10.2. EMUX.....	266
23.10.3. ADMUX.....	267
24. Application Specific Power Driver.....	269
24.1. Register.....	269
24.1.1. Register Map.....	269
24.1.2. SOC.CFGDRV0.....	269
24.1.3. SOC.CFGDRV1.....	269
24.1.4. SOC.CFGDRQ6.....	270
24.1.5. SOC.CFGDRQ7.....	270
24.1.6. SOC.DOUTDRV.....	271
24.1.7. SOC.DINDRV.....	271
24.1.8. SOC.ENDRV.....	272
24.1.9. SOC.PROTCTL.....	272
24.1.10. SOC.HDTCTL.....	272
24.2. Details of Operation.....	273
24.2.1. Block Diagram.....	273
24.2.2. Configuration.....	273
24.2.3. Application Specific Power Driver.....	273
24.3. ENHS1, ENLS1 Protection.....	274
24.3.1. Block Diagram.....	274
24.3.2. ENHS1, ENLS1 Protection.....	274
24.4. DRL0 Low Side Driver.....	275
24.4.1. Block Diagram.....	275

24.4.2. DRL0.....	275
24.5. DRL1 Low Side Driver.....	276
24.5.1. Block Diagram.....	276
24.5.2. DRL1.....	276
24.6. DRL2 Low Side Driver.....	277
24.6.1. Block Diagram.....	277
24.6.2. DRL2.....	277
24.7. DRH3 High Side Driver.....	278
24.7.1. Block Diagram.....	278
24.7.2. DRH3.....	278
24.8. DRH4 High Side Driver.....	279
24.8.1. Block Diagram.....	279
24.8.2. DRH4.....	279
24.9. DRH5 High Side Driver.....	280
24.9.1. Block Diagram.....	280
24.9.2. DRH5.....	280
25. Arm Cortex-M0 Reference.....	281
25.1. Introduction.....	281
25.1.1. Overview.....	281
25.1.2. About the Cortex-M0 processor and core peripherals.....	281
25.2. The Cortex-M0 Processor.....	283
25.2.1. Programmers Model.....	283
25.2.2. Memory model.....	290
25.2.3. Exception model.....	295
25.2.4. Fault handling.....	301
25.2.5. Power management.....	302
25.3. The Cortex-M0 Instruction Set.....	304
25.3.1. Instruction set summary.....	304
25.3.2. Intrinsic Functions.....	306
25.3.3. About the Instruction Descriptions.....	307
25.3.4. Memory access instructions.....	312
25.3.5. General data processing instructions.....	319
25.3.6. Branch and control instructions.....	331
25.3.7. Miscellaneous instructions.....	333
25.4. Cortex-M0 Peripherals.....	343
25.4.1. About the Cortex-M0 peripherals.....	343
25.4.2. Nested Vectored Interrupt Controller.....	343
25.4.3. System Control Block.....	349
25.4.4. System timer, SysTick.....	356
26. Legal Information.....	360

## LIST OF TABLES

Table 2-1. Embedded FLASH Register Map.....	27
Table 2-2. ROM Register Map.....	28
Table 2-3. System Clock Control Register Map.....	28
Table 2-4. FLASH Memory Controller Register Map.....	28
Table 2-5. Watchdog Timer Register Map.....	29
Table 2-6. General Purpose Timer Register Map.....	29
Table 2-7. GPIO Port A Register Map.....	29
Table 2-8. GPIO Port B Register Map.....	30
Table 2-9. GPIO Port AB Register Map.....	31
Table 2-10. GPIO Port C Register Map.....	31
Table 2-11. GPIO Port D Register Map.....	31
Table 2-12. GPIO Port CD Register Map.....	32
Table 2-13. GPIO Port E Register Map.....	32
Table 2-14. Timer A Register Map.....	33
Table 2-15. Timer B Register Map.....	34
Table 2-16. Timer C Register Map.....	34
Table 2-17. Timer D Register Map.....	35
Table 2-18. EMUX Register Map.....	35
Table 2-19. ADC Register Map.....	35
Table 2-20. ADC Auto-Sampling Sequencer 0 Register Map.....	35
Table 2-21. ADC Auto-Sampling Sequencer 1 Register Map.....	36
Table 2-22. I2C Register Map.....	36
Table 2-23. UART Register Map.....	37
Table 2-24. SOC Bus Bridge Register Map.....	37
Table 2-25. SPI Register Map.....	38
Table 2-26. Multi-Mode Power Manager Register Map.....	38
Table 3-1. Information Block Register Map.....	39
Table 4-1. System Clock Control Register Map.....	42
Table 5-1. Watchdog Timer Register Map.....	47
Table 6-1. GPIO Port A Register Map.....	51
Table 7-1. GPIO Port B Register Map.....	61
Table 8-1. GPIO Port C Register Map.....	69
Table 9-1. GPIO Port D Register Map.....	77
Table 10-1. GPIO Port E Register Map.....	87
Table 11-1. General Purpose Timer Register Map.....	97
Table 12-1. Timer A Register Map.....	100
Table 12-2. Timer A Signal to Pin Mapping.....	117
Table 13-1. Timer B Register Map.....	118
Table 13-2. Timer B Signal to Pin Mapping.....	130
Table 14-1. Timer C Register Map.....	131
Table 14-2. Timer C Signal to Pin Mapping.....	141
Table 15-1. Timer D Register Map.....	142
Table 15-2. Timer D Signal to Pin Mapping.....	151
Table 16-1. FLASH Memory Controller Register Map.....	152
Table 17-1. Register Map – EMUX.....	159
Table 17-2. Register Map – ADC.....	159
Table 17-3. Register Map – ADC Auto Sequencer 0.....	159
Table 17-4. Register Map – ADC Auto Sequencer 1.....	160
Table 18-1. I2C Register Map.....	183
Table 19-1. UART Register Map.....	192
Table 20-1. SOC Bus Bridge Register Map.....	201

Table 21-1. SPI Register Map.....	207
Table 22-1. Multi-Mode Power Manager Register Map.....	218
Table 23-1. Configurable Analog Front End Register Map.....	223
Table 24-1. Application Specific Power Driver Register Map.....	269
Table 25-1. Summary of processor mode and stack use options.....	283
Table 25-2. Core register set summary.....	284
Table 25-3. Core register set summary.....	286
Table 25-4. APSR bit assignments.....	286
Table 25-5. IPSR bit assignments.....	286
Table 25-6. EPSR bit assignments.....	287
Table 25-7. PRIMASK register bit assignments.....	288
Table 25-8. CONTROL register bit assignments.....	289
Table 25-9. Memory Access Behavior.....	293
Table 25-10. Properties of the different exception types.....	296
Table 25-11. Execution return behavior.....	301
Table 25-12. Cortex-M0 instructions.....	305
Table 25-13. CMSIS intrinsic functions to generate some Cortex-M0 instructions.....	306
Table 25-14. CMSIS intrinsic functions to access special registers.....	307
Table 25-15. Condition code suffixes.....	312
Table 25-16. Memory access instructions.....	312
Table 25-17. Data processing instructions.....	319
Table 25-18. ADC, ADD, RSB, SBC, and SUB operand restrictions.....	321
Table 25-19. Branch and Control instructions.....	331
Table 25-20. Branch ranges.....	332
Table 25-21. Miscellaneous instructions.....	333
Table 25-22. Core peripheral register regions.....	343
Table 25-23. NVIC register summary.....	343
Table 25-24. CMSIS access NVIC functions.....	344
Table 25-25. ISER bit assignments.....	344
Table 25-26. ICER bit assignments.....	345
Table 25-27. ISPR bit assignments.....	346
Table 25-28. ICPR bit assignments.....	346
Table 25-29. IPR bit assignments.....	347
Table 25-30. CMSIS access NVIC functions.....	349
Table 25-31. Summary of the SCB register.....	349
Table 25-32. CPUID register bit assignments.....	350
Table 25-33. ICSR register bit assignments.....	351
Table 25-34. AIRCR register bit assignments.....	352
Table 25-35. SCR register bit assignments.....	353
Table 25-36. CCR register bit assignments.....	354
Table 25-37. System fault handler priority fields.....	355
Table 25-38. SHPR2 register bit assignments.....	355
Table 25-39. SHPR3 register bit assignments.....	355
Table 25-40. System timer register summary.....	356
Table 25-41. SYST_CSR register bit assignments.....	357
Table 25-42. SYST_RVR register bit assignments.....	357
Table 25-43. SYST_CVR register bit assignments.....	358
Table 25-44. SYST_CALIB register bit assignments.....	358

## LIST OF REGISTERS

Register 3-1. ROSC11 (ROSC11 Frequency Value, 0x0010 0010).....	39
Register 3-2. VREFV (VREF Reference Voltage Value, 0x0010 0020).....	39
Register 3-3. ADCGAIN (ADC Gain Value, 0x0010 0022).....	40
Register 3-4. ADCOFF (ADC Offset, 0x0010 0024).....	40
Register 3-5. FTTEMP (FT Temp value, 0x0010 0028).....	40
Register 3-6. TEMPS (Temperature Sensor reading, 0x0010 002A).....	40
Register 3-7. CLKREF (CLKREF Frequency Value, 0x0010 002C).....	40
Register 3-8. DIEREV (Device die revision, 0x0010 0040).....	40
Register 3-9. PACIDR (PAC part number and revision, 0x0010 0044).....	40
Register 4-1. CCSCTL (System Clock Control, 0x4000 0000).....	42
Register 4-2. PLLCTL (PLL Control, 0x4000 0004).....	43
Register 4-3. OSCCTL (Ring Oscillator Control, 0x4000 0008).....	43
Register 4-4. XTALCTL (Crystal Driver Control, 0x4000 000C).....	43
Table 4-5. PLL output frequency settings using 4MHz ROSC as input.....	46
Register 5-1. WDTCTL (Watchdog Timer Control, 0x4003 0000).....	47
Register 5-2. WDTCDV (Watchdog Timer Count-Down Value, 0x4003 0004).....	48
Register 5-3. WDTCTR (Watchdog Timer Counter, 0x4003 0008).....	48
Register 6-1. GPIOAOUT (GPIO Port A Output, 0x4007 0000).....	51
Register 6-2. GPIOAOUTEN (GPIO Port A Output Enable, 0x4007 0004).....	52
Register 6-3. GPIOADS (GPIO Port A Output Drive Strength, 0x4007 0008).....	52
Register 6-4. GPIOAPU (GPIO Port A Weak Pull Up, 0x4007 000C).....	53
Register 6-5. GPIOAPD (GPIO Port A Weak Pull Down, 0x4007 0010).....	54
Register 6-6. GPIOAIN (GPIO Port A Input, 0x4007 0014).....	54
Register 6-7. GPIOAPSEL (GPIO Port A Peripheral Select, 0x4007 001C).....	55
Register 6-8. GPIOAINTP (GPIO Port A Interrupt Polarity, 0x4007 0020).....	56
Register 6-9. GPIOAINTE (GPIO Port A Interrupt Enable, 0x4007 0024).....	56
Register 6-10. GPIOAINTF (GPIO Port A Interrupt Flag, 0x4007 0028).....	57
Register 6-11. GPIOAINTM (GPIO Port A Interrupt Mask, 0x4007 002C).....	58
Register 7-1. GPIOBOUT (GPIO Port B Output, 0x4007 0040).....	61
Register 7-2. GIOBOUTEN (GPIO Port B Output Enable, 0x4007 0044).....	61
Register 7-3. GPOBDS (GPIO Port B Output Drive Strength, 0x4007 0048).....	62
Register 7-4. GPOBPU (GPIO Port B Weak Pull Up, 0x4007 004C).....	62
Register 7-5. GPOBPD (GPIO Port B Weak Pull Down, 0x4007 0050).....	63
Register 7-6. GPOBIN (GPIO Port B Input, 0x4007 0054).....	63
Register 7-7. GPOBPSEL (GPIO Port B Peripheral Select, 0x4007 005C).....	63
Register 7-8. GPGPIOBINTP (GPIO Port B Interrupt Polarity, 0x4007 0060).....	64
Register 7-9. GPOBINTE (GPIO Port B Interrupt Enable, 0x4007 0064).....	65
Register 7-10. GPOBINTF (GPIO Port B Interrupt Flag, 0x4007 0068).....	65
Register 7-11. GPOBINTM (GPIO Port B Interrupt Mask, 0x4007 006C).....	66
Register 8-1. GPOCOUT (GPIO Port C Output, 0x4008 0000).....	69
Register 8-2. GPOCOUTEN (GPIO Port C Output Enable, 0x4008 0004).....	70
Register 8-3. GPOCIN (GPIO Port C Input, 0x4008 0018).....	70
Register 8-4. GPOCINE (GPIO Port C Input Enable, 0x4008 0014).....	71
Register 8-5. GPOCINTP (GPIO Port C Interrupt Polarity, 0x4008 0020).....	72
Register 8-6. GPOCINTE (GPIO Port C Interrupt Enable, 0x4008 0024).....	72
Register 8-7. GPOCINTF (GPIO Port C Interrupt, 0x4008 0028).....	73
Register 8-8. GPOCINTM (GPIO Port C Interrupt Mask, 0x4008 002C).....	73
Register 9-1. GPODO (GPIO Port D Output, 0x4008 0040).....	77
Register 9-2. GPODOUTEN (GPIO Port D Output Enable, 0x4008 0044).....	78
Register 9-3. GPODDS (GPIO Port D Output Drive Strength, 0x4008 0048).....	78
Register 9-4. GPODPU (GPIO Port D Weak Pull Up, 0x4008 004C).....	79

Register 9-5. GPIODPD (GPIO Port D Weak Pull Down, 0x4008 0050).....	80
Register 9-6. GPIODIN (GPIO Port D Input, 0x4008 0054).....	80
Register 9-7. GPIODPSEL (GPIO Port D Peripheral Select, 0x4008 005C).....	81
Register 9-8. GPIODINTP (GPIO Port D Interrupt Polarity, 0x4008 0060).....	82
Register 9-9. GPIODINTE (GPIO Port D Interrupt Enable, 0x4008 0064).....	82
Register 9-10. GPIODINTF (GPIO Port D Interrupt, 0x4008 0068).....	83
Register 9-11. GPIODINTM (GPIO Port D Interrupt Mask, 0x4008 006C).....	83
Register 10-1. GPIOEOUT (GPIO Port E Output, 0x4009 0000).....	87
Register 10-2. GPIOEOUTEN (GPIO Port E Output Enable, 0x4009 0004).....	88
Register 10-3. GPIOEDS (GPIO Port E Output Drive Strength, 0x4009 0008).....	88
Register 10-4. GPIOEPU (GPIO Port E Weak Pull Up, 0x4009 000C).....	89
Register 10-5. GPIOEPD (GPIO Port E Weak Pull Down, 0x4009 0010).....	90
Register 10-6. GPIOEIN (GPIO Port E Input, 0x4009 0014).....	90
Register 10-7. GPIOEPSEL (GPIO Port E Peripheral Select, 0x4009 001C).....	91
Register 10-8. GPIOEINTP (GPIO Port E Interrupt Polarity, 0x4009 0020).....	92
Register 10-9. GPIOEINTE (GPIO Port E Interrupt Enable, 0x4009 0024).....	92
Register 10-10. GPIOEINTF (GPIO Port E Interrupt Flag, 0x4009 0028).....	93
Register 10-11. GPIOEINTM (GPIO Port E Interrupt Mask, 0x4009 002C).....	93
Register 11-1. RTCCTL (Real Time Clock Control, 0x4004 0000).....	97
Register 11-2. RTCCDV (Real Time Clock Count-Down Value, 0x4004 0004).....	98
Register 11-3. RTCCTR (Real Time Clock Counter, 0x4004 0008).....	98
Register 12-1. TACTL (Timer A Control, 0x400D 0000).....	101
Register 12-2. TAPRD (Timer A Period, 0x400D 0004).....	102
Register 12-3. TACTR (Timer A Counter, 0x400D 0008).....	102
Register 12-4. TACC0CTRL (Timer A PWMA0 Capture and Compare Control, 0x400D 0040).....	102
Register 12-5. TACC0CTR (Timer A PWMA0 Capture and Compare Counter, 0x400D 0044).....	102
Register 12-6. TACC1CTRL (Timer A PWMA1 Capture and Compare Control, 0x400D 0048).....	103
Register 12-7. TACC1CTR (Timer A PWMA1 Capture and Compare Counter, 0x400D 004C).....	103
Register 12-8. TACC2CTRL (Timer A PWMA2 Capture and Compare Control, 0x400D 0050).....	103
Register 12-9. TACC2CTR (Timer A PWMA2 Capture and Compare Counter, 0x400D 0054).....	104
Register 12-10. TACC3CTRL (Timer A PWMA3 Capture and Compare Control, 0x400D 0058).....	104
Register 12-11. TACC3CTR (Timer A PWMA3 Capture and Compare Counter, 0x400D 005C).....	104
Register 12-12. TACC4CTRL (Timer A PWMA4 Capture and Compare Control, 0x400D 0060).....	104
Register 12-13. TACC4CTR (Timer A PWMA4 Capture and Compare Counter, 0x400D 0064).....	105
Register 12-14. TACC5CTRL (Timer A PWMA5 Capture and Compare Control, 0x400D 0068).....	105
Register 12-15. TACC5CTR (Timer A PWMA5 Capture and Compare Counter, 0x400D 006C).....	105
Register 12-16. TACC6CTRL (Timer A PWMA6 Capture and Compare Control, 0x400D 0070).....	106
Register 12-17. TACC6CTR (Timer A PWMA6 Capture and Compare Counter, 0x400D 0074).....	106
Register 12-18. TACC7CTRL (Timer A PWMA7 Capture and Compare Control, 0x400D 0078).....	106
Register 12-19. TACC7CTR (Timer A PWMA7 Capture and Compare Counter, 0x400D 007C).....	107
Register 12-20. DTGA0CTL (Timer A Dead Time Generator 0 Control, 0x400D 00A0).....	107
Register 12-21. DTGA0LED (Timer A Dead Time Generator 0 Leading Edge Delay, 0x400D 00A4).....	107
Register 12-22. DTGA0TED (Timer A Dead Time Generator 0 Trailing Edge Delay, 0x400D 00A8).....	107
Register 12-23. DTGA1CTL (Timer A Dead Time Generator 1 Control, 0x400D 00B0).....	108
Register 12-24. DTGA1LED (Timer A Dead Time Generator 1 Leading Edge Delay, 0x400D 00B4).....	108
Register 12-25. DTGA1TED (Timer A Dead Time Generator 1 Trailing Edge Delay, 0x400D 00B8).....	108
Register 12-26. DTGA2CTL (Timer A Dead Time Generator 2 Control, 0x400D 00C0).....	108
Register 12-27. DTGA2LED (Timer A Dead Time Generator 2 Leading Edge Delay, 0x400D 00C4).....	109
Register 12-28. DTGA2TED (Timer A Dead Time Generator 2 Trailing Edge Delay, 0x400D 00C8).....	109
Register 12-29. DTGA3CTL (Timer A Dead Time Generator 3 Control, 0x400D 00D0).....	109
Register 12-30. DTGA3LED (Timer A Dead Time Generator 3 Leading Edge Delay, 0x400D 00D4).....	110
Register 12-31. DTGA3TED (Timer A Dead Time Generator 3 Trailing Edge Delay, 0x400D 00D8).....	110
Register 13-1. TBCTL (Timer B Control, 0x400E 0000).....	118
Register 13-2. TBPRD (Timer B Period, 0x400E 0004).....	119

Register 13-3. TBCTR (Timer B Counter, 0x400E 0008).....	119
Register 13-4. TBCC0CTRL (Timer B PWMB0 Capture and Compare Control, 0x400E 0040).....	119
Register 13-5. TBCC0CTR (Timer B PWMB0 Capture and Compare Counter, 0x400E 0044).....	120
Register 13-6. TBCC1CTRL (Timer B PWMB1 Capture and Compare Control, 0x400E 0048).....	120
Register 13-7. TBCC1CTR (Timer B PWMB1 Capture and Compare Counter, 0x400E 004C).....	120
Register 13-8. TBCC2CTRL (Timer B PWMB2 Capture and Compare Control, 0x400E 0050).....	121
Register 13-9. TBCC2CTR (Timer B PWMB2 Capture and Compare Counter, 0x400E 0054).....	121
Register 13-10. TBCC3CTRL (Timer B PWMB3 Capture and Compare Control, 0x400E 0058).....	121
Register 13-11. TBCC3CTR (Timer B PWMB3 Capture and Compare Counter, 0x400E 005C).....	122
Register 13-12. DTGB0CTL (Timer B Dead Time Generator 0 Control, 0x400E 00A0).....	122
Register 13-13. DTGB0LED (Timer B Dead Time Generator 0 Leading Edge Delay, 0x400E 00A4).....	122
Register 13-14. DTGB0TED (Timer B Dead Time Generator 0 Trailing Edge Delay, 0x400E 00A8).....	123
Register 14-1. TCCTL (Timer C Control, 0x400F 0000).....	131
Register 14-2. TCPRD (Timer C Period, 0x400F 0004).....	132
Register 14-3. TCCTR (Timer C Counter, 0x400F 0008).....	132
Register 14-4. TCCC0CTL (Timer C PWMC0 Capture and Compare Control, 0x400F 0040).....	132
Register 14-5. TCCC0CTR (Timer C PWMC0 Capture and Compare Counter, 0x400F 0044).....	133
Register 14-6. TCCC1CTL (Timer C PWMC1 Capture and Compare Control, 0x400F 0048).....	133
Register 14-7. TCCC1CTR (Timer C PWMC1 Capture and Compare Counter, 0x400F 004C).....	133
Register 14-8. DTGC0CTL (Timer C Dead Time Generator 0 Control, 0x400F 00A0).....	134
Register 14-9. DTGC0LED (Timer C Dead Time Generator 0 Leading Edge Delay, 0x400F 00A4).....	134
Register 14-10. DTGC0TED (Timer C Dead Time Generator 0 Trailing Edge Delay, 0x400F 00A8).....	134
Register 15-1. TDCTL (Timer D Control, 0x4010 0000).....	142
Register 15-2. TDPRD (Timer D Period, 0x4010 0004).....	143
Register 15-3. TDCTR (Timer D Counter, 0x4010 0008).....	143
Register 15-4. TDCC0CTRL (Timer D PWMD0 Capture and Compare Control, 0x4010 0040).....	143
Register 15-5. TDCC0CTR (Timer D PWMD0 Capture and Compare Counter, 0x4010 0044).....	144
Register 15-6. TDCC1CTL (Timer D PWMD1 Capture and Compare Control, 0x4010 0048).....	144
Register 15-7. TDCC1CTR (Timer D PWMD1 Capture and Compare Counter, 0x4010 004C).....	144
Register 15-8. DTGD0CTL (Timer D Dead Time Generator 0 Control, 0x4010 00A0).....	145
Register 15-9. DTGD0LED (Timer D Dead Time Generator 0 Leading Edge Delay, 0x4010 00A4).....	145
Register 15-10. DTGD0TED (Timer D Dead Time Generator 0 Trailing Edge Delay, 0x4010 00A8).....	145
Register 16-1. FLASHLOCK (FLASH Lock, 0x4002 0000).....	152
Register 16-2. FLASHCTL (FLASH Control and Status, 0x4002 0004).....	153
Register 16-3. FLASHPAGE (FLASH Page Selector, 0x4002 0008).....	153
Register 16-4. FLASHPERASE (FLASH Page Erase, 0x4002 0014).....	154
Register 16-5. SWDACCESS (SDW Access Status, 0x4002 0024).....	154
Register 16-6. FLASHWSTATE (FLASH Access Wait State, 0x4002 0028).....	154
Register 16-7. FLASHBWRITE (Buffered FLASH Write, 0x4002 002C).....	154
Register 16-8. FLASHBWDATA (Buffered FLASH Write Data, 0x4002 0030).....	155
Register 17-1. EMUXCTL (ADC external MUX control register 0x4015 0000).....	160
Register 17-2. EMUXDATA (EMUX data register 0x4015 0004).....	161
Register 17-3. ADCCTL (ADC control register 0x4015 0008).....	162
Register 17-4. ADCCR (ADC conversion result register 0x4015 000C).....	162
Register 17-5. ADCINT (ADC Interrupt register 0x4015 0010).....	163
Register 17-6. AS0CTL (Auto Sequencer 0 control register 0x4015 0040).....	164
Register 17-7. AS0S0 (Auto sequencer 0-sample 0 control 0x4015 0044).....	165
Register 17-8. AS0R0 ( Auto sequencer 0-sample 0 result register 0x4015 0048).....	165
Register 17-9. AS0S1 (Auto sequencer 0-sample 1 control 0x4015 004C).....	165
Register 17-10. AS0R1 ( Auto sequencer 0-sample 1 result register 0x4015 0050).....	166
Register 17-11. AS0S2 (Auto sequencer 0-sample 2 control 0x4015 0054).....	166
Register 17-12. AS0R2 ( Auto sequencer 0-sample 2 result register 0x4015 0058).....	166
Register 17-13. AS0S3 (Auto sequencer 0-sample 3 control 0x4015 005C).....	167
Register 17-14. AS0R3 ( Auto sequencer 0-sample 3 result register 0x4015 0060).....	167

Register 17-15. AS0S4 (Auto sequencer 0-sample 4 control 0x4015 0064).....	167
Register 17-16. AS0R4 ( Auto sequencer 0-sample 4 result register 0x4015 0068).....	168
Register 17-17. AS0S5 (Auto sequencer 0-sample 5 control 0x4015 006C).....	168
Register 17-18. AS0R5 ( Auto sequencer 0-sample 5 result register 0x4015 0070).....	168
Register 17-19. AS0S6 (Auto sequencer 0-sample 6 control 0x4015 0074).....	169
Register 17-20. AS0R6 ( Auto sequencer 0-sample 6 result register 0x4015 0078).....	169
Register 17-21. AS0S7 (Auto sequencer 0-sample 7 control 0x4015 007C).....	169
Register 17-22. AS0R7 ( Auto sequencer 0-sample 7 result register 0x4015 0080).....	170
Register 17-23. AS1CTL (Auto Sequencer 1 control register 0x4015 0100).....	170
Register 17-24. AS1S0 (Auto sequencer 1-sample 0 control 0x4015 0104).....	171
Register 17-25. AS1R0 ( Auto sequencer 1-sample 0 result register 0x4015 0108).....	171
Register 17-26. AS1S1 (Auto sequencer 1-sample 1 control 0x4015 010C).....	172
Register 17-27. AS1R1 ( Auto sequencer 1-sample 1 result register 0x4015 0110).....	172
Register 17-28. AS1S2 (Auto sequencer 1-sample 2 control 0x4015 0114).....	172
Register 17-29. AS1R2 ( Auto sequencer 1-sample 2 result register 0x4015 0118).....	173
Register 17-30. AS1S3 (Auto sequencer 1-sample 3 control 0x4015 011C).....	173
Register 17-31. AS1R3 ( Auto sequencer 1-sample 3 result register 0x4015 0120).....	173
Register 17-32. AS1S4 (Auto sequencer 1-sample 4 control 0x4015 0124).....	174
Register 17-33. AS1R4 ( Auto sequencer 1-sample 4 result register 0x4015 0128).....	174
Register 17-34. AS1S5 (Auto sequencer 1-sample 5 control 0x4015 012C).....	174
Register 17-35. AS1R5 ( Auto sequencer 1-sample 5 result register 0x4015 0130).....	175
Register 17-36. AS1S6 (Auto sequencer 1-sample 6 control 0x4015 0134).....	175
Register 17-37. AS1R6 ( Auto sequencer 1-sample 6 result register 0x4015 0138).....	175
Register 17-38. AS1S7 (Auto sequencer 1-sample 7 control 0x4015 013C).....	176
Register 17-39. AS1R7 ( Auto sequencer 1-sample 7 result register 0x4015 0140).....	176
Register 18-1. I2CCFG (I2C Configuration, 0x401B 0000).....	183
Register 18-2. I2CSTATUS (I2C Interrupt Status, 0x401B 0004).....	183
Register 18-3. I2CIE (I2C Interrupt Enable, 0x401B 0008).....	185
Register 18-4. I2CMCTRL (I2C Master Access Control, 0x401B 0030).....	185
Register 18-5. I2CMRXDATA (I2C Master Receive Data, 0x401B 0034).....	186
Register 18-6. I2CMTXDATA (I2C Master Transmit Data, 0x401B 0038).....	186
Register 18-7. I2CBAUD (I2C Baud Rate, 0x401B 0040).....	186
Register 18-8. I2CSLRXDATA (I2C Slave Receive Data, 0x401B 0070).....	186
Register 18-9. I2CSLTXDATA (I2C Slave Transmit Data, 0x401B 0074).....	187
Register 18-10. I2CADD <sup>R</sup> (I2C Slave Address, 0x401B 0074).....	187
Table 18-11. I2CBAUD settings for different HCLK.....	188
Register 19-1. UARTRXTX (UART Receive/Transmit FIFO, 0x401D 0000).....	192
Register 19-2. UARTIER (UART Interrupt Enable, 0x401D 0004).....	193
Register 19-3. UARTIIR (UART Interrupt Identification, 0x401D 0008).....	193
Register 19-4. UARTLCR (UART Line Control, 0x401D 000C).....	194
Register 19-5. UARTRMCR (UART Modem Control, 0x401D 0010).....	194
Register 19-6. UARTLSR (UART Line Status, 0x401D 0014).....	194
Register 19-7. UARTRSP (UART Scratch Pad, 0x401D 001C).....	195
Register 19-8. UARTFCTL2 (FIFO Control, 0x401D 0020).....	195
Register 19-9. UARTIER2 (UART Interrupt Enable, 0x401D 0024).....	196
Register 19-10. UARTDL_L2 (UART Divisor Latch Low Byte, 0x401D 0028).....	196
Register 19-11. UARTDL_H2 (UART Divisor Latch High Byte, 0x401D 002C).....	196
Register 19-12. UARTFD_F (UART Fractional Divisor Value, 0x401D 0038).....	196
Register 19-13. UARTRSTAT (UART FIFO Status, 0x401D 0040).....	196
Register 19-14. UARTR Divisor Settings for 50 MHz HCLK.....	199
Register 20-1. SOCBCTL (SOC Bus Bridge Control, 0x4020 0000).....	201
Register 20-2. SOCBCFG (SOC Bus Bridge Configuration, 0x4020 0004).....	201
Register 20-3. SOCBCLK (SOC Bus Bridge Clock Divider, 0x4020 0008).....	202
Register 20-4. SOCBSTAT (SOC Bus Bridge Status, 0x4020 0014).....	202

Register 20-5. SOCBSTAT (SOC Bus Bridge Chip Select Steering, 0x4020 0018).....	203
Register 20-6. SOCBD (SOC Bus Bridge Data, 0x4020 001C).....	204
Register 20-7. SOCBINT_EN (SOC Bus Bridge Interrupt Enable, 0x4020 0020).....	204
Register 21-1. SPICTL (SPI Control, 0x4021 0000).....	207
Register 21-2. SPICFG (SPI Configuration, 0x4021 0004).....	208
Register 21-3. SPICLKDIV (SPI Clock Divider, 0x4021 0008).....	209
Register 21-4. SPISTAT (SPI Status, 0x4021 0014).....	209
Register 21-5. SPICSSTR (SPI Chip Select Steering, 0x4021 0018).....	211
Register 21-6. SPID (SPI Data, 0x4021 001C).....	212
Register 21-7. SPIINT_EN (SPI Interrupt Enable, 0x4021 0020).....	212
Register 22-1. SYSSTAT (System Status, 0x00).....	218
Register 22-2. DEVID (Device Identification, 0x08).....	219
Register 22-3. VERID (Version Identification, 0x09).....	219
Register 22-4. PWRCTL (Power Manager Control, 0x10).....	219
Register 22-5. PWRSTAT (Power Manager Status, 0x11h, Persistent In Hibernate Mode).....	220
Register 22-6. PSTATSET (Power Manager Setting, 0x12).....	220
Register 22-7. IMOD (Current Modulation, 0x13).....	221
Register 22-8. SCFG (Switching Supply Configuration, 0x14).....	221
Register 22-9. SCFG2 (Switching Supply Configuration 2, 0x15).....	221
Register 23-1. SOC.SOC.CFGAIO0 (AIO0 Configuration, SOC 0x20).....	224
Register 23-2. SOC.CFGAIO1 (AIO1 Configuration, SOC 0x21).....	224
Register 23-3. SOC.SOC.CFGAIO2 (AIO2 Configuration, SOC 0x22).....	226
Register 23-4. SOC.CFGAIO3 (AIO3 Configuration, SOC 0x23).....	226
Register 23-5. SOC.SOC.CFGAIO4 (AIO4 Configuration, SOC 0x24).....	228
Register 23-6. SOC.CFGAIO5 (AIO5 Configuration, SOC 0x25).....	228
Register 23-7. SOC.CFGAIO6 (AIO6 Configuration, SOC 0x26).....	230
Register 23-8. SOC.CFGAIO7 (AIO7 Configuration, SOC 0x27).....	231
Register 23-9. SOC.CFGAIO8 (AIO8 Configuration, SOC 0x28).....	232
Register 23-10. SOC.CFGAIO9 (AIO9 Configuration, SOC 0x29).....	233
Register 23-11. SOC.SIGSET (Signal Manager Configuration, SOC 0x2A).....	234
Register 23-12. SOC.HPDAC (HPDAC Setting, SOC 0x2B).....	234
Register 23-13. SOC.LPDAC0 (LPDAC Setting [9:2], SOC 0x2C).....	234
Register 23-14. SOC.LPDAC1 (LPDAC Setting [1:0], SOC 0x2D).....	234
Register 23-15. SOC.ADCSCAN (ADCSCAN Configuration, SOC 0x2E).....	235
Register 23-16. SOC.ADCIN1 (AD Mux Selector, SOC 0x2F).....	235
Register 23-17. SOC.PROTINTM (Protection Interrupt Enable, SOC 0x30).....	235
Register 23-18. SOC.PROTSTAT (Protection Interrupt, SOC 0x31).....	236
Register 23-19. SOC.DOUTSIG0 (AIO Digital Output, SOC 0x32).....	236
Register 23-20. SOC.DOUTSIG1 (AIO Digital Output, SOC 0x33).....	237
Register 23-21. SOC.DINSIG0 (AIO Digital Input, SOC 0x34).....	237
Register 23-22. SOC.DINSIG1 (AIO Digital Input 1, SOC 0x35).....	238
Register 23-23. SOC.SIGINTM (AIO6,7,8,9 Interrupt Enable, SOC 0x36).....	238
Register 23-24. SOC.SIGINTF (AIO6,7,8,9 Interrupt, SOC 0x37).....	239
Register 23-25. SOC.ENSIG (Signal Manager Control SOC 0x38).....	239
Register 23-26. EMUX Packet Structure.....	266
Register 24-1. SOC.CFGDRV0 (Driver Configuration 0, SOC 0x60).....	269
Register 24-2. SOC.CFGDRV1 (Driver Configuration 1, SOC 0x61).....	269
Register 24-3. SOC.CFGDRQ6 (OHI6 Configuration, SOC 0x62).....	270
Register 24-4. SOC.CFGDRQ7 (OHI6 Configuration, SOC 0x63).....	270
Register 24-5. SOC.DOUTDRV (OHI6/7, OM0/2/4 Output, SOC 0x64).....	271
Register 24-6. SOC.DINDRV (OHI6, OHI7 Input, SOC 0x65).....	271
Register 24-7. SOC.ENDRV (Application Specific Power Driver Control, SOC 0x66).....	272
Register 24-8. SOC.PROTCTL (PROT Control, SOC 0x67).....	272
Register 24-9. SOC.HDTCTL (Hardware Deadtime Control, SOC 0x68).....	272



## LIST OF FIGURES

Figure 2-1. Memory Map.....	26
Figure 4-1. System Clock Control.....	44
Figure 5-1. WDT.....	49
Figure 6-1. GPIO Port A.....	59
Figure 7-1. GPIO Port B.....	67
Figure 8-1. GPIO Port C.....	75
Figure 9-1. GPIO Port D.....	85
Figure 10-1. GPIO Port E.....	95
Figure 11-1. GPT.....	99
Figure 12-1. Timer A.....	111
Figure 12-2. PWMA[x] and PWMA[x+4] Example Using Timer A Up Mode and Up/Down Mode.....	114
Figure 12-3. CA[x] and CA[x+4] Capture Example.....	114
Figure 12-4. DTGAX Bypass Example.....	115
Figure 12-5. DTGAX Bypass and Inverting LS Example.....	116
Figure 12-6. DTGAX LED and TED Example.....	116
Figure 12-7. DTGAX LED and TED with On Time Preservation Example.....	117
Figure 13-1. Timer B.....	124
Figure 13-2. PWMB0 and PWMB1 Example Using Timer B Up Mode and Up/Down Mode.....	127
Figure 13-3. CB0 and CB1 Capture Example.....	127
Figure 13-4. DTGB0 Bypass Example.....	128
Figure 13-5. DTGB0 Bypass and Inverting LS Example.....	129
Figure 13-6. DTGB0 LED and TED Example.....	129
Figure 13-7. DTGB0 LED and TED with On Time Preservation Example.....	130
Figure 14-1. Timer C.....	135
Figure 14-2. PWMC0 and PWMC1 Example Using Timer C Up Mode and Up/Down Mode.....	138
Figure 14-3. CC0 and CC1 Capture Example.....	138
Figure 14-4. DTGC0 Bypass Example.....	139
Figure 14-5. DTGC0 Bypass and Inverting LS Example.....	140
Figure 14-6. DTGC0 LED and TED Example.....	140
Figure 14-7. DTGC0 LED and TED with On Time Preservation Example.....	141
Figure 15-1. Timer D.....	146
Figure 15-2. PWMD0 and PWMD1 Example Using Timer D Up Mode and Up/Down Mode.....	148
Figure 15-3. CD0 and CD1 Capture Example.....	149
Figure 15-4. DTGD0 Bypass Example.....	150
Figure 15-5. DTGD0 Bypass and Inverting LS Example.....	150
Figure 15-6. DTGD0 LED and TED Example.....	151
Figure 15-7. DTGD0 LED and TED with On Time Preservation Example.....	151
Figure 16-1. FLASH Memory Controller.....	156
Figure 17-1. ADC, EMUX, ASC0, ASC1.....	177
Figure 17-2. ADC Conversion (Single Shot).....	178
Figure 17-3. ADC Conversion (Repeat Mode).....	178
Figure 17-4. ASCx, ADCCTL.ADCMODE = 001b, 010b, 100b, 101b.....	179
Figure 17-5. ASCx, ADCCTL.ADCMODE = 011b, 110b.....	179
Figure 17-6. ASCx, ADCCTL.ADCMODE = 111b.....	180
Figure 17-7. ASxSy Sample with ASxSy.EMUXS = 00b and ASxSy.DELAY = 11b.....	180
Figure 17-8. ASxSy Sample with ASxSy.EMUXS = 01b and ASxSy.DELAY = 11b.....	181
Figure 17-9. ASxSy Sample with ASxSy.EMUXS = 10b and ASxSy.DELAY = 11b.....	181
Figure 17-10. ASCx, 8 samples, No Collision.....	181
Figure 17-11. ASCx 8 samples, Collision.....	182
Figure 17-12. ASC0 8 samples, ASC1 4 samples, Collision.....	182
Figure 18-1. I2C.....	188

Figure 18-2. I2C Master Read Transaction.....	189
Figure 18-3. I2C Master Read Waveforms.....	190
Figure 19-1. UART.....	198
Figure 20-1. SOC Bridge.....	205
Figure 20-2. Single Read from SOC Bridge.....	206
Figure 20-3. Single Write to SOC Bridge.....	206
Figure 21-1. SPI.....	213
Figure 21-2. SPI clock polarity and phase.....	214
Figure 21-3. SPIMOSI early transmit in master mode.....	215
Figure 21-4. SPIMISO early transmit in slave mode.....	215
Figure 21-5. SPICSx.....	216
Figure 23-1. Configurable Analog Front End.....	240
Figure 23-2. AIO1, AIO0.....	241
Figure 23-3. AIO3, AIO2.....	244
Figure 23-4. AIO5, AIO4.....	247
Figure 23-5. AIO6.....	250
Figure 23-6. AIO7.....	254
Figure 23-7. AIO8.....	258
Figure 23-8. AIO9.....	262
Figure 23-9. EMUX.....	266
Figure 23-10. EMUX Timing.....	267
Figure 24-1. Application Specific Power Driver.....	273
Figure 24-2. ENHS1, ENLS1 Protection.....	274
Figure 24-3. DRL0.....	275
Figure 24-4. DRL1.....	276
Figure 24-5. DRL2.....	277
Figure 24-6. DRH3.....	278
Figure 24-7. DRH4.....	279
Figure 24-8. DRH5.....	280
Figure 25-1. Cortex-M0 implementation.....	281
Figure 25-2. Core Registers.....	284
Figure 25-3. PSR.....	285
Figure 25-4. PRIMASK.....	288
Figure 1-6. CONTROL.....	288
Figure 25-5. CONTROL.....	288
Figure 25-6. Memory Map.....	291
Figure 25-7. Memory Ordering Restrictions.....	292
Figure 25-8. Little Endian Format.....	295
Figure 25-9. Vector Table.....	298
Figure 25-10. Exception Entry Stack Contents.....	300
Figure 25-11. ASR #3.....	308
Figure 25-12. LSR #3.....	309
Figure 25-13. LSL #3.....	310
Figure 25-14. ROR #3.....	310
Figure 25-15. ISER.....	344
Figure 25-16. ICER.....	345
Figure 25-17. ISPR.....	345
Figure 25-18. ICPR.....	346
Figure 25-19. IPR.....	347
Figure 25-20. CPUID.....	350
Figure 25-21. ICSR.....	351
Figure 25-22. AIRCR.....	352
Figure 25-23. SCR.....	353
Figure 25-24. CCR.....	354

Figure 25-25. SHPR2.....	355
Figure 25-26. SHPR3.....	355
Figure 25-27. SYST_CSR.....	357
Figure 25-28. SYST_RVR.....	357
Figure 25-29. SYST_CVR.....	358
Figure 25-30. SYST_CALIB.....	358

## 1. STYLES AND FORMATTING CONVENTIONS

### 1.1. Overview

This chapter describes formatting and styles used through the document.

### 1.2. Number Representation

Numbers in a base other than decimal have a prefix or postfix as indicator. All numbers use little endian formatting, most significant bit/digit is to the left. Digits for binary and hexadecimal representation are grouped with a single space every four digits to improve readability. Binary numbers use “b” as postfix, hexadecimal numbers use “0x” as prefix.

For example 1011b binary = 0xB hexadecimal = 11 decimal.

### 1.3. Formatting Styles

TYPE	EXAMPLE	DESCRIPTION
Register Name	<b>RTCCTL</b>	Register names use capital letter and bold formatting.
Register Bit(s)	<b>RTCCTL.RTCCLKDIV</b>	Register bits are always represented with the register name separated with a period
Function selected by Register bit(s)	<b>[RTCCTL.RTCCLKDIV]</b>	Within text blocks, functions selected with a register bit setting are set in brackets. For example <b>[RTCCTL.RTCCLKDIV]</b> means divider settings /2 to /65536.
Pin Function	XIN	Pin functions use capital letters
Formulas	CLK = FCLK / DIV	Formulas use Teletype font.
Links	<a href="#">Number Representation</a>	Clickable Links are underlined and blue
CPU Mnemonic	MRS	CPU Mnemonic use Teletype font.
Operands	{Rd, } Rn, Rm	Operands use Italic
Code examples	B loopA	Code examples use Teletype font.