



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



System Overview

Vinyl Letters and Numbers

Labeling Solutions by Application



Material Chart

Material	Print Method	Temperature Range	Features
Vinyl (PVL) •	Pre-Printed	-50°F to 225°F (-46°C to 107°)	Indoor/outdoor rated; heavy duty material for flat applications and safety and facility identification; resistant to UV light, chemical atmosphere and abrasion

Labels by Print Method

Part Number	Legend	Legend Height		Height		Width		Color (Legend/Background)	Markers Per Card	Std. Pkg. Qty. Card(s)
		In.	mm	In.	mm	In.	mm			
PVL100BY-0	0	1.00	25.40	.88	22.35	1.50	38.10	Black/Yellow	10	25
PVL100BY-1 thru PVL100BY-9	1 thru 9									25
PVL100BY-A thru PVL100BY-Z	A thru Z									25
PVL100BY-DSH	–									25
PVL200BY-0	0	2.00	50.80	.88	22.35	2.25	57.15	Black/Yellow	10	25
PVL200BY-1 thru PVL200BY-9	1 thru 9									25
PVL200BY-A thru PVL200BY-Z	A thru Z									25
PVL200BY-DSH	–									25

Labeling Software

Printers

Pre-Printed and Write-On Markers

Vinyl Cloth Letters and Numbers

Lockout / Tagout



Material Chart

Material	Print Method	Temperature Range	Features
Vinyl Cloth, (PCL,PCLCP) •	Pre-Printed	-50°F to 170°F (-46°C to 77°C)	Indoor/outdoor rated; thin conformable material with repositionable adhesive allows label to be removed and reused or used in temporary applications; provides durability, high temperature resistance and dimensional stability for rough or textured surfaces

•UL Recognized. 

Safety and Facility ID

Generic Order Forms

Standards

Technical Reference/ Index

Part Number	Legend	Legend Height		Width		Height		Color (Legend/Background)	Markers Per Card	Std. Pkg. Qty. Card(s)	Std. Ctn. Qty. Card(s)
		In.	mm	In.	mm	In.	mm				
PCL037-0	0	.38	9.65	.34	8.64	.75	19.05	Black/Yellow	78	25	100
PCL037-1 thru PCL037-9	1 thru 9									25	100
PCL037-0-9	0 thru 9									25	100
PCL037-A thru PCL037-Z	A thru Z									25	100
PCL037-A-Z	A thru Z	.38	9.65	.34	8.64	.75	19.05	Black/Yellow	78	25	100
PCLCP037-A-Z	A thru Z									1	4
PCLCP037-0-9	0 thru 9									1	4

Vinyl Cloth Letters and Numbers (continued)

Part Number	Legend	Legend Height		Width		Height		Color (Legend/Background)	Markers Per Card	Std. Pkg. Qty. Card(s)	Std. Ctn. Qty. Card(s)								
		In.	mm	In.	mm	In.	mm												
PCL062-0	0	.63	16.00	.56	14.22	.75	19.05	Black/Yellow	32	25	100								
PCL062-1 thru PCL062-9	1 thru 9									25	100								
PCL062-A thru PCL062-Z	A thru Z									25	100								
PCL062-A-Z	A thru Z									25	100								
PCL062-DSH	–									25	100								
PCL100-0	0	1.00	25.40	.88	22.35	1.50	38.10	Black/Yellow	10	25	100								
PCL100-1 thru PCL100-9	1 thru 9									25	100								
PCL100-0-9	0 thru 9									25	100								
PCL100-A thru PCL100-Z	A thru Z									25	100								
PCL100-A-J	A thru J									25	100								
PCL100-K-T	K thru T									25	100								
PCL100-U-Z	U thru Z									25	100								
PCL100-DSH	–									25	100								
PCL200-0	0									2.00	50.80	.88	22.35	2.25	57.15	Black/Yellow	10	25	100
PCL200-1 thru PCL200-9	1 thru 9																	25	100
PCL200-0-9	0 thru 9	25	100																
PCL200-A thru PCL200-Z	A thru Z	25	100																
PCL200-A-J	A thru J	25	100																
PCL200-K-T	K thru T	25	100																
PCL200-U-Z	UK thru TZ	25	100																
PCL200-DSH	–	25	100																
PCL300-0	0	3.00	76.20	1.50	38.10	3.50	88.90	Black/Yellow	6									25	100
PCL300-1 thru PCL300-9	1 thru 9																	25	100
PCL300-A thru PCL300-Z	A thru Z									25	100								
PCL300-DSH	–									25	100								

System
Overview

Labeling
Solutions
by
Application

Labels
by
Print
Method

Labeling
Software

Printers

Pre-Printed
and
Write-On
Markers

Lockout /
Tagout

Safety
and
Facility
ID

Generic
Order
Forms

Standards

Technical
Reference/
Index