



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Specification Sheet

Part Number: PFCST



Connector, Fiber Optic ST Multimode OM1 (62.5/125), Pre-Polished (Cleave & Insert)

<b>Article Number</b>	855-14211
<b>Type</b>	PFCST
<b>Color</b>	Beige (BGE)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Factory-polished zirconia ceramic ferrules for quick and reliable field installations.</li><li>• Unique wedge clip retains connector shape for precision connection.</li><li>• Easy to use—no epoxy, heat curing, polishing or special tools required.</li><li>• Color coded for easy identification.</li><li>• Meet ANSI/TIA/EIA 568-C standards.</li><li>• Meet ANSI/TIA/EIA 604 (FOCIS) connector interface requirements.</li></ul>
<b>Quantity Per</b>	bag

### Product Description

Pre-polished connectors provide high performance and eliminate the need for the time consuming task of hand polishing ferrules in the field. A factory pre-cleaved fiber stub and index-matching gel combine to offer an immediate low loss termination of single mode or multimode fiber.

<b>Short Description</b>	Connector, Fiber Optic ST Multimode OM1 (62.5/125), Pre-Polished (Cleave & Insert)
<b>Global Part Name</b>	PFCST
<b>Technical Description</b>	Pre-polished ST 62.5/125 Multimode Fiber Connector, Beige
<b>Port Count</b>	1
<b>Package Quantity(Imperial)</b>	1
<b>Package Quantity (Metric)</b>	1
<b>Customs Number</b>	8536700000