

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Marking Tapes



Colors and combinations meet specific industry and OSHA 29 CFR §1910.144 warning requirements





Mark specific areas and promote safety by identifying potential hazard areas with visible tapes.

- 0.006" vinyl adheres to floors, walls, piping, posts, beams, handrails, stairways, machinery, and equipment
- Waterproof, wear-resistant, minor resistance to acids, oils, grease, caustics, alkalis, and most solvents
- · Permanent self-adhesive back



Color/Combination	Code	Application	
Solid Colors			
White	WHT	General Facility	
Gray	GRY	General Facility	
Brown	BRN	General Facility	
Black	BLK	General Facility	
Red	RED	Fire Protection Equipment & Danger Hazards	
Orange	ORN	Danger Points on Machines	
Yellow	YEL	Physical Hazards	
Green	GRN	First Aid & Safety Equipment	
Blue	BLU	Machinery being Worked On	
Purple	PUR	X-ray & Radiation Hazards	
Checkerboard and Stripe Pa	ttern	•	
Black/Yellow	BY	General, Physical Hazards	
Red/White	RW	Fire Protection & Equipment	
Black/White	BW	Housekeeping, Aisles, Traffic, & Passageways	
Magenta/Yellow	MY	Radiation Areas	
Green/White	GW	Safety & First Aid	
Blue/White	BLW	Defective Equipment	
Orange/White	OW	Traffic and Caution	

To Order: Add color code after part number. Example: Part No. PFM2X36 + Color Code WHT = PFM2X36WHT

Part No.	Size	UOM			
Solid Colors	Solid Colors				
PFM2X36	2" x 108-ft.	Roll			
PFM2X60	2" x 180-ft.	Roll			
Checkerboard Pattern					
PFMC2X18	2" x 54-ft.	Roll			
Stripe Pattern					
PFM2X18	2" x 54-ft.	Roll			
PFM2X36	2" x 108-ft.	Roll			

Part No. Size		UOM		
Solid Colors				
PFM3X36	3" x 108-ft.	Roll		
PFM3X60	3" x 180-ft.	Roll		
Checkerboard Pattern				
PFMC3X18	3" x 54-ft.	Roll		
Stripe Pattern				
PFM3X18	3" x 54-ft.	Roll		
PFM3X36	3" x 108-ft.	Roll		

Reflective Tapes



- Safety-grade with 'bounce-back' reflectivity
- Improved daytime, low-light and night time visibility
- 0.0055" thick urethane tape
- Permanent adhesive with peel-off liner
- Suitable for outdoor use on poles, barricades, fences, buildings, private roads, and off-road vehicles

Available colors with color code:

Color	Code		
Solid Colors			
Black	BLK		
Blue	BLU		
Green	GRN		
Orange	ORN		
Red	RED		
White	WHT		
Yellow	YEL		
Stripe Colors			
Black/White	BW		
Black/Yellow	BY		
Orange/White	OW		
Red/White	RW		

To Order: Add color code after part number. Example: Part No. PFMR2X15 + Color Code BW = PFMR2X15BW

Part No.	Size	UOM
PFMR2X15	2" x 15-ft.	Roll
PFMR2X30	2" x 30-ft.	Roll
PFMR3X15	3" x 15-ft.	Roll

Message Marking Tapes

Use marking tape with specific message to point out potential hazard areas.

- · Bold contrasting message printed repeatedly
- 6-mil vinyl adheres to floors, walls, and equipment
- Clear overlaminate protective film resists dirt, light chemicals and light abrasions
- · Permanent, self-adhesive back
- 2" x 54-ft. rolls

UOM	
Roll	

CAUTION CAUTION CAUTION CA

PFM0114

WATCH YOUR STEP WATCH YOUR STEP WATCH YOUR

PFM0115



Non-Slip Floor Marking Tapes



Use non-slip tapes to mark and identify aisles, pathways, and designated locations in your facility.

Sub-surface printed 0.004" vinyl tapes are overlaminated with a 0.017" clear, protective pebble-textured tread. The dimpled non-slip surface is ideal for pedestrian traffic areas.

- Dual-layer, color vinyl and clear textured vinyl construction
- Strong acrylic-based adhesive peel-off back liner
- · Adhere to clean, smooth, dry surface
- Service temperature range: -20° to 140°F
- · Available in solid colors or with messages



To Order Solid Color Tapes:

Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK.



Example: Part No. PFMT2X100 + Color Code YEL = PFMT2X100YEL

Part No.	Size	UOM
PFMT2X100	2"W x 100-ft.	Roll
PFMT3X100	3"W x 100-ft.	Roll

Message Tapes

AREA

PFM0597

Size	UOM	CAUTIO	L CAUTION
3"W x 50-ft.	Roll	CAUTIO	N CAUTION
		PFM0598	

CAUTIO	N	CAUTION	
DO NOT E	NTER DO	NOT ENTER	
PFM0600			
		FORKLIF1	FORKLIFT
		TRAFFIC	TRAFFIC
		PFM0599	
····	***************************************		
STAGING	G S	STAGING	

PFM0601


AREA

Non-Slip Floor Marking Shapes

Mark pallets, storage, and walkways in your facility – ideal for 5S programs.

- Self-adhesive 0.004" vinyl
- Protective non-slip,
- pebble-textured overlaminate
 Strong acrylic-based adhesive peel-off back liner
- Adhere to clean, smooth, dry surface
- Service temperature range: -20° to 140°F





To Order: Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK. Example: Part No. PFMTS09 + Color Code GRN = PFMTS09GRN

Part No.	Size	UOM
Corner		
PFMTS09	6" x 6"	Each
PFMTS10	12" x 12"	Each
45° Corner		
PFMTS20	6"	Each
PFMTS19	12"	Each
T-Corner		
PFMTS11	6" x 9"	Each
PFMTS12	8" x 12"	Each
Quad Corne	r	
PFMTS17	9" x 9"	Each
PFMTS18	12" x 12"	Each
Part No.	Length	UOM
Footprints		
PFMTS01	6"	Pair
PFMTS02	12"	Pair

PFMTS09GRN		
Part No.	Size	UOM
Arrow		
PFMTS14	3"	Each
PFMTS15	6"	Each
PFMTS16	12"	Each
Square		
PFMTS05	3" x 3"	Each
PFMTS06	6" x 6"	Each
Circle, Dot		
PFMTS03	3" dia	Each
PFMTS04	6" dia	Each
Triangle		
PFMTS07	3"	Each
PFMTS08	6"	Each

Floor Marking Shapes

Mark directional traffic paths or hazardous areas on floors, stairways, and walls.

- 0.005" vinyl
- Individually die-cut shapes
- · Aggressive, permanent, self-adhesive back
- · Peel-off liner

Available colors with color code:

Red - RED, Blue - BLU, Green - GRN, Black - BLK, Yellow - YEL, Orange - ORN, White - WHT

To Order: Add color code after part number. Example: Part No. PFMD2 + Color Code BLU = PFMD2BLU

Size*	Std. Pkg. Qty.	UOM
2"	250	Roll
3"	250	Roll
4"	100	Roll
6"	5 Pair	Pkg.
12"	5 Pair	Pkg.





*Size for: Dot by diameter

*Size for: Arrow measured by width of point

*Size for: Footprint is 6" or 12" length

Glow-in-the-Dark Tapes & Shapes




Visibility and safety in emergency blackout situations

- · Photoluminescent tapes and shapes store energy from any light source
- 10-hour glow rating
- 0.010" polyester with laminated gloss surface
- · Permanent adhesive backing with peel-off liner



Glow-in-the-Dark Tapes

Solid Color		Stripe	ripe Pattern Arrow Pattern		Pattern	Size
Part No.	UOM	Part No.	UOM	Part No.	UOM	Size
PFM0243	Roll	PFM0246	Roll	PFM0249	Roll	2" x 15-ft.
PFM0244	Roll	PFM0247	Roll	PFM0250	Roll	2" x 30-ft.
PFM0245	Roll	PFM0248	Roll	PFM0251	Roll	3" x 15-ft.





		•
Size	Std. Pkg. Qty.	UOM
2"	50	Roll
3"	50	Roll
6"	1 Pair	Pkg.
12"	1 Pair	Pkg.





800.777.3300 | Panduit.com

Non-Skid Floor Tapes

Create a high-traction surface to prevent slips, trips, and falls.

- · Durable surface provides good grip, wear resistance, and water resistance
- Suitable for indoor and outdoor environments
- · Resists sliding, buckling, wrinkling, and peeling
- · Black tape is 60-grit aluminum oxide compound layer fused onto thick PVC base; colored and striped tapes are 46-grit
- · High-tack acrylic adhesive back
- Peel-off liner



OSHA 29 CFR

§1910.24 (f)





Part No.	Size	UOM			
Solid Black					
PFM0090	1" x 60-ft.	Roll			
PFM0092	2" x 60-ft.	Roll			
PFM0094	3" x 60-ft.	Roll			
PFM0095	4" x 60-ft.	Roll			
PFM0097	6" x 60-ft.	Roll			



Part No.	Size	UOM	
Solid Yellow			
PFM0091	1" x 60-ft.	Roll	
PFM0093	2" x 60-ft.	Roll	
PFM0096	4" x 60-ft.	Roll	
Striped Black/Yellow			
PFM0103	2" x 60-ft.	Roll	
PFM0105	4" x 60-ft.	Roll	







· Muted yellow appearance masks dirt and grime

Part No.	Size	UOM			
Muted Yellow w/ Black Particles					
PFM0107	2" x 60-ft.	Roll			
PFM0108	4" x 60-ft.	Roll			

Non-Skid Floor Signs

High-traction, anti-skid, clear grit surface. 6" x 24". Sub-surface printed vinyl floor signs. High-tack, acrylic adhesive back. Peel-off liner.





















Non-Skid Floor Shape Tapes

Get a finished look to your anti-skid tapes in pre-cut shapes.

- Rounded corners to prevent corners from lifting
- Aggressive 60-grit aluminum oxide compound layer fused onto a thick PVC base
- · Peel-off liner with high-tack acrylic adhesive back
- · Suitable for indoor and outdoor environments, water resistant





Part No.	Description	Size	UOM
PFM0110	Square	5 1/2" x 5 1/2"	Each
PFM0109	Wide Strip	3" x 24"	Each
PFM0111	Cleat	6" x 24"	Each
PFM0112	Cleat w/ Refl. Yellow	6" x 24"	Each
PFM0113	Cleat w/ Glow	6" x 24"	Each



High Performance Marking Tapes

Heavy-duty composite tape outperforms standard floor marking tapes.

Printed 0.002" polyester tape with 2-mil gloss overlaminate provides superior durability for industrial facility and high plant traffic.

- High-gloss surface resists marks and smudges
- Resistant to abrasions, water, chemicals and heat
- High tack, acrylic adhesive back minimizes peel or lift
- Applies to clean, noncoated, smooth or rough surfaces, including concrete
- Low-profile reduces tears and scratches from skids and pallet jacks
- Removes easily without leaving residue or damage to the floor
- Minimum application temperature: 50°F
- Available in solid colors or with messages





To Order Solid Color Tapes: Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK. Example: Part No. PFMH2X100 + Color Code BLK = PFMH2X100BLK

Part No.	Size	UOM
PFMH2X100	2"W x 100-ft.	Roll
PFMH3X100	3"W x 100-ft.	Roll

Message Tapes

PFM0271

_	=				
Size	UOM		·		
3"W x 50-ft.	Roll		CAUT	ION	CAUTION
	····		PFM0268		
CAUTI DO NOT E			TION ENTER		
PFM0270			(Mann		
			CAU	TION OUR STEP	CAUTION WATCH YOUR STEP
			PFM0269		
RESTRIC AREA	TED		RICTED REA		
PFM0267		6	((((())))		
			WAT FOR FOR	TCH RKLIFTS	WATCH FOR FORKLIFTS
			PFM0266		

Floor Label Frame System

Place and protect message, barcode and other identification on the floor in a sturdy frame system.

Metal frame mounts directly to the floor with four concrete screws (included) and contains a clear protective cover to protect your label (not included) underneath. Beveled edges prevent damage from rollover of pallet jacks and forklift vehicles.



Small size:

- 8 1/2" x 5 1/2" x 1/8" all-aluminum oval frame
- 3 1/2" x 5" x 0.063" clear visible protective polycarbonate cover

Large size:

- 12" x 7 1/2" x 1/8" all-aluminum oval frame
- 5" x 7" x 0.063" clear visible protective polycarbonate cover

Small Part No.	Large Part No.	Std, Pkg. Qty.	UOM
PBB0085	PBB0086	Each	Each
PBB0081	PFM0001	10	Pkg.
PBB0083	PFM0002	25	Pkg.
PBB0084	PFM0003	50	Pkg.
PBB0082	PFM0004	100	Pkg.

Textured Marking Tapes

Low-profile grip vinyl tapes are ideal for indoor/outdoor and wet or dry environments.

- Reinforced vinyl with weather-proof adhesive system
- Slip-resistant, mild abrasive surface
- Install on smooth, clean and dry surfaces
- · Low level reflectivity
- 3"W x 108-ft. long rolls
- Service temperature range: 0° to 150°F





To Order: Add color code after part number: Red – RED, Blue – BLU, Yellow – YEL, White – WHT. Green – GRN.

Wnite – WHI, Green – GHN. Example: Part No. PFMT3X36 + Color Code YEL = PFMT3X36YEL



800.777.3300 | Panduit.com

Non-Slip Shape Floor Signs

Grab attention with non-slip floor message signs.

- · Bold colors and graphics in unique shapes
- · Self-adhesive vinyl floor signs are sub-surface printed
- · Overlaminated with pebble-textured, non-slip layer
- · Can withstand heavy foot traffic
- · Permanent adhesive back with peel-off liner
- · Signs adhere to smooth, clean, and dry surface

Diamond



Triangle










Pavement-Print Signs



Place message and graphic signs outdoors on pavement.

- · Adheres to asphalt, concrete and step-stones
- Conforms to rough, untreated surfaces like stone and cement
- · High-performance adhesive back, foil-base material
- · Non-laminate surface contains embedded glass beads for a non-slip texture - meeting NFSI and ASTM D2047 specifications
- · Withstands normal to heavy walking foot traffic and other abrasions
- · Apply to swept, clean, dry surface
- Application temperature range: 50° to 100°F
- · For short- to long-term applications
- · Removes easily, usually without any residues









PFM0083

17"



17"



SMOKING 17" PFM0085







PFM0079





PFM0089 PFM0086 PFM0084

PANDUIT®

Non-Slip Floor Signs

Non-slip, pebble-textured, clear surface withstands heavy pedestrian traffic. Image is sub-surface printed. Permanent, self-adhesive vinyl with peel-off liner.

Description	UOM
Round-Style	Each
Round-Style Glow Adhesive	Each
Mat-Style	Each
Step-Style	Each



Round-Style







PFM0029



PFM0033



PFM0030



PFM0016



PFM0011



PFM0008



PFM0031



17" PFM0020



17" PFM0026



PFM0022



17" PFM0027



17" PFM0017



17" PFM0018



17" PFM0023



17" PFM0034



PFM0010



PFM0028



PFM0015



17" PFM0019



PFM0013



17" PFM0025



17" PFM0021





PFM0012



PFM0032



PFM0014



17" PFM0037



PFM0024



Mat-style



20" x 14" PFM0063













Step-Style











A CAUTION A

PFM0053





A CAUTION A
USE HANDRAIL

PFM0051