

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









PI2EQX8804A

8.0Gbps 4-Lane PCle® 3.0 ReDriver™ with Equalization & Emphasis

Pericom Semiconductor's PI2EQX8804A is a low power PCle® 3.0 (8Gbps) ReDriver™. The device provides programmable equalization, pre-emphasis, and output voltage swing control via configuration pins to optimize over a variety of physical mediums by reducing Inter-symbol interference (ISI). The PI2EQX8804A also provides advanced features such as bidirectional loop back functionality for easy debug, a selectable signal detector threshold, and I2C/SMBus programmability just to name a few.


The integrated equalization circuitry provides flexibility with signal integrity of the PCle signal before the ReDriver, whereas the integrated pre-emphasis circuitry provides flexibility with signal integrity of the signal after the ReDriver. In addition to providing signal reconditioning, Pericom's PI2EQX8804A also provides power management Stand-by mode operated by a Power Down pin.

The PI2EQX8804A is a cost effective way to extend PCle® 3.0 compliant channels and provide needed BER margin.

Features

- 8 differential channels, support x4 lane PCle® 1.0/2.0/3.0 application
- Fully compatible with PCle® 3.0 compliant channels
- Selectable adjustment of receiver equalization, output swing and pre-emphasis
- \bullet Selectable input termination between 50Ω to VDD and Hi-Z
- Selectable output termination between 50Ω to VDD and $2\mathrm{K}\Omega$ to VDD
- Control on Standby and output enable
- Dual programmability between I²C/SMBus and Pin Configurability (Pin Strap) via select pin
- 3-bit selectable address bits for I²C
- Support I²C and SMBus format
- 2-bit threshold adjustment for signal detector
- Single supply: 1.5V
- Packaging (Pb-free & Green): 100-contact LBGA (NJ)

Block Diagram






PI2EQX8804A

8.0Gbps 4-Lane PCle® 3.0 ReDriver™ with Equalization & Emphasis

Packaging Mechanical: 100-Ball LBGA (NJ)



Ordering Information

Ordering Number	Package Code	Package Description
PI2EQX8804ANJE	N	Pb-free and Green 100-Contact LBGA

- Thermal characteristics can be found on the company web site at www.Pericom.com/Packaging/
- E = Pb-free and Green
- X suffix = Tape/Reel