



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Zero LiPo PIM185



The tiny little LiPo/LiIon power supply shim for all versions of the Raspberry Pi!

We love mobile projects but having a discrete, slick, and tidy power supply solution is always tricky. The Zero LiPo aims to give you the most compact Raspberry Pi power supply possible.

You can either solder the 0.8mm thick PCB directly onto the GPIO pins on your Pi for a permanent solution, or solder on the provided 2x4 0.1" female header which will allow you to remove your Zero LiPo at any time (but will block the GPIO pins).

We use the TPS61232 step-up boost converter from Texas Instruments that offers up to 96% efficiency. The board includes power on and battery low indicator LEDs. During shutdown (due to under-voltage or external selection) the quiescent current is just 15uA sip.

The MagPi described Zero LiPo as *"a slick bit of kit"* and *"a great option for providing safe power for a portable project"* in their four star review.

Need a battery? Check out our range of LiPo and LiIon batteries!

Features

- 0.8mm thick PCB
- Shaped to sit as low as possible on the Raspberry Pi
- 2-pole JST connector ideal for most LiPo/LiIon batteries
- Power and low battery LED indicators
- Supplies up to 1.5A continuous current (15uA quiescent current)
- Low battery warning at 3.4V (asserts GPIO #4 low)
- Automatic shutdown at 3.0V to protect your battery
- VBAT+, GND, and EN pins available to break out
- 2x4 0.1" female header (optional, for non permanent installation)
- Includes rubber foot to space Zero LiPo away from your Raspberry Pi
- Compatible with Raspberry Pi 3, 2, B+, A+, Zero, and Zero W
- **Requires soldering**

Software

We've put together a one-line installer that will initiate a clean shutdown when the low battery warning is triggered and GPIO #4 is pulled low. More details are available here in the GitHub repository.

Notes

This is not a charger. You will need a separate charger to keep your LiPo/LiIon batteries topped up! We recommend the Adafruit Micro Lipo or PowerBoost 1000 Charger.