

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











HDMI to VGA Converter for Raspberry Pi

SKU: PIS-0030

A high quality, high performance, convenient and compact electronic device which converts the digital HDMI video signals which are outputted from Raspberry Pi, into an analogue signal required by the widely used VGA based computer displays still regularly used around the world.

Unlike the majority of HDMI to VGA adapters marketed for the Raspberry Pi, this sleek HGMI to VGA converter will automatically carry the audio signal to the audio port on the side of the device, meaning no complicated setup to have both a VGA monitor and speakers

Description

A high quality, high performance, convenient and compact electronic device which converts the digital HDMI video signals which are outputted from Raspberry Pi, into an analogue signal required by the widely used VGA based computer displays still regularly used around the world.

Why Buy?

Unlike the majority of HDMI to VGA adapters marketed for the Raspberry Pi, this sleek HGMI to VGA converter will automatically carry the audio signal to the audio port on the side of the device, meaning no complicated setup to have both a VGA monitor and speakers

Set Up

RPi > Converter > VGA Cable > Monitor

Product Features

- Simple device design in the form of a small adapter with integrated VGA socket output, with short cable complete with HDMI plug for connection to the HDMI socket on Raspberry Pi.
- No external power supply is required, and in operation, the device is plug and play.
- The device handles display resolutions of up to 720p/1080i/1080p (the maximum resolution is limited by the resolution supported by the connected display device).
- Input: Integrated Type-A HDMI plug
- Output: Standard female DE-15 connector.
- Material: 99% high-purity oxygen-free copper wire core, 30μ gold-plated terminals for minimal signal loss, and gold-plated HDMI plug for high abrasion resistance.

Additional information

WEIGHT	0.060 kg
DIMENSIONS	7 x 3 x 7 cm



