



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832



Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Pi Supply



## RPi Display 2.8" TFT Touch Screen for Raspberry Pi Model A+, B+ and 2B

Extend your Raspberry Pi Model A+, B+ or 2B with a 2.8" full color display (320x240) with touch panel. There is a framebuffer driver available for this display, so you can use it right out of the box. A Display for the Raspberry Pi Model A and B can be found [here](#).

### Specification:

- TFT-Display: 2.83", 240x320 (Transmissive)
- Viewing area: 43.2 x 57.6mm
- Touch Controller: TI ADS7846/TSC2046
- Backlight dimmable (PWM)
- Interface: SPI (Touch Controller + Display)

- 3 tactile switches
- GPIOs available via 40 pin FFC/ZIF-Connector
- Power: 5V
- Raspberry Pi Model B+ Pinout
- Fully assembled

**RESOURCES** You can find all information, sources and drivers on Github: [github.com/watterott/RPi-Display](https://github.com/watterott/RPi-Display)

