



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Pi Supply



Pi PoE Switch HAT – Power over Ethernet for Raspberry Pi

SKU: PIS-0250

The Pi PoE Switch HAT is an add-on board for the Raspberry Pi that brings the Pi Supply Switch technology together with PoE all in one fantastic package! You can now power your Raspberry Pi and provide an Ethernet connection in any location with just a single cable. Perfect for removing the clutter of wires and for reliable use in remote locations.

The Pi PoE Switch HAT is compatible with the Raspberry Pi 3

Description

This product is compatible with the Raspberry Pi 3

The Pi PoE Switch HAT is a power over ethernet add-on board for the Raspberry Pi that brings the Pi Supply Switch technology together with PoE all in one fantastic package! You can now power your Raspberry Pi and provide an Ethernet connection in any location with just a single cable. Perfect for removing the clutter of wires and for reliable use in remote locations.

We have been working hard on all of the technical features so that you don't have to!

Technical Specification

- Fully 802.3af (mode A and B) compliant active power over Ethernet
- Includes optional jumper that toggles the power functionality
 - If you keep the jumper on, your Pi PoE will power on after holding the power button for two seconds
 - If you take the jumper off, your Pi PoE will power on as soon as you apply power from your injector (If you don't have a PoE Injector yet, you can pick one up [here!](#))
- Contains physical layer power negotiation circuitry, presenting itself as a Class 0 device
- Fully isolated switched mode power supply (SMPS) – 1500V isolation input to output
- Overload and short circuit protection
- Over temperature protection
- High efficiency (up to 87%) regulated output
- Input voltage 36-56V, output voltage 5V, output current 10-1300mA, max output power 6.5W
- Onboard ATtiny 13A microcontroller for power management functionality
- Configurable on / off switch for intelligent power management
- Leaves all unused GPIO free for use with other add on boards
- Fully assembled board
- Mounting hardware and short ethernet patch cable included

Software and Samples

Pi PoE is completely plug and play – no software required in order for Pi PoE to provide power and Ethernet directly to your Raspberry Pi and it will work straight out of the box.

We also have plans to introduce some useful scripts and guides in order for you to make use of the configurable onboard button as well as harness the unused power of the ATtiny on board and these will be introduced in due course.

Resources

- Code examples

Additional information

WEIGHT 0.100 kg

DIMENSIONS 11.0 x 11.0 x 3.0 cm

