



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Pi Supply



BitBay StakeBox

StakeBox and BitBay have partnered together to bring you the BitBay StakeBox - a device that allows you to stake your BitBay cryptocurrency and make a return on your investment.

BitBay is a Proof-of-Stake cryptocurrency which means you don't require a powerful computer rig to earn rewards. Staking is the process of securing the network with your coin weight, which in turn rewards you with new BitBay.

The stakebox requires little setup allowing you to get up and running in no time at all and includes all the essential accessories. Set it up and start earning crypto rewards* without needing to buy an expensive computer rig.

What's Inside

- Raspberry Pi 3 Model B
- BitBay Case
- 2.5A International Power Supply Unit
- 16GB SD card with BitBay software
- HDMI cable

Raspberry Pi 3 Specifications

- Processor
 - Broadcom BCM2387 chipset
 - 1.2GHz Quad-Core ARM Cortex-A53
 - 802.11 b/g/n Wireless LAN and Bluetooth 4.1 (Bluetooth Classic and LE)
- GPU
 - Dual Core VideoCore IV Multimedia Co-Processor. Provides Open GL ES 2.0, hardware-accelerated OpenVG, and 1080p30 H.264 high-profile decode
 - Capable of 1Gpixel/s, 1.5Gtexel/s or 24GFLOPs with texture filtering and DMA infrastructure
- Memory
 - 1GB LPDDR2
- Operating System
 - Boots from Micro SD card, running a version of the Linux operating system or Windows 10 IoT
- Dimensions
 - 85 x 56 x 17mm
- Power
 - Micro USB socket 5V1, 2.5A