

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



PANDUIT * PART NO.	in	E DIA.	A in (mm)	B in (mm)	(mm)	in (mm)	in (mm)	F in (mm)	MIN. LOOP TENSILE 1bs.	CROSS SECTION	TIP STYLE	WEIGHT bs./100 pcs. (g)	RECOMMENDED TOOL SETTING
PLT1M	.06 (1.5)	.87 (22)	.043 (1.1)	.098 (2.5)	.169 (4.3)	.154 (3.9)	.180 (4.6)	3.9 (99)	11 (49)	MINIATURE	CURVED	.06 (27)	GS2B MIN 2
PLT1.5I	.06 (1.5)	1.38 (35)	.045 (1.1)	.142 (3.6)	.206 (5.2)	.180 (4.6)	.240 (6.1)	5.6 (142)	18 (80)	INTERMEDIATE	CURVED	.10 (46)	GS2B INT 3
PLT2S	.06 (1.5)	1.88 (48)	.052 (1.3)	.190 (4.8)	.258 (6.6)	.220 (5.6)	.316 (8.0)	7.4 (188)	30 (133)	STANDARD	CURVED	.23 (104)	GS2B STD 5
PLT3S	.06 (1.5)	3.00 (76)	.052 (1.3)	.190 (4.8)	.265 (6.7)	.220 (5.6)	.337 (8.6)	11.5 (292)	30 (133)	STANDARD	CURVED	.35 (139)	GS2B STD 5
PLT4S	.06 (1.5)	4.00 (102)	.052 (1.3)	.190 (4.8)	.265 (6.7)	.220 (5.6)	.337 (8.6)	14.5 (368)	30 (133)	STANDARD	CURVED	.43 (195)	GS2B STD 5
PLT2H	.188 (4.8)	2.00 (51)	.075 (1.9)	.300 (7.6)	.320 (8.1)	.290 (7.4)	.480 (12.2)	8.1 (206)	50 (222)	HEAVY	STRAIGHT	.61 (277)	GS4H HVY 5
PLT3H	.188 (4.8)	3.00 (76)	.075 (1.9)	.300 (7.6)	.320 (8.1)	.290 (7.4)	.480 (12.2)	11.4 (290)	50 (222)	HEAVY	STRAIGHT	.79 (359)	GS4H HVY 5
PLT4H	.188 (4.8)	4.00 (102)	.075 (1.9)	.300 (7.6)	.320 (8.1)	.290 (7.4)	.480 (12.2)	14.5 (368)	50 (222)	HEAVY	STRAIGHT	1.0 (454)	GS4H HVY 5

NOTES:

10

REV

9/9/04

DATE

JVL

CHK

CORRECTED METRIC CONVERSIONS

DESCRIPTION

ERW

BY

* 1) SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE.

2) MATERIAL SUFFIX CODE: -100=WEATHER RESISTANT BLACK											
-109=PANDUIT STANDARD POLYPROPYLENE [IS OFF-SHADE GREEN								DIMENSIONS IN PARENTHESES ARE IN METRIC UNITS			
									SS_15356_10.PRT		
									CORP. TINLEY PARK, ILLINOIS		
									PAN-TY CABLE TIES		
					+				PLT SERIES		
									UNLESS OTHERWISE SPECIFIED, UNLESS OTHERWISE SPECIFIED,		
					-				DIMENSIONAL TOLERANCES ARE:		
									(.X) ± .1(2.5) (.XXX) ± .010(.25) (.XX) ± .20(.5) ANGLES ± IN INCHES, THIRD ANGLE PROJECTION.		
		·							DRAWN BY CEW MAT'L: SCALE NONE		

JVL

CUST

SUP

10

15356

ECN - R

DATE

CHK 'D

1-22-85

HVP

DRAWING NO.

SS-15356

DWG

SIZE

POLYPROPYLENE