mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Pan-Ty® Cable Ties – Weather Resistant Nylon 12

- For high moisture, corrosive (zinc chloride and dilute acids), and low temperature indoor or outdoor applications
- Lowest threading force of any one-piece cable tie in the industryCurved tip is easy to pick up from flat surfaces and allows faster
- Cable tie of choice for making attachments to galvanized surfaces
- One-piece construction for consistent performance and reliability

000000
- Straight Tip
Curved Tip

initial threading to speed installation

														Wiring
Part Number	Length						Max.		Min.					Duct
			Width		Thickness		Bundle Dia.		Loop Tensile Str.		Recommended Installation	Std. Pkg.	Std. Ctn.	(2.
	In.	mm	In.	mm	In.	mm	In.	mm	Lbs.	N	Tool	Qty.	Qty.	Surface
Intermediate C	ross Se	ection									·			Raceway
PLT1.5I-M120	5.6	142	.142	3.6	.045	1.1	1.38	35	25	111	GTS, GTSL, GS2B, PTS, PPTS, STS2	1000	25000	. G.
Standard Cross	Section	on												Abrasion Protection
PLT2S-M120	7.4	188	.190	4.8	.052	1.3	1.88	48	40	178	GTS, GTSL, GS2B, GTH, GS4H, PTS,	1000	10000	
PLT4S-M120	14.5	368	.190	4.8	.052	1.3	4.00	102	40	178	PTH, PPTS, STS2, STH2	1000	5000	C4. Cable
Light-Heavy Cr	oss Se	ction (S	Straight	t Tip)										Managemen
PLT4H-TL120	14.5	368	.300	7.6	.075	1.9	4.00	102	90	400	GTH, GTSL, GS4H, GS4EH, PTH,	250	2500	
PLT8LH-C120	27.6	701	.300	7.6	.075	1.9	8.00	203	90	400	STH2, ST3EH	100	2000	D1. Terminals

D2. Power Connectors

A. System

Overview

B1. Cable Ties

B2. Cable Accessories

B3. Stainless Steel Ties

C1.

D3.

Grounding Connectors

E1. Labeling Systems

E2. Labels

E3. Pre-Printed & Write-On Markers

E4. Permanent Identification

E5. Lockout/ Tagout & Safety Solutions

> F. Index