

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







						2								•				
		THIS COP	Υ Ι:	S PROV	/IDED O	N A RESTRI	CTED BASIS	AND IS 1	NOT TO BE	USED IN AN	Y WAY [	DETRIMEN	ITAL TO	THE I	NTERESTS	OF PAND	UIT CORP.	
		PANDUIT PART #			TUD IZE	DIMENSIONS in. [mm]					CA9	CD-800(EZ)			- W	-		
			E	ENGLISH	METRIC	L ± .03 [0,8]	$W \pm {0.01 \over [0,3]}$	$C\pm \frac{.02}{[0,5]}$	$M\pm \begin{array}{c} .03 \\ [0,8] \end{array}$		SERIES CRIMP DIE	SERIES CRIMP DIE					STAMP	I NG
	_	PMV2-3FB- PV14-6FB-		 #6	M3 M3,5	.78 [19,8] .78 [19,8]	.23 [5,9] .28 [7,1]	.20 [5,1] .19 [4,8]	.64 [16,3] .64 [16,3]	.13 [3,3] .15 [3,8]				<u> </u>				
В	F F	PV14-6FNB- PV14-8FB- PV14-10FB- PV14-10FNB- PMV2-5FB-	3K 3K 3K 3K	#6 #8 #10 #10 	M3,5 M4   M5	.78 [19,8] .84 [21,3] .86 [21,8] .86 [21,8] .86 [21,8]	.24 [6,2] .31 [7,9] .34 [8,6] .31 [7,9] .34 [8,6]	.19 [4,8] .23 [5,9] .24 [6,2] .24 [6,2] .25 [6,4]	.64 [16,3] .68 [17,3] .70 [17,8] .70 [17,8] .70 [17,8]	.20 [5,0] .20 [5,0] .21 [5,3]	CD9-2A	CD-800	-2	M			H DIA C RAD HOUSIN	<b>B</b>
	<u> </u>	V14-14FB-	3K	1/4"	M6	1.03 [26.2]	.44 [11,2]	.32 [8,1]	.78 [19,8]	.27 [6,9]		IBILITY OF		Ï				
									PRESS	S/APPLICATOR							FUNNEL Wire en	ITDV
										PRESS	CP-8		61					
		DTES: . UL L.I	STI	ED AN	ND CS/	\_CERTIF	IED FOR:			APPLICATOR	CA9 CA-800		00				CARF STRI	RIER   IP
	A. #16-14 AWG [1,5-2,5 mm²] SOLID OR STRANDED COPPER WIRE  B. 221°F [105°C] MAX. OPERATING TEMPERATURE  C. 600 V. MAX. VOLTAGE RATING  MAX. WIRE															≣		
	2	. SEE w	/ww	.pand	duit.c	com FOR f	PACKAGE	QUANTIT	IES								INSUL. D	14.
	3	. MATEF A. ST B. HC	AM	PING	,03, 1017	'[0,76] /L, BLUE	THK COPF	PER, TIN	N PLATED		c(U	L)us	(	P®		Y [		
						ACKETS AF					58	TED 17H 1164	CERT LR3	IFIE				
	5	. WIRE	STI	RIP L	_ENGTH	H: 11/32'	-0	[8,7mm	-0 ]									
A										FORK TERMINALS, 2 PC. VINYL INSULATED, #16-14, CONTINUOUS REEL								
											I TEM	CUSTOMER DRAWING						
											DATAS	ET FILE NAME	N41080B	A/07			ANDUI	T
											N41080BA_DC/0/A						AIBUI	_
	07	12/16	TMR	TMR	RGB REVISED CERTIFICATION, METRIC TOL WAS TWO DECIMALS				N41080-A41	1080 DI	UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]							
	06	07/14	MBY	JHNU	HGB CE	CERTIFICATION				N41080-A41	1080	.X ± ,XXX ± .XXX ± .XX ± .XX ±						
JA/15	05	09.07.12	JBN	LCA		ADDED METRIC EQUIVALENT. REVISED NOTES. UPDATED DRAWING TO CURRENT STANDARDS.									RD ANGLE JECTION	DRAWING NUM	AWING NUMBER:	
D10100DA	REV	DATE	BY	СНК	APR		DESCRI	PTION		ECN	DRAWN	BY DATE M	- C+	RAKL	N.T.S.		SHT 1 0F 1	SIZE
_	2										$oldsymbol{1}$							