

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







_							2			1									
THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS														S OF PAI	NDUIT CORP.				
	PANDUIT STUD DIMENSIONS - in.								TOOL	5		ı		ı					
	PA	RT NUM	BER	SIZ	<u> </u>	. 03 .85	± .01	± .02	± .03	±.01					—— W —				
	PI	NF 18-6L	_FW	#6	()	21.6)	(7.4)	(5.1)	(16.0)	(3.8)	CT-100 *CT-16 *CT-26	0		_			— H DIA		
	F	NF18-6	LF	#6	()	.82 20.8)	.27 (6.9)	.20	.63	.15	**CT-40 CT-600-A (CI	0 [-500CH)	Δ				, , , , ,		
	F	NF18-8	LF	#8	()	.89 22.6)	.29 (7.4)	.26 (6.6)	.68 (17.3)	.16	CT-600-A (CT CT-155	Г-550СН) 50					/ TERMIN	A I	
	PI	VF18-10	DLF	#10) (;	.89 22.6)	.33 (8.4)	.25 (6.4)	.68 (17.3)	.19	CT-155 CT-2500 (CT-		_	A			/ 121(101114/	``_	
В		UL LI ANDUIT				- - - - -											,		В
		TES:	, , ,,	,,,,,,,		002											C RAD		
			ISTEI	d an	ID CS	SA CER	TIFIED	FOR:							`\;	./			
		A. 60	00V I	.XAM MAX	BLC IN	G WIR I SIGN	E S. FIX1	TURES &	LUMINAR	IES			A						
		B. 22 C. #2	21° 22-19	F (1 8 AW	05° 'G SC	C) MA LID O	XÍTEMP. R STRAN	, RATINO NDED, CO) Opper wif	RE				M					
	2.								ANTITIES										
	з.	MATEF															SLEEVE		
$\langle \exists$		B. HO	DUSII	NG -	NYL	ON, R	ED		R, TIN PL	_ATED							SLLLVL		
						-	N PLATE		=====								— HOUS I NG		
	4. DIMENSIONS IN BRACKETS ARE IN MILLIMETERS 5. WIRE STRIP LENGTH: 7/32 + 1/32 (5.6 + .8)								_										
	5.	WIRE	SIR	IP L	ENG I	H: /	/32 + 1 - (- 0	c(U _L) _{us} (SP _®					145 (3,68) MAX. WIRE		
										L	ISTED CE	RTIFIED	1				INSUL. DIA .080(2,03)		
										Ε	587H CE 52164 L	R31212	•				MIN. WIRE Insul dia.		
												TITLE		01/11/0	5051/ 10/1				-
A												#22	-18 LOCKING FORK NYLON INSUL FUNNEL WIRE ENTRY .145 [3.68] MAX WIRE INSUL DIA.						A
Ī												ITEM REVISION			CUSTOMER D				4
												DATASET FILE	N410	056BA/07			Parini	IT	
												LINIL	N410 ESS OTHER	056BA/07	ECIFIED	MATERIAL		' = =	-
						CORRECTE	D DART NIIM	REDS TO DNE	CT-400 CHANG	ED TO III		DIMENSI	ONAL TOLE	RANCES .xxx	ARE: IN [mm	n 1	SEE NOTES		
ဖ	07	01/15	TMR	TMR	RGB	LISTED ON	ILY		ABLE, REVISED		N41056BA-DC	.xx ±	\Rightarrow	ANGLES	±	DRAWING I			4
D10100DA/16	06	06/14	MBY	JHNU	RGB	CERTIFICA					N41056BA-A41056	DRAWN BY DAT	- ()	I CHK	HIRD ANGLE PROJECTION		A41056	SIZE	_
01010	REV	DATE	BY	CHK	APR			DESCRIPTI	ON		ECN	DRL		LA	NONE		SHT 1 0F 1	<u> </u>	
							2								1				