imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Sign Panels – Blank Space for Custom Messages

Indoor/Outdoor Sub-Surface Printed Adhesive Polyester (Type PPS)

- · High quality signs for use indoors and outdoors
- Excellent resistance to UV light, chemical atmosphere, and abrasion
- · Excellent life and adhesion properties
- · Printed graphics are protected by clear polyester laminate

Indoor/Outdoor Rigid Polyethylene (Type PRS)

- · Rugged signs for indoors and outdoors
- Abrasion resistant
- · Used where adhesives will not work

- Can be used with Panduit Thermal Transfer Desktop Printers and Easy-Mark[™] Labeling Software to create your own custom signs
- Print your own legend on clear polyester tape with the TDP43MY Thermal Transfer Desktop Printer and adhere label to adhesive or non-adhesive sign panel
- Can also be used with Panduit Die Cut Letter and Numbers

Material Chart						
Material	Print Method	Temperature Range	Features	C2. Surface Raceway		
Polyester (PPS)	Pre-Printed	-40°F to 275°F (-40°C to 135°C)	Indoor/outdoor rated; laminated label material protects legend from abrasion and chemicals; resistant to UV light, chemical atmosphere, and abrasion; excellent life and adhesion properties.			
Rigid Polyethylene (PRS)		-105°F to 250°F (-76°C to 121°C)	Indoor/outdoor rated; high quality, rugged material resistant to abrasion; use where adhesives will not work.	C3. Abrasion Protection		

			Width		Height			Std. Ctn.	C4. Cable Management
Part Number	Symbol	Header	In.	mm	In.	mm	Qty	Qty.	management
PPS0710BWHT		BLANK	10.00	254.0	7.00	177.8	1	25	D1. Terminals
PPS1014BWHT			14.00	355.6	10.00	254.0	1	25	
PPS1420BWHT			20.00	508.0	14.00	355.6	1	25	
PRS0710BWHT			10.00	254.0	7.00	177.8	1	10	
PRS1014BWHT			14.00	355.6	10.00	254.0	1	10	D2. Power Connectors D3. Grounding Connectors E1. Labeling Systems
PRS1420BWHT			20.00	508.0	14.00	355.6	1	10	
PPS0710BYEL		BLANK	10.00	254.0	7.00	177.8	1	25	
PPS1014BYEL			14.00	355.6	10.00	254.0	1	25	
PPS1420BYEL			20.00	508.0	14.00	355.6	1	25	
PRS0710BYEL			10.00	254.0	7.00	177.8	1	10	
PRS1014BYEL			14.00	355.6	10.00	254.0	1	10	
PRS1420BYEL			20.00	508.0	14.00	355.6	1	10	
PPS0710C442		CAUTION	10.00	254.0	7.00	177.8	1	25	
PPS1014C442	CAUTION		14.00	355.6	10.00	254.0	1	25	
PPS1420C442	CAUTION		20.00	508.0	14.00	355.6	1	25	
PRS0710C442			10.00	254.0	7.00	177.8	1	10	E2. Labels Fre-Printed & Write-On Markers E4. Permanent Identification E5. Lockout/ Tagout & Safety Solutions
PRS1014C442			14.00	355.6	10.00	254.0	1	10	
PRS1420C442			20.00	508.0	14.00	355.6	1	10	
PPS0710D440		DANGER	10.00	254.0	7.00	177.8	1	25	
PPS1014D440			14.00	355.6	10.00	254.0	1	25	
PPS1420D440			20.00	508.0	14.00	355.6	1	25	
PRS0710D440	DANGER		10.00	254.0	7.00	177.8	1	10	
PRS1014D440			14.00	355.6	10.00	254.0	1	10	
PRS1420D440			20.00	508.0	14.00	355.6	1	10	
PPS0710N443		NOTICE	10.00	254.0	7.00	177.8	1	25	
PPS1014N443	NOTICE		14.00	355.6	10.00	254.0	1	25	
PPS1420N443	NOTICE		20.00	508.0	14.00	355.6	1	25	
PRS0710N443			10.00	254.0	7.00	177.8	1	10	
PRS1014N443			14.00	355.6	10.00	254.0	1	10	
PRS1420N443			20.00	508.0	14.00	355.6	1	10	

Order number of Standard Packages required

E. Index

A. System **Overview**

B1.

Cable Ties

B2.

Cable

Accessories

B3. Stainless Steel Ties

C1. Wiring Duct