

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China













8 Right-Angle Outlet Vertical Power Strip, 120V, 15A, 15-ft. Cord, 5-15P, 24 in.

MODEL NUMBER: PS2408RA









The PS2408RA power strip provides horizontal or vertical power distribution for rack-mount, raceway and workbench applications in a convenient 24-inch mountable housing.

Description

The PS2408RA provides a 15-amp, 120v power strip with 8 right-angle NEMA 5-15R receptacles in a rugged, all-metal, mountable housing. It allows for both vertical and horizontal mounting, making it ideal for a variety of uses including office, rack-mount, workbench, industrial and telecom applications. With a right angle NEMA 5-15P plug and 15-ft. power cord, you don't have to install the PS2408RA next to outlets you already have; it can be mounted across the room and deliver reliable service where you need it most. A lighted and covered On/Off switch helps prevent accidental shut-offs, while a 15-amp circuit breaker guards against dangerous circuit overloads. Its sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory or factory environments.

Features

Multi-Outlet Power Distribution

Vertical or Horizontal Moun

Extra Long Power Cord

Premium Safety Features

Heavy-Duty Housing

Specifications

Highlights

- · Ideal for applications needing multiple convenience outlets for powering a variety of electronic equipment
- 24-in mountable housing with 8 right-angle NEMA 5-15R receptacles, right-angle plug and a 15 ft. power cord
- Lighted, covered On/Off switch and 15-amp circuit breaker
- · Sturdy construction and heavyduty, all-metal housing

Package Includes

- PS2408RA Power Strip
- Mounting hardware
- · Instruction manual



| OVERVIEW | | |
|------------------------------------|--|--|
| UPC Code | 037332187451 | |
| ОИТРИТ | | |
| Frequency Compatibility | 60 Hz | |
| Output Receptacles | (8) 5-15R | |
| Output (Watts) | 1800 | |
| Circuit Breaker (amps) | 15 | |
| Outlet Spacing | 2.48 in. | |
| Right-Angle Outlets | Yes | |
| INPUT | | |
| Nominal Input Voltage(s) Supported | 120V AC | |
| Recommended Electrical Service | 15A 120V | |
| Input Connection Type | Right Angle Nema 5-15P | |
| Input Plug Features | Black | |
| Input Cord Length (ft.) | 15 | |
| Input Cord Length (m) | 4.57 | |
| Input Cord Gauge Type | 14/3 SJT | |
| Voltage Compatibility (VAC) | 120 | |
| USER INTERFACE, ALERTS & CONTROLS | | |
| Switches | Lighted 2 position switch controls power to all outlets | |
| Locking Switch Cover | Transparent on/off switch cover prevents accidental turn-off | |
| PHYSICAL | | |
| Shipping Dimensions (hwd / in.) | 2.40 x 4.61 x 28.19 | |
| Shipping Dimensions (hwd / cm) | 6.10 x 11.71 x 71.60 | |
| Shipping Weight (lbs.) | 3.14 | |
| Shipping Weight (kg) | 1.42 | |
| Unit Dimensions (hwd / in.) | 1.25 x 1.68 x 24.52 | |
| Unit Dimensions (hwd / cm) | 3.18 x 4.27 x 62.29 | |
| Unit Weight (lbs.) | 2.71 | |
| Unit Weight (kg) | 1.23 | |
| Material of Construction | Aluminum | |
| Included Mounting Accessories | Includes mounting clips | |



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

| Receptacle Color | Black | |
|--|---|--|
| Color (AC Line Cord) | Black | |
| Form Factors Supported | Supports vertical or horizontal mounting in rack enclosures, raceways and a variety of other applications | |
| Outlets Measurement (Center to Center) | 63mm | |
| CERTIFICATIONS | | |
| UL1363 (Power Tap) | UL1363 | |
| cUL / CSA (Canada) | cUL | |
| WARRANTY | | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty | |

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies