

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











Productivity. Reliability. Safety.

Proper Power and Grounding

connections installed with high-quality products and tools are critical to ensure operator safety, equipment performance and system reliability.



We've Got You Covered

Partner with Panduit for a full solution of over 30,000 available parts engineered to reduce installation time and costs, improve operational performance, and meet or exceed industry standards. Gain access to programs that provide resources, tools and training so you can drive your business forward.



TABLE OF CONTENTS



Safety Signs & Labels Pages 2 – 34



Haz-Com / GHS Pages 70 – 73



Safety Tags
Pages 35 – 43



Traffic SignsPages 74 – 79



Cable Ties & Wire Markers Pages 44 – 49



Floor Signs & Tapes Pages 80 – 86



Labelmakers Pages 50 – 52



Barriers & Barricades Pages 87 – 93



ID Tags & Pipe Markers Pages 53 – 58



Motivation Page 94



Lockout / Tagout Pages 59 – 69



Index Pages 95 – 96



PRACTICAL SOLUTIONS FOR OSHA'S TOP 10 SAFETY VIOLATIONS

Top 10 most frequently cited standards by Federal OSHA in fiscal year 2015 (October 1, 2014 through September 30, 2015).

1

Fall Protection

Keep fall protection readily available to help protect workers.

Safety Signs - Page 25



2

Hazard Communication

Comply with Haz-Com requirements and GHS provisions.

Haz-Com - Page 72



3

Scaffolding

Increase jobsite safety with simple safety notifications.

Safety Tags - Page 38, 40



4

Respiratory Protection

Prevent entry into areas where dangerous gases may be present.

Free Standing Signs - Page 89




5

Lockout/Tagout

When in doubt, lock out equipment. Protect workers from accidental start-up.

Lockout/Tagout - Page 59-69



Powered Industrial Trucks

Help avoid accidents in and around forklifts.

Floor Signs – Page 86

Hard Hat Labels – Page 26



7

Ladders

Raise awareness about ladder and stairway safety to prevent accidents.



Electrical – Wiring Methods

Be aware of dangers associated with electrical hazards.

Cable Ties – Page 44-46 Wire Markers – Page 48, 49



9

Machine Guarding

Post warning signs and labels to warn employees of potential machine guarding hazards.

Safety Signs – Page 19 Safety Labels – Page 20



Electrical – General Requirements

Proper identification can lead to a more safe and compliant workplace.

Safety Signs – Page 15 Voltage Markers – Page 17





Stock Safety Signs & Labels

Our stock signs and labels are ready-to-ship ... today. Safely made in the USA!

ANSI STYLE ▼



DANGER RED

Indicates a hazardous situation that, if not avoided, will result in

death or serious injury.

OSHA

DANGER

ANSI

A DANGER

▲ DANGER

WARNING ORANGE

Indicates a hazardous situation that, if not avoided, could result

in death or serious injury.

OSHA

WARNING

ANSI

A WARNING

MARNING

CAUTION YELLOW

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

OSHA

ANSI

A CAUTION

CAUTION

NOTICE BI UF

Indicates information considered important but not hazard-related.

SAFETY FIRST GRFFN

Indicates specific safety-related instructions or procedures that are related to safe work practices.

OSHA



ANSI



OSHA



ANSI

SAFETY FIRST

OSHA 29 CFR § 1910.145

Traditional OSHA-style signs and labels are the most widely recognized design format in industry. They use upper case lettering, and the message is generally centered underneath the header. This standardized sign format continues today to be the choice for selecting messages in safety signs.



ANSI Z535

Newer ANSI-style signs and labels are gaining in popularity and are recognized by OSHA as an acceptable safety notification device. Signs often include a visual alert symbol (triangle with an exclamation point!), a large symbol, and left-justified upper and lower case message lettering. These signs are clearly visible and provide concise safety alert messages.



Choose the Right Stock Material

Your facility signs are used indoors and outdoors, in ordinary conditions or extreme. We offer materials to match your needs. Select a material based upon your application requirements to ensure your message is conveyed clearly and effectively.

Every sign we make is American-made and skillfully crafted with quality in mind. Our stock signs are available in a variety of materials and printed with technologically advanced inks. With many materials featuring no-hassle extended guarantees, your printed sign will continue to notify and alert employees for years. For additional information, please give us a call.

What is my sign printed on and will it last?

Along with looking great, your sign should last as long as it's needed. The material depends on where your sign is going to be displayed. For indoor, choose light-duty materials; for harsh environments and long-term/extended outdoor exposure, choose from our selection of durable materials listed below.

Adhesive Vinyl (PVS)

Stick with Adhesive Vinyl for light-duty applications. The ideal choice for a variety of indoor, and sheltered outdoor, marking needs. Easily mounts to all curved areas such as pipes, poles and secondary containers.

Material Features

- 0.004" thick printed matte surface
- · Permanent acrylic adhesive
- · Moisture-resistant
- Service temperature range: -20° to 176°F
- · Square corners and scored backing for quick peel-off and application

Peel-Off Liner

0.006" Vinyl

• Durability: 2 years outdoors

Applications

- · Adheres to most surfaces
- · Indoor usage
- Light-duty application
- · Sheltered outdoor locations



Printed Message

Protective Coating

Polyethylene Plastic (PRS)

Appropriate for everyday medium-duty marking needs. Semi-flexible, economical design with 50% recycled content is ideal for indoor and sheltered outdoor environments.

Material Features

- 0.055" thick with good impact resistance and surface image with non-glare finish
- Manufactured with 50% recycled plastic and is recyclable
- Ideal for flat surfaces, with enough flex to mount on slightly curved areas
- · Contains UV inhibitors
- Service temperature range: -90° to 168°F
- Rounded corners and 0.1875" mounting holes
- Durability: 2 years outdoors

Applications

- Indoor usage
- Medium-duty marking needs
- · Sheltered outdoor locations
- · Ideal for low-cost informational usage



0.055" Thick Polyethylene



Polyester Laminated Vinyl (PLVS)

Dual-layered Polyester Laminated Vinyl delivers exceptional flexibility and performance. Durability, even in the toughest indoor and outdoor conditions.

Material Features

- 0.006" thick poly-composite with UV protective coating
- Sub-surface image is protected by high-gloss polyester film from water, chemicals and abrasion
- · Permanent acrylic adhesive backing
- Service temperature range: -20° to 176°F
- Round corners without holes; scored backing for quick peel-off and application
- Durability: 5 years outdoors

Applications

- · Indoor and outdoor usage
- · Adheres to most surfaces
- · Excellent in harsh environments

Aluminum (PAS)

Get the strength of metal, without the rust. Aluminum has superior abrasion and chemical resistance for indoor and outdoor environments.

Material Features

- Printed image on rigid 0.040" aluminum sheet
- · UV protective coating
- Service temperature range: -40° to 250°F
- Withstands splashes and washdowns
- Endures outdoor environmental conditions
- Rounded corners and 0.1875" mounting holes on most sizes, will be adjusted for larger sizes
- Durability: 5 years outdoors

Applications

- · Indoor and outdoor usage
- · Excellent for harsh environments
- Ideal for longer-term marking needs



0.040" Thick Aluminum



Admittance & Exit

Signs



7" x 10" 10" x 14" D7001



0" 10" x 14" **D7002** 7" x 10"



14" x 10" **D4007**



7" x 10" 10" x 14" D7003



0" 10" x 14" **D7013**



14" x 10" **D4140**

ANG

KEEP OUT

AUTHORIZED





7" x 10" 10" x 14" **D7016**



7" x 10" 10" x 14" **D7017**



7" x 10" 10" x 14" **D7018**



PERSONNEL ONLY 7" x 10" 10" x 14" **D7019**

14" x 10' **D4147**



D7020





7" x 10" 10" x 14"



7" x 10" 10" x 14" **D7035**



7" x 10" 10" x 14" D7004



7" x 10" 10 W7014 10" x 14"



7" x 10" 10" x 14" **W7021**



14" x 10" **D4077**

7" x 10" 10" x 14" **W7036**

THIS DOOR

MUST BE KEPT

CLOSED



7" x 10" 10" x 14" **W7005**



7" x 10" 10" x 14" **C7007**



7" x 10" 10" x 14" **C7015**

AUTHORIZED

PERSONNEL

7" x 10"

ONLY

ONLY

10" x 14"

10" x 14"





7" x 10" 10" x 14" **C7062**



AVISO **SÓLO PERSONAL AUTORIZADO**

NOTICE

PERSONNEL ONLY BEYOND THIS POINT

10" x 14" 7" x 10" N7010





NOTICE DO NOT **BLOCK** THIS DOOR

7" x 10" 10" x 14" N7064

ALL VEHICLES AND

PERSONNEL ENTERING OR **LEAVING THE PREMISES** SUBJECT TO SEARCH

7" x 10" 1 N7043 10" x 14

USE ONLY

N7065

10" x 14"

7" x 10"



7" x 10"





7" x 10" 10" x 14" **N7009**



7" x 10" 10" x 14"

14" x 10' N4802



7" x 10" 10" x 14" N7046



7" x 10" 10" x 14" **N7047**



7" x 10" 10" x 14" N7066







7" x 10" 1 **N7051** 10" x 14"



0" 10" x 14" **N7067** 7" x 10"



7" x 10" 10" x 14" N7048



7" x 10" 10" x 14" N7058





7" x 10" 10" x 14" N7049



7" x 10" 10" x 14" N7022



7" x 10" 10" x 14' ์ N7068

NOTICE **NOT AN**

7" x 10" 10" x 14" **N7069**



7" x 10"

NOTICE

ONLY AUTHORIZED PERSONS TO ENTER THIS AREA

7" x 10" 10" x 14" **N7011**

PRIVATE PROPERTY VIOLATORS WILL BE **PROSECUTED**

7" x 10" 10" x 14" **N7023**



RESTRICTED AREA **AUTHORIZED PERSONNEL ONLY**

7" x 10" 10" x 14" **N7037**

NOTICE

SECURITY ALARM WILL SOUND IF DOOR IS OPENED

7" x 10" 10" x 14" **N7070**

NOTICE

THESE DOORS MUST BE KEPT CLOSED

7" x 10" 10" x 14" **N7071**



PROTECTED BY CLOSED CIRCUIT TV

> 10" x 14" N7052



THIS AREA IS UNDER 24 **HOUR VIDEO SURVEILLANCE**

7" x 10" 10" x 14" **N7053**



14" x 10"



THIS AREA UNDER SURVEILLANCE

7" x 10" 10" x 14" N7054



THIS DOOR **FOR EMERGENCY USE ONLY**

7" x 10" 10" x 14" N7072



THIS DOOR TO **REMAIN UNLOCKED DURING BUSINESS HOURS**

> 0" 10" x 14" **N7073** 7" x 10"



10" x 14" 7" x 10" N7059



THIS IS **NOT AN ENTRANCE**

> 10" x 14" 7" x 10" N7074



THIS PROPERTY IS PROTECTED BY **ELECTRONIC SURVEILLANCE**

10" x 14' 7" x 10" N7055



10" x 14" 7" x 10"

NOTICE VISITORS **MUST REPORT** TO OFFICE AVISO

LOS VISITANTES DEBEN PRESENTARSE EN LA OFICINA

NO **TRESPASSING AUTHORIZED PERSONNEL ONLY**

> 7" x 10" 10" x 14" B7028



7" 14" x 10" **B7031**

NO TRESPASSING **VIOLATORS WILL BE PROSECUTED**

7" x 10" 1 **B7029** 10" x 14"

PRIVATE **PROPERTY** NO TRESPASSING VIOLATORS WILL BE PROSECUTED

PROPIEDAD **PRIVADA** PROHIBIDO TRASPASAR LOS TRANSGRESORES

SERÁN CASTIGADOS

14" x 10" **B4511**



HUNTING HIKING TRESPASSING

7" x 10" 1 **B7030** 10" x 14"

PRIVATE PROPERTY NO

14" x 10" N4811

TRESPASSING 7" x 10" 1 **B7032** 10" x 14"

PRIVATE **PROPERTY** NO TRESPASSING

VIOLATORS WILL BE **PROSECUTED**

> 10" x 14" 7" x 10" 1 **B7033**

RESTRICTED AREA **AUTHORIZED EMPLOYEES**

ONLY 7" x 10" 1 B7040 10" x 14"

RESTRICTED AREA **AUTHORIZED** PERSONNEL ONLY

ÁREA **RESTRINGIDA** SÓLO PERSONAL **AUTORIZADO**

14" x 10" **B4520**

RESTRICTED AREA

NO UNAUTHORIZED PERSONNEL BEYOND THIS POINT

> 7" x 10" 10" x 14' , R7041

RESTRICTED **AREA**

UNAUTHORIZED PERSONS KEEP OUT

> 7" x 10" 1 **B7042** 10" x 14"

AUTHORIZED PERSONNEL

7" x 10" 10" x 14" **B7012**



10" x 14" B7075

Available Materials

Adhesive Vinyl (Each) Polyester Laminated Vinyl (Each) Polyethylene Plastic (Each) Aluminum (Each)

Codes

PAS

PVS **PLVS PRS**

Available Sizes Codes 7" x 10" 10" x 14"

0710 1014 14" x 10" 1410

How to Order Signs:

Select Material Code:

Select Sign Base Part Number: D7018



Select Size Code: 2 0710



PANDUIT®

Signs













14" x 10' **B4908**

KEEP GATES CLOSED

7" x 10" 10" x 14" **B7076**

J" 10" x 14" **B7081**

NO TRESPASSING

7" x 10" 10" x 14" **B7024**

NO TRESPASSING VIOLATORS WILL BE **PROSECUTED**

7" x 10" 10" x 14" **B7025**

7" x 10" B7080 10" x 14"





7" x 10" 10" x 14" **B7026**

PRIVATE PROPERTY

PROSECUTED TO THE **FULL EXTENT OF THE LAW**

10" x 14" **B7027** 7" x 10"

RESTRICTED AREA

AUTHORIZED PERSONNEL ONLY 0" 10" x 14" **B7039** 7" x 10"

RESTRICTED **AREA**

ALL PERSONS MUST HAVE PERMISSION FROM AREA SUPERVISION BEFORE ENTERING AREA

>)" 10" x 14" **B7038** 7" x 10"



10" x 14"

14" x 10' **B3513**

VISITORS

OBTAIN PLANT PASS IN MAIN OFFICE **BEFORE ENTERING BUILDING**

> 7" x 10" 10" x 14 B7050



10" x 14" B7082

Available Materials

Adhesive Vinyl (Each) Polyester Laminated Vinyl (Each) Polyethylene Plastic (Each) Aluminum (Each)

PVS PLVS PRS PAS

Codes

Available Sizes Codes 7" x 10" 10" x 14"

0710 1014

How to Order Signs:

Select Material Code: PVS

Select Size Code: 0710

Select Label Sign 3 Part Number: B7078



Combine Codes in Specific Order for Complete Part Number: PVS0710B7078

Lighted UL LED Exit Signs

Light the way of egress routes with illuminated EXIT.

- Long-life, energy efficient, LED lamps, rated at 25+ years
- · Ceiling, end, or surface mount
- · Emergency style includes rechargeable battery back-up to keep sign lit for 1 1/2 hours during power failure
- · Red, 6" letters with knock-out left and right arrows
- · Hardwire connection to reliable electrical source required
- 120 or 277 field selectable inputs

Thermoplastic Exit Signs

- · Scratch- and corrosion-resistant plastic housing
- Measures 7 1/2" x 12 1/4" x 1 3/4"
- UL924 listed

Part No.	Description	UOM
PSSE001	Standard	Each
PSSE002	Emergency	Each





Meets OSHA 29

CFR §1910.37



Steel Exit Signs

- . Durable, 20-gauge, steel housing with white powder-coat finish
- Measures 7 1/2" 12" x 2 1/4"
- UL924 and ULC/ORD-C924-02 listed

Part No.	Description	UOM
PSSE003	Standard	Each
PSSE004	Emergency	Each





Self-Luminous UL Exit Signs





29 CFR §1910.37, **NFPA Life Safety** Code 7.10.4, and NFPA 7.10.7.1

Exit signs stay continuously lit without external power.

- · Illuminated by tritium gas-filled, hermetically-sealed glass tubes
- · Consumes no energy, maintenance free
- 6" H letters, red polycarbonate faceplate, removable directional arrows
- · Injection molded, black, ABS plastic frame
- · Highly durable, vibration- and waterproof
- Listed to UL924
- Meets codes: NFPA Life Safety Code 101, BOCA and ICBO
- Measures 14 3/16" x 9 5/8" x 1 1/2"
- · Hardware included for ceiling, end, or surface mount

Part No.	Life Span	UOM
PSSE005	10 Years	Each
PSSE006	20 Years	Each

Glow-in-the-Dark UL Exit Signs



Normal lighting



Blackout

The Next Generation in Technology

UL Glow Exit Signs store energy from virtually any artificial light source. When properly charged, UL Glow Signs will glow for over six hours in the event of a blackout. Low-profile, non-radioactive signs can be used for both high-level and low-level applications, and require no electrical hook-up.

- Recyclable
- · Energy-saving
- · Easy to install
- Maintenance free, 25+ year life

Meets The Following Standards:

- Meets NFPA Life Safety Code 101 and OSHA requirements
- · Meets current Building Codes: IBC, ICBO, BOCA and SBCCI, NFPA 5000

- ICC ES report #ER-6040
- California State Fire Marshal listing #6200-1617; 100
- City of Los Angeles Research Report: RR 25531 (CSI #16530)
- Ontario Building Materials Evaluation Commission
- Authorization Report BMEC # 03-12-291





Steel Case Style

- . 50-ft. viewing distance
- · Glow-in-the-dark letters on your choice of three background colors
- · Photoluminescent panel is housed inside a durable steel casing
- · "Punch-out" directional arrows included
- · Surface, flag, or ceiling mount
- Sign size: 8 1/4"H x 15 1/4"W x 1/4"D
- Letter size: 7"H x 7/8" stroke

When ordering, specify case color: Red - RD, Green - GN, or Black - BK.

Part No.	Description	UOM
PSSE007	Single-face	Each
PSSE010	Single-face w/mounting brackets	Each
PSSE013	Double-face w/mounting brackets	Each



Plastic Case Style

- 50-ft, viewing distance
- · Choose glow-in-the-dark letters on your choice of three background colors
- · Photoluminescent panel is housed inside a durable plastic casing
- · "Punch-out" directional arrows included
- · Surface, flag, or ceiling mount
- Mounting hardware included
- Sign size: 8 3/4"H x 15 3/8"W x 3/4"D
- Letter size: 7"H x 7/8" stroke

When ordering, specify case color: Red - RD, Green - GN, or Black - BK.

Part No.	Description	UOM
PSSE020	Single-face	Each
PSSE023	Double-face	Each

Standard Letters



Reflective Letters



One-Dimensional Plate Style

- 50-ft. viewing distance
- · Colored letters on glow-in-the-dark background with optional black plastic frame
- · Choose standard or high visibility, reflective lettering in your choice of two colors
- · Durable, impact-resistant plastic with 4 corner mounting holes
- · "Punch-out" directional arrows included
- · Wall mount only
- Sign size: 7 1/2"H x 13"W
- Letter size: 6"H x 13/16" stroke

When ordering, specify letter color: Red - RD, or Green - GN.

Part No.	Description	UOM
PSSE016	Standard Letters	Each
PSSE018	Reflective Letters	Each



Chemicals & Hazardous Materials

Signs



7" x 10" 1 **D7083** 10" x 14"



7" x 10" 10" x 14" **D7084**



7" x 10" 10" x 14" **D7085**



7" x 10" 1 **D7086** 10" x 14"



7" x 10" 1 **D7087** 10" x 14"



7" x 10" 10" x 14" **D7088**



7" x 10" 10" x 14" **D7101**



7" x 10" 10" x 14" **D7089**



7" x 10" 10" x 14" **D7104**



7" x 10" 10" x 14" **D7105**



7" x 10" 10" x 14" **D7106**



7" x 10" 10" x 14" **D7107**



7" x 10" 10" x 14" **D7090**



7" x 10" 10" x 14" **D7091**



7" x 10" 10" x 14" **D7092**



7" x 10" 10" x 14" **D7093**



OPEN LIGHTS 7" x 10" 10" x 14" **D7094**



7" x 10" 10" x 14" **D7095**



7" x 10" 10" x 14" D7096



7" x 10" 10" x 14" D7097



7" x 10" 10" x 14" **D7108**



7" x 10" 10" x 14" D7098



7" x 10' 10" x 14" C7099



10" x 14" 7" x 10" N7102



7" x 10" 10" x 14" **N7103**



7" x 10" 10" x 14" **N7109**



14" x 10" B4524

DANGER

НОТ

3 1/2" x 5" **D3304**



14" x 10" **B4518**



7" x 10" 10" x 14" **B7100**

See How to Order Signs on next page

Labels



3 1/2" x 5" **D3026**



3 1/2" x 5" C3686



DANGER

DIESEL FUEL

NO SMOKING NO OPEN FLAMES

3 1/2" x 5" **D3029**

3 1/2" x 5' **B3517**



DANGER

FLAMMABLE

DIESE

3 1/2" x 5" **B3548**


Available Materials

Adhesive Vinyl (Pkg. of 5) Polyester Laminated Vinyl (Each)

Codes PVS **PLVS**


Available Size 3 1/2" x 5"

Codes 0305



Part Number: D3304

Select Label Base





Combine Codes in Specific Order for Complete Part Number: PVS0305D3304

Labels – Polyester Laminated Vinyl (PLVS)



GASOLINE

2" x 5" **B3542**

GASOLINE

GAS/OIL MIX

DIESEL

1" x 6" **B3501**

DIESEL FUEL 2" x 5" **B3500**

UNLEADED GAS

MIXED TWO-CYCLE FUEL 2" x 5" **B3556**

Available Material Available Sizes Code Codes Polyester Laminated Vinyl (Each) **PLVS** 1" x 6" 0106 1" x 9" 0109 2" x 5" 0205 2" x 9" 0209

How to Order Labels:

Select Material Code: PLVS

Select Size Code: 0205 2

Select Label Base Part Number: B3542

GASOLINE

Combine Codes in Specific Order for Complete Part Number: PLVS0205B3542

Confined Space

Signs



7" x 10" 10" x 14" **D7110**



D4003



7" x 10" 1 **D7111** 10" x 14"



7" x 10" 10" x 14" **D7112**





7" x 10" 1 **D7115**



14" x 10' **D4135**



10" x 14' D7113



7" x 10" 10" x 14' D7114

Codes

0710

1014

1410



7" x 10" 10" x 14 D7116

Available Materials

Adhesive Vinyl (Each) Polyester Laminated Vinyl (Each) Polyethylene Plastic (Each) Aluminum (Each)

Codes **PVS PLVS PRS** PAS

Available Sizes 7" x 10" 10" x 14" 14" x 10"

How to Order Signs:

Select Material Code:

Select Sign Base Part Number: D7084

ACID

Select Size Code: 2 0710

Combine Codes in Specific Order for Complete Part Number: PVS0710D7084

Labels



3 1/2" x 5' **D3277**

(DANGER)

CONFINED SPACE



DANGER

CONFINED SPACE AUTHORIZED PERSONNEL ONLY

D3251



D3253


DANGER



6" x 6" **D3034**



3 1/2" x 5" **D3275**



How to Order Labels:

Select Material Code:

Select Size Code:

Codes

0305

0606

Select Label Base Part Number: D3277



Combine Codes in Specific Order 4 for Complete Part Number: PVS0305D3277



D3279

D3285



Cross Barrier

Cross out open entryway to a Confined Space.

- · Crossbuck design fits onto bolt pattern of vertical confined space entry
- · Attention-getting diagonal red-white stripes are surface-printed and protected by laminate film
- · Adjustable crossbuck pivots flat for easy transport and storage
- Crossbuck arms measure 6" x 42" with 1.5" x 9" slotted cutouts at each end
- 11.5" x 11.5" octagonal sign is printed on 0.055" polyethylene plastic
- Fits 22" to 38" outside bolt-to-bolt*
- · Crossbucks available in two materials:
 - Standard style is 0.060" polycarbonate plastic durable to withstand initial impacts and scratches
 - Heavy-Duty style is 0.118" Poly-Aluminum combines aluminum and thermoplastic core for high strength and impact protection
- * To verify proper fit of the Barrier for your entryway, measure the length across the entryway from bolt to bolt; then measure the bolt diameter and compare to slot width.

Description	Material	ИОМ
Standard	Plastic	Each
Heavy-Duty	Poly-Aluminum	Each











PCSP0007 PCSP0010 Plastic Poly-Aluminum

Plastic Poly-Aluminum PCSP0012 PCSP0013

Permit Holder Board



Board communicates Confined Space requirements and holds related permits.

- · Hang or set board near or at entrance of confined space to be readily seen by all
- · Features large sign legend with clear acrylic pocket
- Holds 8.5" x 11" entry permit sheets (available separately)
- Constructed of durable 0.125" thick PVC
- . Measures 12"H x 19"W with mounting holes
- · Not recommended for outdoor use



Entry Permit Pad

- Easy to write on, 8.5" x 11" sheets
- · Conveniently packaged in easy to tear off pads
- 100 sheets per pad

Part No. HOM PCSP0002 100 Sheets/Pad



Comply with OSHA 29 CFR § 1910.146(e)(1)



Stencils

Mark confined spaces that are otherwise difficult to label by using ink or paint stencils.

- 0.010" thermo-plastic stencils
- Fits a 7" x 10" image area
- Header line has approx. 2" H letters
- Message area has 1" H letters







7" x 10"



7" x 10'

PCSP0003

PCSP0004

7" x 10'

PCSP0005

Construction

Signs



14" x 10" **D4136**



7" x 10" 10" x 14"



14" x 10" **D4015**



7" x 10" 10" x 14" D7120





7" x 10" 1 **D7121** 10" x 14"



7" x 10" 10" x 14" **D7122**



0" 10" x 14" **D7123** 7" x 10"



7" x 10" 10" x 14" **D7124**



7" x 10" 1 **D7125** 10" x 14"



PAS

7" x 10" 10" x 14" **D7126**

SWING RADIUS

7" x 10" 10" x 14' **D7127**



7" x 10" 10" x 14" **D7128**



7" x 10" 10" x 14" **C7129**



10" x 14' **D4017**

Available Materials

Adhesive Vinyl (Each) Polyester Laminated Vinyl (Each) Polyethylene Plastic (Each) Aluminum (Each)

Codes **Available Sizes** Codes 7" x 10" PVS 0710 **PLVS** 1014 10" x 14" **PRS** 14" x 10" 1410

How to Order Signs:

Select Material Code: PVS

Select Sign Base Part Number: 3 D7125

OPEN HOLE

Select Size Code: 0710

Combine Codes in Specific Order for Complete Part Number: PVS0710D7125

Crane and Construction Signals

Choose from Standard, Mobile and Overhead Crane Signal Styles, as well as Ready Mix Truck Signals Style. Available as wallet cards, labels, and signs. Select styles also available as laminated, durable, flexible plastic posters.



29 CFR § 1926.1422 Signals - Hand Signal Chart.

Hand signal charts must be either posted on the equipment or conspicuously posted in the vicinity of the hoisting operations.


Crane Hand Signals



Standard



Mobile



Overhead

Truck Signals

READY MIX TRUCK SIGNALS SWAND BOOK THE HEIST A CHITICITY OF CREEK		
DRIVEIN	BACK IN	BACK UP
PULL	\	RAISE CHUTE
FORWARD	STOP	LOWER CHUTE
START	MORE WATER	STOP POURING

Ready Mix

Plastic Wallet Card - 3 3/8" x 2 1/8"

Standard (2-sided) Mobile (2-sided) PSS027 Overhead (1-sided) Ready Mix (1-sided) PSS026

Description	UOM
Wallet Card, 2-sided	Each
Wallet Card, 1-sided	Each

Label - Adhesive Vinyl (PVS) 5" x 3 1/2" (0503)

To Order Labels: Select Material Code, Size Code, & Base Part Number. Combine Codes in Specific Order for Complete Part Number

ndard	B350
oile	B355
erhead	B354

Sta

Description	UOM
Label	Pkg. of 5

Sign (see How to Order Signs above box)

Available size 14" x 10" (1410) only

Standard Mobile B4542 B4547 B5616 B4513 Ready Mix

Description	UOM
Sign	Each



Large Signs




Mark pathways, warn of hazards, and display safety reminders in a big way around the construction site with these Large Signs. On an active job site, signs with bold messages and large letters are visible to gain the necessary attention from varying distances.







18" x 24" 24" x 36" **D7335**









18" x 24" 24" x 36" **D7339**









18" x 24" 24" x 36" **B7343**



18" x 24" B7344 24" x 36"

EVACUATION ASSEMBLY AREA

> 24" x 18" **B4505**

Available Materials

Adhesive Vinyl (Each) Polyethylene Plastic (Each) Aluminum (Each)
 Codes
 Available Sizes
 Codes

 PVS
 18" x 24"
 1824

 PRS
 24" x 18"
 2418

 PAS
 24" x 36"
 2436

How to Order Signs:

Select Material Code:

3 Select Label Sign Part Number: **D7336**



Select Size Code: 1824

Combine Codes in Specific Order for Complete Part Number: PVS1824D7336

Electrical

Signs



7" x 10" 10" x 14" **D7130**



10" x 14" D7131



7" x 10" 10 **D7132** 10" x 14"



7" x 10" 10" x 14" **D7133**



14" x 10" **D4115**



14" x 10" **D4012**



7" x 10" 1 **D7135** 10" x 14"



14" x 10" **D4188**



10" x 14' 7" x 10" 1 **D7136**



7" x 10" 10" x 14" **D7137**



7" x 10" 10" x 14' D7134



7" x 10" 1 **D7142** 10" x 14'



7" x 10" 10" x 14" **D7143**



OR RETOOLING EQUIPMENT 7" x 10" 10" x 14" **D7144**



7" x 10" 10" x 14" **D7145**



USE LOCKOUT DEVICE BEFORE MAINTENANCE OR ANY OPERATOR ADJUSTMENT 7" x 10" 10" x 14" **D7146**



7" x 10" 10" x 14" **W7138**



7" x 10" 10" x 14" **W7139**



7" x 10" 1 **C7140** 10" x 14"



7" x 10" 10" x 14" **C7147**



7" x 10" 1 **N7141** 10" x 14"

1410

Available Materials

Adhesive Vinyl (Each) Polyester Laminated Vinyl (Each) Polyethylene Plastic (Each) Aluminum (Each)

Codes PVS

PLVS 14" x 10" PRS PAS

Available Sizes Codes 0710 7" x 10" 10" x 14" 1014

How to Order Signs:

Select Material Code: PVS

Select Sign Base Part Number: **D7130** 3





WARNING

ARC FLASH AND SHOCK HAZARD Appropriate PPE and Tools Required when working on this equipment.

Combine Codes in Specific Order for Complete Part Number: PVS0710D7130

Roll of Signs

Keep multiple safety signs for on-the-spot placement.

- · Convenient, portable and economical
- 7" x 10" signs are surface-printed on 0.004" vinyl with permanent acrylic adhesive back
- · Matte material is moisture-resistant
- · Compact roll protects additional sign versions underneath
- · Simply peel-and-stick; adheres to most surfaces
- · Available in two roll size options: 50 per roll and 100 per roll





50 / Roll PVS0710C4029-L 100 / Roll PVS0710C4029-C



Labels



DANGER **ELECTRICAL** HAZARD







(DANGER) HIGH VOLTAGE AUTHORIZED PERSONNEL ONLY





3 1/2" x 5" 5" x 7" **D7148**

DANGER



3 1/2" x 5" 5" x 7" **D7150**



3 1/2" x 5" 5" x 7" **D7152**

3 1/2" x 5" 5" x 7" **D7153** 3 1/2" x 5" 5" x 7" **D7154**

3 1/2" x 5" 5" x 7" **D7155**

3 1/2" x 5" **D3161**

VOLTS



3 1/2" x 5" 5" x 7" **D7149**

DANGER

DANGER

DANGER

DANGER

B3536



120/208 VOLTS 3 1/2" x 5" **D3165**





3 1/2" x 5"





DANGER 2300 VOLTS

DANGER 4160 VOLTS

LOCK OUT BEFORE WORKING ON EQUIPMENT 3 1/2" x 5' **D3306**

(DANGER)

(DANGER) LOCK OUT **FOR SAFETY**

LOCK OUT FOR SAFETY

CAUTION



3 1/2" x 5" **D3297**

3 1/2" x 5" C3622

3 1/2" x 5' B3512



3 1/2" x 5" **B3530**



3 1/2" x 5" B3541 With Detached Arrow

Magnetic Lockout Label

Apply, move, and re-apply to most steel surfaces when servicing equipment.



Available Materials Adhesive Vinyl (Pkg. of 5) Polyester Laminated Vinyl (Each) Codes PVS **PLVS**

Available Sizes Codes 3 1/2" x 5" 0305

6" x 2" 0602 5" x 7" 0507

5" x 3 1/2" **D3120 Available Material** Code **Available Sizes** Codes Magnetic Vinyl (Each) **PVMS** 5" x 3 1/2" 0503

How to Order Labels:














0705







Combine Codes in Specific Order for Complete Part Number: PVS0305D7149 Select Label Base Part Number:

Combine Codes in Specific Order for Complete Part Number: PVMS0503D3120

7" x 5"

Arc Flash Protection Labels









3 1/2" x 5" D7156

3 1/2" x 5" D7157

3 1/2" x 5" 5" x 7' W7158

Post labels clearly identifying electrical hazards to protect workers from arc flash, shock and electrocution.

- Bold type and graphics to be clearly seen
- · Labels define specifics of electrical hazards and appropriate PPE

Available Material Polyester Laminated Vinyl (Each)	Code PLVS	Available Sizes 3 1/2" x 5" 5" x 7"	Codes 0305 0507
How to Order Labels:	1 Sele		t Size Code:
3 Select Label Base Part Number: W7162	4 Com	bine Codes in Specific Order omplete Part Number: PLVS03	05W7162











3 1/2" x 5" **W7161**



3 1/2" x 5" **W7162**





3 1/2" x 5" **W7164**

Voltage and Fiber Optic Markers

- Available in Adhesive-backed vinyl and Pre-coiled polyester protects legend with excellent life and adhesion properties
- Indoor/outdoor rated for resistance to UV light, chemical atmosphere, and abrasion
- Black on orange labels provide a highly visible warning for electrical hazards
- Temperature Range: -40° to 250°F



Adhesive-Backed Vinyl Markers

Size Code	Marker Size	Pipe/Conduit O.D. Range	Markers Per Card	Cards/Pkg.	Total Markers
AY	2.25"H x 9"W	3" and Over	1	5	5
BY	1.13"H x 4.5"W	1.25" – 3"	4	5	20
CY	0.5"H x 2.2"W	1.25" - Under	18	5	90

Pre-Coiled Poly Markers

Size Code		Pipe/Conduit O.D. Range	Markers Per Card	Cards/Pkg.	Total Markers
MY	23"H x 14"W	2.25" - 6"	1	1	1
RY	8"H x 8"W	0.75" - 2.25"	1	1	1

How to Order:

Select Legend Code: PCV-110

Select Size Code:

Combine Codes in Specific Order for Complete Part Number: PCV-110AY

To Order Adhesive-Backed: Add size code after part number. Available sizes AY, BY, CY.

Part No.	Legend
PCV-110	110 VOLTS
PCV-115	115 VOLTS
PCV-120/208	120/208 VOLTS
PCV-120	120 VOLTS
PCV-12470	12470 VOLTS
PCV-13200	13200 VOLTS
PCV-13800	13800 VOLTS
PCV-1PH	SINGLE PHASE
PCV-208	208 VOLTS
PCV-220	220 VOLTS
PCV-2300	2300 VOLTS

Part No.	Legend
PCV-230	230 VOLTS
PCV-2400	2400 VOLTS
PCV-240	240 VOLTS
PCV-277/480	277/480 VOLTS
PCV-277	277 VOLTS
PCV-380	380 VOLTS
PCV-3PH	THREE PHASE
PCV-415	415 VOLTS
PCV-4160	4160 VOLTS
PCV-440	440 VOLTS
PCV-460	460 VOLTS

Part No.	Legend
PCV-480	480 VOLTS
PCV-600	600 VOLTS
PCV-BLANK	BLANK – NO LEGEND
PCV-ES	EMERGENCY SERVICE
PCV-FA	FIRE ALARM
PCV-FO	FIBER OPTIC
PCV-FOC	FIBER OPTIC CABLE
PCV-MAIN	MAIN
PCV-TELE	TELEPHONE

To Order Pre-Coiled: Add size code after part number. Available sizes MY, RY.

Style M Part No.	Style R Part No.	Legend
-	PCV-120	120 Volts
-	PCV-480	480 Volts
PCV-FO	PCV-FO	Fiber Optic

Voltage Marker Books

- Black on orange labels provide a highly visible warning for electrical hazards
- Indoor rated economical general purpose vinyl
- Excellent adhesion properties when applied to a clean, dry surface
- Temperature Range: -40° to 200°F

Part No.	Legend
PCVB-110Y	110 VOLTS
PCVB-220Y	220 VOLTS
PCVB-277Y	277 VOLTS
PCVB-277/480Y	277/480 VOLTS
PCVB-440Y	440 VOLTS
PCVB-480Y	480 VOLTS
PCVB-4160Y	4160 VOLTS



ISO Warning Symbol Labels

Paper

- Indoor rated general purpose
- Excellent adhesion properties when applied to a clean, dry surface
- Temperature Range: -65° to 200°F





WL1

WL3

Part No.	Description	Size	Labels Per Roll.
WL1	OTATIO AWARENEGO WARNING	2" x 2"	500
WL3	STATIC AWARENESS WARNING	2" x 2"	500

Vinyl

- Laminated label material protects legend from abrasion and chemicals
- Indoor/outdoor rated for resistance to UV light, chemical atmosphere, and abrasion
- Excellent life and adhesion properties
- Temperature Range: -40° to 176°F



Part No.	Description	Size	Labes Per Roll.
WL33Y	RISK OF ELECTRIC SHOCK symbol	4.5" x 4.5"	50

Electrical Labels in Dispenser

CAUTION

1" x 1.5" PLD-30

CAUTION 240 V

1" x 1.5" PLD-38



1" x 1.5" **PLD-58**



120 V

1" x 1.5" PLD-36

CAUTION

277 V

- · Laminated polyester label protects legend from abrasion and chemicals
- · Indoor/outdoor rated for resistance to UV light, chemical atmosphere, and abrasion
- · Excellent life and adhesion properties
- Temperature Range: -40° to 250°F
- · 200* labels/dispenser
- *PLD-57, 300 labels/dispenser
- *PLD-60, 100 labels/dispenser
- *PLD-71, 150 labels/dispenser



1" x 1.5" PLD-37







1" x 1.5" **PLD-45**





1" x 1.5" PLD-43



1" x 1.5" PLD-52





1" x 1.5' PLD-68

DATE



1" x 1.5' PLD-81



.75" dia. PLD-57*





1" x 1.5" **PLD-72**



1" x 1.5" PLD-12



1" x 1.5" **PLD-80**



1" x 2" PLD-71*

Conductor Identification Labels



CE symbol Size: A, B, C, D, E



ES Earth (ground) Size: A, B, C, D, E



Outer conductor



Outer conductor 2



Outer conductor 2



LF Size: A



N Neutral conductor Size: A. B. C. D



PF Protective conductor Size: A



ROHS RoHS wheeled bin symbol



SS Safety function Size: A, B, C, D

- · Pre-printed polyester laminated label protects legend from abrasion and chemicals
- · Indoor/outdoor rated for resistance to UV light, chemical atmosphere, and abrasion
- · Excellent life and adhesion properties
- · Temperature Range: -40° to 250°F
- · Package of 10 sheets

Size Code	Label Size Diameter	Labels/Sheet	Pkg. Qty.
A	0.49"	20	200
В	0.63"	20	200
С	0.79	10	100
D	0.98"	10	100
E	1.24"	10	100

How to Order:

2 .49" - A-

Select Symbol Code: - CE

Combine Codes in Specific Order for Complete Part Number: PESS-A-CE

Electrical Symbol Labels on Cards



0.5" x 0.5" 0.75" x .075" **AT** Warning of dangerous electrical voltage



0.5" x 0.5"_0.75" x 0.75" Earth (ground)



0.5" x 0.5" 0.75" x 0.75" **EC** Safety function



- · Conformable material with repositionable adhesive allows label to be removed and reused or used in temporary applications
- Indoor/outdoor rated for durability, high temperature resistance, and dimensional stability for rough or textured surfaces
- Temperature Range: -50° to 170°F
- · Packages of 10 cards



0.5" x 0.5" 0.75" x 0.75" **HT** Static sensitive device – handling precautions required



0.5" x 0.5" 0.75" x 0.75' PF Protective conductor

Label Size	Labels/Card	Pkg. Qty.
0.5" x 0.5"	68	680
0.75" x 0.75"	36	360
	0.5" x 0.5"	0.5" x 0.5" 68

How to Order:

Material Code: PESC-

Select Size Code: 1/2" - H-2

Select Symbol Code:

Combine Codes in Specific Order for Complete Part Number: PESC-H-AT

Equipment

Signs







14" x 10' **D4021**







7" x 10" 10" x 14" D7168



PUNTO DE COMPRESIÓN

PINCH **POINT**

14" x 10' **D4139**




7" x 10" 10" x 14" **D7169**



14" x 10" **D4177**



7" x 10" 10" x 14" **D7170**





7" x 10" 1



7" x 10" 1 10" x 14"



7" x 10" 10" x 14" **W7173**



7" x 10" 10" x 14" **W7174**





14" x 10" **C4722**



7" x 10" 10" x 14" **C7176**



7" x 10" 10" x 14" **C7177**



THIS MACHINE 7" x 10" 10" x 14" **C7178**



7" x 10" 10" x 14" **C7179**



7" x 10" 10" x 14" **C7180**



7" x 10" 10" x 14" **C7181**

Available Materials

Adhesive Vinyl (Each) Polyester Laminated Vinyl (Each) Polyethylene Plastic (Each) Aluminum (Each)

Codes **Available Sizes** Codes PVS 0710 7" x 10" **PLVS** 10" x 14" 1014 PRS 14" x 10" 1410 PAS


How to Order Signs:

Select Material Code: PVS

Select Sign Base Part Number: 3 D7165









Labels



3 1/2" x 5" D3019



3 1/2" x 5" **D3290**



3 1/2" x 5" D3148



3 1/2" x 5"

CAUTION

DO NOT OPERATE

IN PLACE

3 1/2" x 5" **C3799**



4" x 7" **D3114**

DANGER

PINCH POINT

CAUTION

HOT

3 1/2" x 5" C3686



4" x 7" D3035



3 1/2" x 5" D3155





With Detached Arrow



3 1/2" x 5" **C3791**



3 1/2" x 5"

DANGER HOT



3 1/2" x 5" D3304

D3156

With Detached Arrow



HOT 🌌

DANGER

KEEP FEET CLEAR

3 1/2" x 5" **D3132**

DANGER



3 1/2" x 5" D3145



3 1/2" x 5" **D3134**

Codes

0103

0305

0307



UNLAWFUL TO OPERATE THIS EQUIPMENT CLOSER THAN 20 FEET TO OVERHEAD HIGH-VOLTAGE LINES

5" x 7" **W3658**



3 1/2" x 5" C3793



C3655





3 1/2" x 5" **B3927**



B3923



California Code of

Regulations, Title 8, Section 2946, Article 37

ADANGER
ELECTROCUTION HAZARD
DEATH OR SEMOUS BUJURY WIL

result from contact with the load, the or the vehicle if the been or load ino should become electrically charged.

KEEP CLEAR OF TRUCK AND LOAD

3" x 7" **D3036**

DANGER

1 1/2" x 3" **D3020**

Adhesive Vinyl (Pkg. of 5) Polyester Laminated Vinyl (Each)

How to Order Labels:

Select Label Base Part Number: **D3304**

PVS **PLVS**

4

Codes

5" x 7" Select Material Code: 2 Select 0305 1

0407 0507

Select Size Code:

Combine Codes in Specific Order for Complete Part Number: PVS0305D3304

Available Sizes

1 1/2" x 3"

3 1/2" x 5"

3" x 7"

4" x 7"

Production Control Labels in Dispenser



1" x 1.5" **PLD-17**







PLD-63

and chemicals



1" x 1.5" **PLD-18**





0.75" dia.

• Laminated polyester label protects legend from abrasion

· Indoor/outdoor rated for resistance to UV light, chemical

• Can be clearly identified with Panduit permanent marking pens



DHE

1" x 1.5" **PLD-3**



PLD-28



0.75" dia. **PLD-77**

ACCEPTED





1" x 1.5" PLD-29



0.75" dia. PLD-78



TESTED

1" x 1.5" **PLD-7**

0.75" dia

DATE

Shape	Size	Labels/ Dispenser
Rectangle	1" x 1.5"	200
Circle	0.75" dia.	300

Production Control Labels on Cards



0.63" x 1.5" PCWL-BL Blank White



0.63" x 1.5" PCWL-CALD Calibrated



0.63" x 1.5" PCWL-ACC

Accepted

0.63" x 1.5" PCWL-ICAL



CALIBRATION

0.63" x 1.5" PCWL-CAL

Calibration

0.63" x 1.5" PCWL-REJ

- · Conformable vinvl cloth with repositionable adhesive allows label to be removed and reused or used in temporary applications
- · Indoor/outdoor rated provides durability, high temperature resistance, and dimensional stability for rough or textured surfaces
- Temperature Range: -50° to 170°F
- · Package of 25 cards
- · Can be clearly identified with Panduit permanent marking pens

Labels/Card	Total Labels	
14	350	

Fire & Emergency

atmosphere, and abrasion · Excellent life and adhesion properties • Temperature Range: -40° to 250°F

Signs







N7190







B4512





10" x 14" B7182





10" x 14" 7" x 10" B7184



WILL SOUND 10" x 14"

7" x 10" B7185



7" x 10" 10" x 14" B7186



10" x 14' B7199



14" x 10" B7209



10" x 14' B7201



7" x 10" 10" x 14 B7203



10" x 14' B7204



10" x 14" B7206



7" x 10" 10" x 14" B7187



7" x 10" 10" x 14" R7192



10" x 7" 14" x 10" **B7194**



10" x 7" 14" x 10" **B7196**



10" x 7" 14" x 10" **B7193**



10" x 7" 14" x 10" **B7208**



14" x 10" **B4519**



7" x 10" 10" x 14" **B7195**



7" x 10" 10" x 14" **B7205**



7" x 10" 10" x 14" **B7188**



10" x 7" 14" x 10"



7" x 10" 10" x 14" **B7189**



B4585



18" x 4" B7202



18" x 4" **B4581**



B4935



12" x 4" 18" x 4" 24" x 4" B7210



18" x 4" 24" x 4" **B7211**

Column Markers





Adhesive Vinyl (12" x 24") Glow Adhesive (12" x 24")

PVS1224B3437 PVS1224B3505

Material	UOM
Adhesive Vinyl	Each
Glow Adhesive	Each

Available Materials

Adhesive Vinyl (Each) Polyester Laminated Vinyl (Each) Polyethylene Plastic (Each) Aluminum (Each)

Codes	Available Sizes	Codes
PVS	7" x 10"	0710
PLVS	10" x 7"	1007
PRS	10" x 14"	1014
PAS	14" x 10"	1410
	12" x 4"	1204
	18" x 4"	1804
	24" x 4"	2404

How to Order Signs:

Select Material Code: PVS











Labels



EXTINGUISHER 3 1/2" x 5' 5" x 7 B3440





3 1/2" x 5" B3449

Available Materials

Adhesive Vinyl (Pkg. of 5) Polyester Laminated Vinyl (Each) Codes **PVS PLVS**

Available Sizes Codes 3 1/2" x 5" 0305 0503 5" x 3 1/2" 3" x 7" 0307 5" x 7" 0507



Select Material Code: 2 Select 0305

Select Size Code:

0214

B3526





FIRE EXTINGUISHER Select Label Base Part Number: **B3550**

Combine Codes in Specific Order for Complete Part Number: PVS0305B3550

2" x 14"

First Aid

Signs










7" x 10" 1 **S7214** 10" x 14"



10" x 7 14" x 10" B7221



14" x 10" B7223



10" x 7 14" x 10" B7222







7" 14" x 10" **B7224**



7" x 10" 10" x 14" B7228



14" x 10' **B4503**



10" x 14' 7" x 10' B7227



7" x 10" 10" x 14" B7229



14" x 10' B4502



FIRST AID **PRIMEROS AUXILIOS**

14" x 10"



7" x 10" 10" x 14" **B7218**



14" x 10" 10" x 7' B7219



7" x 10" 10" x 14" **B7220**

Select Size Code:

2 0305

Labels



17" x 7' **B4997**



3 1/2" x 5" **B3531**

FIRST AID

KIT

INSIDE

5" x 7

3 1/2" x 5" **B7230**











Available Materials


Adhesive Vinyl (Pkg. of 5) Polyester Laminated Vinyl (Each)

Codes	Available Sizes	Codes
PVS	3 1/2" x 5"	0305
PLVS	3" x 7"	0307
	6" x 5"	0605
	5" x 7"	0507

See How to Order Signs on next page

How to Order Labels:





Select Material Code: PVS



Housekeeping & Hygiene

Signs - Adhesive Vinyl (PVS) and Polyethylene Plastic (PRS)



7" x 10" 10" x 14" **C7231**



7" x 10" 10" x 14"



7" x 10" 10" x 14" **C7233**



14" x 10' **C4643**



7" x 10" 10" x 14" **C7234**



7" x 10" 10" x 14" **C7235**



7" x 10" 10" x 14" **C7236**



7" x 10" 10" x 14" **C7237**



14" x 10" **C4663**



7" x 10" 10" x 14" **N7264**



7" x 10" 10" x 14" **N7265**



7" x 10" 10" x 14" **N7266**



7" x 10" 10" x 14" **N7238** NOTICE
NO EATING
OR DRINKING
IN THIS AREA
AVISO
NO COMA

14" x 10" N4804

O BEBA



7" x 10" 10" x 14'



7" x 10" 10" x 14" **N7243**



AVISO
LÁVESE LAS MANOS
ANTES DE REGRESAR

ANTES DE REGRESA AL TRABAJO 14" × 10" N4814 SAFETY FIRST HELP KEEP THIS PLANT SAFE & CLEAN

7" x 10" 10" x 14" **S7239**

PLEASE HELP KEEP THIS AREA CLEAN

7" x 10" 10" x 14" **B7240**



7" x 10" 10" x 14" **B7241**



7" x 10" 10" x 14" **B7267**



DO NOT THROW PAPER TOWELS IN TOILET

7" x 10" 10" x 14" **B7268**



14" x 10" **B4944** DO NOT DEPOSIT FEMININE HYGIENE PRODUCTS IN TOILET USE CONTAINER PROVIDED FOR THIS PURPOSE

> 7" x 10" 10" x 14" **B7269**

HELP
KEEP THIS PLACE
CLEAN

AYUDE
A MANTENER
ESTA ÁREA
LIMPIA

14" x 10" **B4974**









7" x 10" 10" x 14" **B7271**



7" x 10" 10" x 14" **B7270**

Available Materials

Adhesive Vinyl (Each) Polyester Laminated Vinyl (Each) Polyethylene Plastic (Each) Aluminum (Each) Codes **Available Sizes** Codes PVS 7" x 10" 0710 **PLVS** 10" x 7" 1007 10" x 14" **PRS** 1014 **PAS** 14" x 10" 1410 17" x 7" 1707

How to Order Signs:

Select Material Code: PVS

3 Select Sign Base Part Number: \$7213



Select Size Code:

