

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







NOTES:

I. MATERIAL AND FINISH:

BERYLLIUM COPPER, ALBALOY PLATING OVER SILVER

CONTACT PIN: BERYLLIUM COPPER, GOLD PLATING

INSULATOR: PTFE, NATURAL

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM

B. FREQUENCY RANGE: DC TO 10 GHz

30 dB MIN. @ DC-2 GHz C. RETURN LOSS: 27 dB MIN. @ 2-4 GHz

24 dB MIN. @ 4-6 GHz

D. INSERTION LOSS: 0.05X  $\sqrt{f(GHz)}$  dB MAX.

E. INSULATION RESISTANCE: 5 GOHM MIN.

F. POWER HANDLING: 200 W MAX. @ 2.2 GHz AT 20°C

G. INTERMODULATION(3rd ORDER): 160 dBc MIN. @ 2X43 dBm

3. MECHANICAL:

A. MATING CYCLES:

IF MATING PART IS SMOOTH BORE, CATCHERS MITT: 1000 CYCLES MIN.

IF MATING PART IS LIMITED & FULL DETENT: 100 CYCLES MIN.

B. TEMPERATURE RANGE: -65°C TO +165°C



THIRD ANGLE PROJ. 🕀 🖯

REV

В

## **CUSTOMER OUTLINE DRAWING**

REVISIONS

SCALE 3.000

DATE

19-Jul-13

20-Nov-15

ECO

50843

APPR

LL

BCG

DESCRIPTION

RELEASE TO MFG.

ADDED PART NO.: PSMP-FSBA-2380,

BODY, CONTACT PIN AND INSULATOR WERE CHANGED

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

<0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES  $\pm\,$ 0 . Imm ±0.2mm ± 0.3mm NOTICE - These drawings, specifications, or other data (I) are, and remain the property of Amphenol corp. (2) must be returned upon requiest; and (3) arre confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the funishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other sperson to manufacture, use or sell any product, process or design, patented or otherwsie, that may in any way be related to or disclosed by said drawings, specifications, or other data.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:

MATERIAL	DRAWN TANGOR	DATE 20-Nov-15
	ENGINEER RICKSON	DATE 07-Nov-15
REFERENCE ROSENBERGER PN: II9K107-K00N5 PSMP7071A2-006-AT8GPA-50	APPROVED S.HSIEH	DATE 20-Nov-15
CONFIGURATION LEVEL: FINISH	CAD FILE	

	TITLE
	PSMP BULLET
	23.8mm LONG
-	

В

SCALE: 3.0:1.0 SHEET 2 OF 2 DWG SIZE

REV

Amphenol RF

www.amphenolrf.com

DRAWING NO.PSMP7071A2-004-AT8GPA-50

ITEM NO. 67707IAATAIBT5F PART NO. PSMP-FSBA-2380