



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS3P4014	FIRE EXTINGUISHER	6.00 [152.4]	5.00 [127.0]	3D
PSS3P4042	SEVERE WEATHER SHELTER			
PSS3P4047	TORNADO SHELTER			
PSS9P4058	SPILL STATION	8.00 [203.2]	12.00 [304.8]	90D
PSS9P4034	EXIT			
PSS9P4036	EXIT (GLOW)			
PSS9P4042	SEVERE WEATHER SHELTER			
PSS9P4047	TORNADO SHELTER			
PSS3P4016M	FIRE EXTINGUISHER (ARROW)	18.00 [457.2]	4.00 [101.6]	3D
PSS3P4026	FIRE EXTINGUISHER (GLOW - ARROW)	24.00 [609.6]		
PSS3P4029	FIRE ALARM (ARROW)	18.00 [457.2]		
PSS3P4016S	FIRE EXTINGUISHER	12.00 [304.8]		
PSS3P4034	EXIT	8.00 [203.2]		

NOTES:

1. [] Indicates millimeters
2. 90D signs project from the wall at 90 degrees and can be viewed from either side.
3. 3D Signs project at 45 degree angle providing viewing from the front and sides.
4. VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.



1 OF 6


REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449

TITLE		PSS*P**** Projection Signs CUSTOMER DRAWING		
ITEM REVISION NAME		100999BM/00		
DATASET FILE NAME		100999BM_DC_C11532/00A		
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]		.x ± 0.50 [12.7] .xxx ± 0.13 [3.127] .xx ± 0.25 [6.35] ANGLES ± 5 °		
DRAWN BY		DATE	CHK	SCALE
RVU		4/15/16	JHAC	NTS
MATERIAL:		.100 thick high impact plastic		
DRAWING NUMBER:		C11532		
THIRD ANGLE PROJECTION				
SHT 1 OF 6		A		

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS3P4036	EXIT (GLOW)	8.00 [203.2]	12.00 [304.8]	3D
PSS3P4049	FIRE EXTINGUISHER	6.00 [152.4]	5.00 [127.0]	
PSS3P4053	SEVERE WEATHER SHELTER AREA			
PSS3P4055	TORNADO SHELTER	18.00 [457.2]	4.00 [101.6]	
PSS3P4069	FIRST AID			
PSS3P4070	EYE WASH			
PSS3P4081	NO SMOKING	6.00 [152.4]	5.00 [127.0]	
PSS3P4087	PLEASE RECYCLE	8.00 [203.2]	12.00 [304.8]	
PSS9P4029	FIRE ALARM	18.00 [457.2]	4.00 [101.6]	
PSS9P4016S	FIRE EXTINGUISHER	12.00 [304.8]		
PSS9P4016M	FIRE EXTINGUISHER	18.00 [457.2]		
PSS9P4069	FIRST AID			
PSS9P4070	EYE WASH			

- NOTES:
- [] Indicates millimeters
 - 90D signs project from the wall at 90 degrees and can be viewed from either side.
 - 3D Signs project at 45 degree angle providing viewing from the front and sides.
 - VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.




2 OF 6

						TITLE PSS*P**** Projection Signs CUSTOMER DRAWING						
						ITEM REVISION NAME 100999BM/00						
						DATASET FILE NAME 100999BM_DC_C11532/00A						
						UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] .x ± 0.50 [12.7] .xxx ± 0.13 [3.127] .xx ± 0.25 [6.35] ANGLES ± 5 °						
						MATERIAL: .100 thick high impact plastic						
0 4/15/16 RVU SEWH JHAC DRAWING RELEASE. GAECN03449						DRAWING NUMBER: C11532						
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY RVU	DATE 4/15/16	CHK JHAC	SCALE NTS	SHT 2 OF 6	SIZE A

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS9P4071	SDS	8.00 [203.2]	12.00 [304.8]	90D
PSS9P4049	FIRE EXTINGUISHER			
PSS9P4053	SEVERE WEATHER SHELTER AREA			
PSS9P4055	TORNADO SHELTER			
PSS9P4081	NO SMOKING			
PSS9P4087	PLEASE RECYCLE			
PSS3P4002	EYE WASH	6.00 [152.4]	5.00 [127.0]	3D
PSS3P4006	FIRST AID			
PSS3P4008	A E D (RD-BU/YL)			
PSS3P4010	A E D (RD-BK/WT)			
PSS3P4011	A E D AUTOMATED EXTERNAL DEFIBRILLATOR			
PSS3P4019	FIRE EXTINGUISHER			
PSS3P4021	FIRE ALARM			

- NOTES:
- [] Indicates millimeters
 - 90D signs project from the wall at 90 degrees and can be viewed from either side.
 - 3D Signs project at 45 degree angle providing viewing from the front and sides.
 - VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.



3 OF 6

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449


TITLE		PSS*P**** Projection Signs CUSTOMER DRAWING	
ITEM REVISION NAME		100999BM/00	
DATASET FILE NAME		100999BM_DC_C11532/00A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]		MATERIAL:	
.x ± 0.50 [12.7] .xxx ± 0.13 [3.127]		.100 thick high impact plastic	
.xx ± 0.25 [6.35] ANGLES ± 5 °		DRAWING NUMBER:	
THIRD ANGLE PROJECTION		C11532	
DRAWN BY	DATE	CHK	SCALE
RVU	4/15/16	JHAC	NTS
SHT 3 OF 6			SIZE A

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS3P4023	MEN	6.00 [152.4]	5.00 [127.0]	3D
PSS3P4016L	FIRE EXTINGUISHER	24.00 [609.6]	4.00 [101.6]	
PSS3P4035	WOMEN	6.00 [152.4]	5.00 [127.0]	
PSS3P4037	FIRST AID	8.00 [203.2]	8.00 [203.2]	90D
PSS9P4002	EYE WASH			
PSS9P4008	AED (BU/RD/YL)			
PSS9P4006	FIRST AID			
PSS9P4014	FIRE EXIT			
PSS9P4010	AED (BK/RD/WHT)			
PSS9P4037	FIRST AID			
PSS9P4016L	FIRE EXTINGUISHER			
PSS9P4026	FIRE EXTINGUISHER (GLOW)			
PSS9P4011	A E D AUTOMATED EXTERNAL EFIBRILLATOR	8.00 [203.2]	8.00 [203.2]	

NOTES:

- [] Indicates millimeters
- 90D signs project from the wall at 90 degrees and can be viewed from either side.
- 3D Signs project at 45 degree angle providing viewing from the front and sides.
- VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.



4 OF 6

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449

TITLE PSS*P**** Projection Signs CUSTOMER DRAWING	
ITEM REVISION NAME 100999BM/00	PANDUIT
DATASET FILE NAME 100999BM_DC_C11532/00A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] .x ± 0.50 [12.7] .xxx ± 0.13 [3.127] .xx ± 0.25 [6.35] ANGLES ± 5 °	
MATERIAL: .100 thick high impact plastic	
DRAWING NUMBER: C11532	
DRAWN BY RVU	DATE 4/15/16
CHK JHAC	SCALE NTS
SHT 4 OF 6	
SIZE A	


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS9P4019	FIRE EXTINGUISHER	8.00 [203.02]	8.00 [203.02]	90D
PSS9P4021	FIRE ALARM			
PSS9P4023	MEN			
PSS9P4035	WOMEN			
PSS3P4058	SPILL STATION			
PSS3P4071	SDS		12.00 [304.8]	3D
PSS3P4062	A E D AUTOMATED EXTERNAL DEFLIBRILLATOR (GLOW)	6.00 [152.4]	5.00 [127.0]	
PSS9P4062	A E D AUTOMATED EXTERNAL DEFLIBRILLATOR (GLOW)	8.00 [203.2]	8.00 [203.2]	90D
PSS3P4392	FIRE EXTINGUISHER / EXTINTOR DE INCENDIOS	12.00 [304.8]	9.00 [228.6]	3D

NOTES:

- [] Indicates millimeters
- 90D signs project from the wall at 90 degrees and can be viewed from either side.
- 3D Signs project at 45 degree angle providing viewing from the front and sides.
- VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.

5 OF 6




REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449

TITLE PSS*P**** Projection Signs CUSTOMER DRAWING	
ITEM REVISION NAME 100999BM/00	PANDUIT
DATASET FILE NAME 100999BM_DC_C11532/00A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] .x ± 0.50 [12.7] .xxx ± 0.13 [3.127] .xx ± 0.25 [6.35] ANGLES ± 5 °	
MATERIAL: .100 thick high impact plastic	
DRAWING NUMBER: C11532	
DRAWN BY RVU	DATE 4/15/16
CHK JHAC	SCALE NTS
SHT 5 OF 6	
SIZE A	

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS3P4443	SEVERE WEATHER SHELTER AREA / AREA DE REFUGIO EN CONDICIONES ATMOSFERAS RIGUROSAS	12.00 [304.8]	9.00 [228.6]	3D
PSS3P4444	TORNADO SHELTER / REYGUI CONTRA TORNADOS			
PSS9P4443	SEVERE WEATHER SHELTER AREA / AREA DE REFUGIO EN CONDICIONES ATMOSFERAS RIGUROSAS			
PSS9P4444	TORNADO SHELTER / REYGUI CONTRA TORNADOS			
PSS9P4392	FIRE EXTINGUISHER / EXTINTOR DE INCENDIOS			
PSS394658	A E D AUTOMATED EXTERNAL DEFIBRILLATOR/ DESFIBRILADOR EXTERNO AUTOMATICO			
PSS9P4658	A E D AUTOMATED EXTERNAL DEFIBRILLATOR/ DESFIBRILADOR EXTERNO AUTOMATICO			

- NOTES:
- [] Indicates millimeters
 - 90D signs project from the wall at 90 degrees and can be viewed from either side.
 - 3D Signs project at 45 degree angle providing viewing from the front and sides.
 - VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.



6 OF 6

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449

TITLE		PSS*P**** Projection Signs CUSTOMER DRAWING	
ITEM REVISION NAME		100999BM/00	
DATASET FILE NAME		100999BM_DC_C11532/00A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]		MATERIAL:	
.x ± 0.50 [12.7] .xxx ± 0.13 [3.127]		.100 thick high impact plastic	
.xx ± 0.25 [6.35] ANGLES ± 5 °		DRAWING NUMBER:	
THIRD ANGLE PROJECTION		C11532	
DRAWN BY	DATE	CHK	SCALE
RVU	4/15/16	JHAC	NTS
SHT 6 OF 6			SIZE A