# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




Related Information

# Long Range & Wide Area Photoelectric Sensor **PX-2** SERIES

General terms and conditions...... F-17

Glossary of terms...... P.1359~



Selection Guide

Wafer Detection

Liquid Leak Detection

Liquid Level Detection

Color Mark

Detection

Detection Ultrasonic Small / Slim Object Detection

Obstacle

Other Products

Water Detection

Hot Melt Glue




panasonic-electric-works.net/sunx

# Compact size sensor realizes wide sensing area & long sensing range

### Ideal sensing area with very little null zone

The advanced optical system of the **PX-2** series reduces the null zones in front of an automatic guided vehicle (AGV). The null zones at the sides are further minimized if auxiliary sensors which can be easily mounted with connectors are used.

For **PX-24**, **PX-24ES**, **PX-23ES** and **PX-26** 



Sensor selection guide...... P.831~


General precautions...... P.1405

CE

Conforming to EMC Directive

# Sensing areas selectable as per route condition

Sensing areas can be selected with switches to suit the route conditions of an AGV. Further, in case of **PX-24ES** and **PX-23ES**, the sensing areas can also be selected with external signals.



# Long sensing range 5 m 16.404 ft type


**PX-26** has a long sensing range of 5 m 16.404 ft. Even on a high-speed AGV, it can detect an object quite early so that slowing down and stopping are smooth.

### Automatic interference prevention function

One **PX-2** sensor can simultaneously receive beams from 25 Nos. of other **PX-2** sensors without resulting in any interference. Even if AGVs are facing each other, the **PX-2** sensor on one AGV reliably detects the other AGVs. Hence, it can be safely used even at a place where several AGVs are moving.

# Compact size for space-saving

Its size is half of a conventional model, and the attached cable orientation is freely adjustable. Hence, it can also fit in a small AGV. Moreover, sensitivity adjustment can be done on the front face.



### **Sleep function**

The sensor can be put into the sleep (stand-by) condition when it is not used and can be restored to operating condition by an external signal. Consequently battery is conserved as the power consumption is reduced to 1/5.


# External sensitivity adjustment

The sensitivity of the sensor can be adjusted, within the range set by the manual adjuster, by an external input. (For **PX-24**, **PX-24ES**, **PX-23ES** and **PX-26**)

# Sensing areas selectable as per route


# ORDER GUIDE

#### **Main Sensor**



#### Accessories

• MS-PX-2 (Main sensor mounting bracket)



Two bracket set Four M4 (length 8 mm 0.315 in) screws with washers are attached.

#### • MS-NX5-1 (Auxiliary sensor mounting bracket)



Two M4 (length 25 mm 0.984 in) screws with washers and two M4 nuts are attached.

# **OPTIONS**

Designation	Model No.	Description	
Auxiliary sensor	MS-NX5-2	Foot biangled mounting bracket (Sensor protection bracket)	
mounting bracket	MS-NX5-3	Back angled mounting bracket	

#### Auxiliary sensor mounting bracket

#### • MS-NX5-2



Two M4 (length 25 mm 0.984 in) screws with washers and two M4 nuts are attached.

Two M4 (length 25 mm

• MS-NX5-3

0.984 in) screws with washers and two M4 nuts are attached.

ſ

Small/Slim Object Detection Obstacle Detection Other Products

¥-2

FIBER SENSORS

LASER SENSORS

PHOTO-ELECTRIC SENSORS

MICRO PHOTO-ELECTRIC SENSORS

AREA SENSORS

LIGHT CURTAINS

PRESSURE / FLOW SENSORS

INDUCTIVE PROXIMITY SENSORS

SENSOR OPTIONS

SIMPLE WIRE-SAVING UNITS

WIRE-SAVING SYSTEMS

MEASURE-MENT SENSORS

STATIC CONTROL DEVICES

ENDOSCOPE

LASER MARKERS

PLC / TERMINALS

HUMAN MACHINE INTERFACES

ENERGY CONSUMPTION VISUALIZATION COMPONENTS

FA COMPONENTS MACHINE VISION SYSTEMS

UV CURING SYSTEMS

Selection Guide Wafer Detection

Liquid Leak Detection Liquid Level Detection

Water Detection Color Mark Detection

Hot Melt Glue Detection

LASER SENSORS

### SPECIFICATIONS

#### Main sensors

SENSORS	Mai	n sens	ors							
PHOTO- ELECTRIC SENSORS			Standard model			Auxiliary sensor connectable model				
MICRO			Standar			With external	control function	Long sensing		
PHOTO- ELECTRIC SENSORS			<u></u>		Short sensing range			Short sensing range	range	
AREA SENSORS	Iten	ı È	Model No.	PX-22	PX-21	PX-24	PX-24ES	PX-23ES	PX-26	
LIGHT	Sensin	g range (OUT	1 and OUT 2 areas) (Note 2)	3 m 9.843 ft	1 m 3.281 ft	3 m 9	9.843 ft	1 m 3.281 ft	5 m 16.404 ft	
CURTAINS	Hyst	eresis (N	Note 2)	15 % or less of operation distance						
PRESSURE / FLOW SENSORS	Sup	ply voltag	ge	10 to 31 V DC including ripple						
INDUCTIVE			imption (Note 3)	Under operation: 1.5 W or less, Under sleep condition: 0.3 W or less (without auxiliary sensor)						
PARTICULAR USE SENSORS	OR circuit among the effective center, left, right, adjacent left / right OUT 1 areas		NPN open-collector transistor • Maximum sink current: 100 mA • Applied voltage: 40 V DC or less (between OUT 1 / OUT 2 and 0 V) • Residual voltage: 1.5 V or less (at 100 mA sink current)							
SENSOR OPTIONS	( OR and	circuit among right OUT 2	g the effective center, left ) areas	0.4 V or less (at 16 mA sink current)						
SIMPLE WIRE-SAVING UNITS		Utilizati	on category			DC-12	or DC-13			
WIRE-SAVING		Output	operation	Selectab	le either Light-ON or D	ark-ON with a switch	(Output operation of	OUT 1 and OUT 2 is the	ne same.)	
SYSTEMS		Short-ci	ircuit protection		-	Incor	porated			
MEASURE- MENT SENSORS						NPN open-collector transistor • Maximum sink current: 100 mA				
STATIC CONTROL DEVICES	Extraneous light monitor output		ight monitor			Applied voltage:			nitor output and 0 V)	
ENDOSCOPE		Output	operation		ON when modulated beam other than its own (including auxiliary sensor's) light is received					
LASER MARKERS		Short-ci	ircuit protection							
PLC /	Response time		80 ms or less							
TERMINALS		ration	OUT 1 area		Red LED (lights	up when the beam is	received in the effect	ive OUT 1 areas)		
HUMAN MACHINE INTERFACES			OUT 2 area	Yellow LED (lights up when the beam is received in the effective OUT 2 areas)						
ENERGY CONSUMPTION			Continuously variable adjusters (OUT 1, adjacent right OUT 1, adjacent left OUT 1 and OUT 2 areas are adjusted independently.)							
VISUALIZATION COMPONENTS	External sensitivity adjustment function		vity adjustment function			Sens		ossible with an analog	input.	
COMPONENTS		sing area		Four sensing a	reas are selectable wi		eight sensing areas are sel	ectable with dip switches, and ectable with external inputs.	Fixed	
VISION SYSTEMS		p functio		Operating / sleep selectable with external input						
UV CURING SYSTEMS	Auton		rence prevention function	Optical interference from up to 25 units is prevented.						
			n degree	3 (Industrial environment)						
	Ð	Protecti	-	IP65 (IEC)						
Selection Guide	stanc		It temperature	-10 to +55 °C +14 to +131 °F (No dew condensation or icing allowed), Storage: -20 to +70 °C -4 to +158 °F 35 to 85 % RH. Storage: 35 to 85 % RH						
Wafer Detection	resis		t illuminance	Incandescent light: 3,000 tx at the light-receiving face						
Liquid Leak Detection	ental	EMC		EN 60947-5-2						
Liquid Level Detection	Environmental resistance		withstandability	1,000 V AC for one min. between all supply terminals connected together and enclosure						
Water Detection Color Mark	Envii	Insulatio	on resistance	$20 \text{ M}\Omega$ , or more, with 500 V DC megger between all supply terminals connected together and enclosure						
Detection Hot Melt Glue	Vibration resistance		10 to 500 Hz frequency, 3 mm 0.118 in amplitude (20 G max.) in X, Y and Z directions for two hours each							
Ultrasonic	Shock resistance		resistance	500 m/s <sup>2</sup> acceleration (50 G approx.) in X, Y and Z directions for three times each						
Small / Slim	Ilisim Emitting element		nent	Infrared LED (Peak emission wavelength: 950 nm 0.037 mil, modulated)						
Object Detection Obstacle Detection	Detection		Enclosure: ABS, Lens: Acrylic, Cover: Polycarbonate							
Other Products				0.3 mm <sup>2</sup> 5-core cabtyre cable, 0.5 m 1.640 ft long (for input and output) For input and output: 0.18 mm <sup>2</sup> 9-core ( <b>PX-24ES</b> and <b>PX-23ES</b> : 12-core) cabtyre cable, 0.5 m 1.640 ft long For auxiliary sensor connection: 0.18 mm <sup>2</sup> 10-core connector attached cabtyre cable, 0.5 m 1.640 ft long						
PX-2	Cab	le extens	sion	Extension up to tota	l 100 m 328.084 ft (10	m 32.808 ft for auxil	iary sensor connection	n) is possible with 0.3 r	nm <sup>2</sup> , or more, cable.	
	Wei	ght			t weight: 210 g approx oss weight: 390 g app		Net weight: 22 Gross weight:	20 g approx. 400 g approx.	Net weight: 210 g approx. Gross weight: 390 g approx.	
		essories		,				d external inputs: 1 sheet (P)		
	Noto	1) \//hc	are measurement o	onditions have not be	on enertified procisely	the conditions used	were an ambient tom	$r_{0}$	CA PE	

Notes: 1) Where measurement conditions have not been specified precisely, the conditions used were an ambient temperature of +23 °C +73.4 °F.
2) The sensing range is specified for white non-glossy paper (300 × 300 mm 11.811 × 11.811 in) as the object.
3) Obtain the current consumption by the following calculation. Current consumption = Power consumption ÷ Supply voltage (e.g.) When the supply voltage is 12 V, the current consumption (operating condition) is: 1.5 W ÷ 12 V = 0.125 A = 125 mA

# SPECIFICATIONS

#### Auxiliary sensor (Note 2)

	PX-SB1	PHO ELEC SENS
tem		SENS MICRO
Applicable main sensor	PX-24, PX-24ES, PX-23ES or PX-26	PHOT
Connectable units	Up to two PX-SB1's can be connected to one main sensor.	SENS
Sensing range (Note 3)	700 mm 27.559 in	AREA SENS
Supply voltage	Supplied from the main sensor	LIGH
Current consumption	Current consumption of the main sensor increases by 30 mA approx. per auxiliary sensor.	CURT
Dutput	OR circuit with the main sensor's OUT 1	PRESS
Operation indicator	Red LED (lights up when the beam is received)	
Sensitivity adjuster	Continuously variable adjuster	INDUC PROX SENS
Emitting element	Infrared LED (modulated)	PARTIO
Material	Polycarbonate	SENSC
Cable	0.3 mm <sup>2</sup> 5-core cabtyre cable, 2 m 6.562 ft long	SENS
Cable extension	Extension up to total 10 m 32.808 ft is possible with 0.3 mm <sup>2</sup> , or more, cable.	SIMPLE
Veight	Net weight: 130 g approx., Gross weight: 240 g approx	WIRE-S UNITS
Accessories	MS-NX5-1 (Auxiliary sensor mounting bracket): 1 set, Adjusting screwdriver: 1 pc.	WIRE-S

Specifications other than the above are identical with the main sensor.


Notes: 1) Where measurement conditions have not been specified precisely, the conditions used were an ambient temperature of +20 °C +68 °F. 2) The auxiliary sensor cannot be used as a stand-alone unit.

3) The sensing range is specified for white non-glossy paper (300 × 300 mm 11.811 × 11.811 in) as the object.

# I/O CIRCUIT AND WIRING DIAGRAMS


#### PX-24ES PX-23ES

#### I/O circuit diagram



Internal circuit - Users' circuit

Symbols ... D: Reverse supply polarity protection diode ZD1, ZD2, ZD3: Surge absorption zener diode Tr1, Tr2, Tr3 : NPN output transistor



High [(supply voltage - 1 V) to 31 V, or open]: Operating condition

Low (0 to 1 V): Sleep condition

FIBER SENSORS

LASER SENSORS

MEASURE-MENT SENSORS

STATIC CONTROL DEVICES

ENDOSCOPE

LASER MARKERS

PLC / TERMINALS

ENERGY CONSUMPTION

UV CURING SYSTEMS

Wafer Detection

Liquid Leak Detection

Liquid Level Detection

Water Detection

Color Mark Detection

Ultrasonic

Small / Slim Object Detection

Obstacle Detection

# FIBER SENSORS LASER SENSORS PHOTO-ELECTRIC SENSORS MICRO PHOTO-ELECTRIC SENSORS AREA SENSORS LIGHT CURTAINS PRESSURE / FLOW SENSORS INDUCTIVE PROXIMITY SENSORS SENSOR OPTIONS SIMPLE WIRE-SAVING UNITS


MEASURE-MENT SENSORS

STATIC CONTROL DEVICES


ENDOSCOPE









#### Wiring diagram



#### PX-24 PX-26

PX-22 PX-21





Hot Melt Glue Detection

Ultrasonic

Small / Slim Object Detection

LASER SENSORS

PHOTO-ELECTRIC SENSORS

MICRO PHOTO-ELECTRIC SENSORS

AREA SENSORS

LIGHT CURTAINS

PRESSURE FLOW SENSORS

INDUCTIVE PROXIMITY SENSORS

SENSOR OPTIONS

SIMPLE WIRE-SAVING UNITS

WIRE-SAVING SYSTEMS

MEASURE-MENT SENSORS


STATIC CONTROL

ENDOSCOPE

LASER MARKERS


# SENSING CHARACTERISTICS (TYPICAL)

#### How to read sensing characteristics



#### All models


Correlation between setting distance and excess gain



#### PX-22 PX-24 PX-24ES


#### Sensing fields

· All areas effective (Horizontal)



Correlation between sensitivity adjuster and sensing range

# • C. area effective (Horizontal)



#### • All areas effective (Vertical)

distance L (m ft)

Setting (

3 .84?

2


1


0

3.281

0.5

Down






Adjuster scale



Other Products



PX-2






· Adjacent right (left) OUT1 area

Ó

-Cente

Operating point & (m ft)



(Excluding PX-22)

Sensing range L (m ft)

3.281

White non-


Gray non

0.5

Up

glossy paper

glossy paper




PLC / TERMINALS HUMAN MACHINE INTERFACES

ENERGY CONSUMPTION VISUALIZATION COMPONENTS FA COMPONENTS

MACHINE VISION SYSTEMS

UV CURING SYSTEMS Selection Guide Wafer Detection

Liquid Leak



0+ 400

15

200

Left ◄

400

Correlation between sensitivity adjuster and sensing range

200

Right

# FIBER SENSORS LASER SENSORS PHOTO-ELECTRIC SENSORS MICRO PHOTO-ELECTRIC SENSORS




SENSOR OPTIONS

SIMPLE WIRE-SAVING UNITS

# SENSING CHARACTERISTICS (TYPICAL)





Center

Operating point { (mm in)


200


- Right

400




Correlation between external sensitivity adjustment input voltage and sensing range (PX-23ES only)





• Adjacent right (left) OUT1 area





• OUT1 (OUT2) area

200

Left <

Center

Operating point & (mm

**PX-21 PX-23ES** 

Sensing fields

White non-glossy paper

Grav non-

glossy pape

Black non-

glossy pape

1 3.28

0.5


0+ 400

15

£

distance I

Setting (



**PX-26** 

VISUALIZATION COMPONENTS

FA COMPONENTS

MACHINE VISION SYSTEMS

UV CURING SYSTEMS

Selection Guide

Wafer Detection

Liquid Leak Detection

Liquid Level


Water Detection

Color Mark Detection Hot Melt Glue

Ultrasonic


### Sensing fields

• Horizontal [All areas effective (Note)]




Note: Area selection is not possible


• Vertical [All areas effective (Note)]



Correlation between external sensitivity adjustment input voltage and sensing range




• Adjacent right (left) OUT1 area






(Min.)



Correlation between sensitivity adjuster and sensing range

Adjuster scale (Max.)



(Max.)

# SENSING CHARACTERISTICS (TYPICAL)

#### PX-SB1

#### Sensing field

0.8 € 1969 White nonglossy paper - Setting distance L - Setting distance L - Setting distance L 0<sub>+</sub> 40 20 ò 20 40 0 (Down) Left 🖛 Center - Right (Up) Operating point & (mm in)

· Horizontal and vertical directions

## **PRECAUTIONS FOR PROPER USE**

#### All models

- Never use this product as a sensing device for personnel protection.
- · In case of using sensing devices for
- personnel protection, use products which meet laws and standards, such as OSHA, ANSI or IEC etc., for personnel protection applicable in each region or country.

#### Hazard Indications

In this catalog, **A WARNING** and **A CAUTION** are indicated depending upon the level of danger. Please observe them strictly for the safe use of this sensor.

#### 

'WARNING' indicates a potentially hazardous situation that, if not avoided, could result in death or serious injury.

#### 

'CAUTION' indicates a hazardous situation that, if not avoided, may result in minor or moderate injury. Further, they also indicate the condition of risk of physical damage to machinery.

#### 

#### Installation of a touch bumper

You are requested to always install a touch bumper when this product is used on an automatic guided vehicle (AGV).

#### 

#### Use outside Japan

This sensor conforms to the EMC Directive. However, it is not certified by a competent body in accordance with other country safety standards. Since each country has its regulations, please follow the local and national regulations of the country where this sensor is used.

### 

#### · Fail-safe measures

This sensor is meant for proximity detection and does not possess control functions for safety maintenance. If fail-safe measures are required, consider their incorporation in the total system.

Further, do not connect the sensor output directly to a stopping mechanism (brake).


#### 


#### Periodical maintenance check

The person in charge must periodically confirm the performance of the product and maintain a record of such checks. In addition, whenever the operating environment of the product is changed due to system modification, etc., performance check must be done.


#### Mounting

The tightening torque for the main sensor should be 1.2 N·m or less.






• The tightening torque for PX-SB1 (auxiliary sensor) should be 0.8 N·m or less.





 Mount the sensor, horizontally, at least 300 mm 11.811 in above the floor, to avoid reflection from the floor.



FIBER SENSORS LASER SENSORS рното

ELECTRIC MICRO PHOTO-ELECTRIC SENSORS

AREA SENSORS

LIGHT CURTAINS

PRESSURE FLOW SENSORS

INDUCTIVE PROXIMITY SENSORS

SENSOR OPTIONS

SIMPLE WIRE-SAVING UNITS

WIRE-SAVING SYSTEMS

MEASURE MENT SENSORS

STATIC CONTROL

ENDOSCOPE

LASER MARKERS

PLC / TERMINALS

HUMAN MACHINE INTERFACES ENERGY CONSUMPTION VISUALIZATION COMPONENTS

FA COMPONENTS MACHINE

Other Products

РХ-2



Refer to General precautions.


Selection Guide Wafer Detection Liquid Level Detection Water Detection Color Mark Detection Color Mark Detection Ultrasonic Ultrasonic Small / Sim Object Detection

# PRECAUTIONS FOR PROPER USE

#### All models

#### Automatic interference prevention function


• In case several sensors are used at the same place, take care that the number of sensors from which beams may be simultaneously incident is 25 sensors or less.



#### Sleep function (Incorporated in all models)

- When the sleep input is made Low, the sensor goes into the sleep state and the operation can be stopped. Power consumption during the sleep state is 0.3W max. (Without auxiliary sensors).
- Notes: 1) Response time of the sleep input is 50ms.
  - Reactivation from the sleep state to the operation state takes 0.7 sec. approx. Operation during this transient state should be avoided.
  - 3) When the sleep function is not used, keep the sleep input wire open or insulated and prevent contact with other wires.

#### **Part description**



	Sign	Sign Item		Description				
,	1	OUT 2 area Operation (Yellow LED)		Lights up when the beam is received in the OUT 2 area.				
-	2	indicator	OUT 1 area (Red LED)	Lights up when the beam is received in the OUT 1 area.				
	3		OUT 2 area	Sensing area sensitivity adjuster.				
-	4		OUT 1 area	Adjacent left OUT 1 area OUT 1 area				
	5	Sensitivity adjuster	Adjacent right OUT 1 area	OUT 2 area				
	6		Adjacent left OUT 1 area					
	7	Sensing area selection	Left area	Selection of main sensor sensing areas. (OUT 1,OUT 2 )				
	8	switch (Note 1)	Right area	Center area CFF				
	٢	Output ope selection s	ration mode witch	Select the operation mode for OUT 1 and OUT 2 with the operation mode selection switch.				
	10	External control function selection switch (Note 2)		Select whether to perform selection of sensing area with the dipswitch or by external input.				

#### Others

• Do not use during the initial transient time (0.7 sec.) after the power supply is switched on.

Refer to General precautions.

• Take care that an initial rush current (1.5 A approx. at 10 V DC and 5 A approx. at 31 V DC) will flow when the power supply is switched on.

#### PX-22 PX-21 PX-24 PX-24ES PX-23ES

#### Selection of sensing area

Setting method	Internal settings	Area selecti	on input (Not		
Canaling area			d PX-23ES on	, , , , , , , , , , , , , , , , , , ,	
Sensing area All areas ineffective	EXT.	Input 1	Input 2	Input 3	
		L	L	L	
Center area effective		Н	L	L	
Center, right and adjacent right OUT 1 areas effective		L	Н	L	
Center left and adjacent left OUT 1 areas effective		Н	Н	L	
Center and left / right adjacent OUT 1 areas effective	OFF	L	L	Н	
Center, right and adjacent left / right OUT 1 areas effective	R L OFF	Н	L	Н	
Center, left and adjacent left / right OUT 1 areas effective	R L OFF	L	Н	Н	
All areas effective	R L OFF	Н	Н	Н	
L: Low (0 to 1V), H: High (4.5 to 31V, or open)					

Note: Response time of area the selection input is 80 ms.

Notes: 1) Not incorporated in PX-26.

2) Incorporated in PX-24ES and PX-23ES.

LASER SENSORS

PHOTO-ELECTRIC SENSORS

MICRO PHOTO-ELECTRIC SENSORS

AREA SENSORS

LIGHT CURTAINS

PRESSURE FLOW SENSORS

INDUCTIVE PROXIMITY SENSORS

SENSOR OPTIONS

SIMPLE WIRE-SAVING UNITS

WIRE-SAVING SYSTEMS

MEASURE-

MENT SENSORS

STATIC

CONTROL

ENDOSCOPE

LASER MARKERS

PLC / TERMINALS

HUMAN MACHINE INTERFACES

ENERGY CONSUMPTION VISUALIZATION COMPONENTS

COMPONENTS

UV SYSTEMS UV CURING SYSTEMS

# PRECAUTIONS FOR PROPER USE

#### PX-24 PX-24ES PX-23ES PX-26

#### External sensitivity adjustment function

- The sensitivity can be adjusted, within the range set by the manual sensitivity adjuster, by an analog voltage (0 to +5 V) applied to the external sensitivity adjustment input. The sensitivity varies with the magnitude of the applied voltage.
- Notes: 1) The sensitivity of the auxiliary sensor is not changed.2) Sensitivity adjustment beyond the range set by the manual sensitivity adjuster is not possible.

Input voltage	0 V ← → +5 V or open
Sensitivity	Minimum ← → Maximum (Maximum sensitivity set by the manual sensitivity adjuster)

3) This wire should be insulated if it is not used.

#### PX-SB1

• This sensor must always be used with the applicable main sensor. This sensor does not work as a standalone unit. (It cannot be used with **PX-22** or **PX-21**.)

#### Selection of auxiliary area

• Aux area can be selected by aux area ineffective input of the main sensor.


Ineffective input Sensing area	Auxiliary left OUT 1 area	Auxiliary right OUT 1 area
Auxiliary left / right OUT 1 area ineffective	L	L
Auxiliary left OUT 1 area effective	Н	L
Auxiliary right OUT 1 area effective	L	Н
Auxiliary left / right OUT 1 area effective	Н	Н

L: Low (0 to 1 V), H: High (4.5 to 31 V or open)

Note: Aux area disable input has nothing to do with the external control function selection switch of the main sensor.

#### Extraneous light monitor function (Not incorporated in PX-22 and PX-21)

 If the sensor receives modulated light other than its own (including auxiliary sensor's) light, the extraneous light monitor output turns ON. The operation of the extraneous light monitor output has absolutely no affect on sensing. It is useful for recognizing presence of other sensors near this sensor in case of intersecting AGV paths, etc.




Note: The extraneous light monitor output is not incorporated with a short-circuit protection circuit. Do not connect it directly to a power supply or a capacitive load.

#### Sensitivity setting

• Sensitivity adjustment of **PX-SB1** is performed with the emitter volume. If sensitivity cannot be set to close range even after adjusting the emitter volume, then an aux sensor might be receiving the light from the main sensor. If that is the case, adjust sensitivity with the emitter volume and the receiver volume. For details, see the instruction manual that comes with the product.

#### Connection with the main sensor



- Connect the main sensor connector attached cable to the aux sensor connector attached cable.
- The spiral lead wire side of the main sensor connector attached cable is the left aux sensor side.



#### Refer to General precautions.

LASER SENSORS

PHOTO-ELECTRIC SENSORS

MICRO PHOTO-ELECTRIC SENSORS

AREA SENSORS

LIGHT

PRESSURE / FLOW SENSORS

INDUCTIVE PROXIMITY SENSORS

SENSOR OPTIONS

SIMPLE WIRE-SAVING UNITS

WIRE-SAVING SYSTEMS

STATIC CONTROL DEVICES

ENDOSCOPE

LASER MARKERS

PLC / TERMINALS

HUMAN MACHINE INTERFACES

ENERGY CONSUMPTION VISUALIZATION COMPONENTS

FA COMPONENTS

MACHINE VISION SYSTEMS

UV CURING SYSTEMS

Selection Guide


Wafer Detection


Liquid Leak Detection

Liquid Level Water Detection Color Mark Detection Hot Melt Glue Detection Ultrasonic Small / Slim Object Detection

# DIMENSIONS (Unit: mm in)

#### The CAD data in the dimensions can be downloaded from our website.





LASER SENSORS

PHOTO-ELECTRIC SENSORS

MICRO PHOTO-ELECTRIC SENSORS

AREA SENSORS

LIGHT CURTAINS

PRESSURE / FLOW SENSORS

INDUCTIVE PROXIMITY SENSORS

SENSOR OPTIONS

SIMPLE WIRE-SAVING UNITS

WIRE-SAVING SYSTEMS

MEASURE-MENT SENSORS

STATIC CONTROL DEVICES

ENDOSCOPE

LASER MARKERS

PLC / TERMINALS

HUMAN MACHINE INTERFACES

ENERGY CONSUMPTION VISUALIZATION COMPONENTS

FA COMPONENTS

MACHINE VISION SYSTEMS


UV CURING SYSTEMS


# DIMENSIONS (Unit: mm in)

#### The CAD data in the dimensions can be downloaded from our website.

Main sensor mounting bracket (Accessory for **PX-2** 








**Right side** 


Material: Cold rolled carbon steel (SPCC) (Uni-chrome plated)


Four M4 (length 8 mm 0.315 in) screws with washers are attached.

#### **Assembly dimensions**

Mounting drawing with PX-24







Selection Guide
Wafer Detection
Liquid Leak Detection
Liquid Level Detection
Water Detection
Color Mark Detection
Hot Melt Glue Detection

Hot Melt Glue Detection Ultrasonic Smal / Sim Object Detection Obstacle Detection Other Products

PX-2

FA COMPONENTS

MACHINE VISION SYSTEMS

UV CURING SYSTEMS

Selection Guide Wafer Detection Liquid Leak Detection

Liquid Level


Water Detection Color Mark Detection

Hot Melt Glue Detection

Ultrasonic

Small / Slin Object Detection






The CAD data in the dimensions can be downloaded from our website.

Auxiliary sensor mounting bracket (Accessory for **PX-SB1**)


#### Assembly dimensions



Two M4 (length 25 mm 0.984 in)

screws with washers and two M4 nuts are attached


#### MS-NX5-2



Material: Cold rolled carbon steel (SPCC) (Uni-chrome plated)

Two M4 (length 25 mm  $0.984 \mbox{ in})$  screws with washers and two M4 nuts are attached.






(Uni-chrome plated) Two M4 (length 25 mm 0.984 in) screws with washers and two M4 nuts are attached.


Auxiliary sensor mounting bracket (Optional)

#### Assembly dimensions



Auxiliary sensor mounting bracket (Optional)





# MEMO

