



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






RECOMMENDED PANEL MOUNTING

PANEL THICKNESS	X
0.75-1.25	19.15 +/- .05
1.25-2.00	19.35 +/- .05
2.00-3.00	19.5 +/- .10

INCANDESCENT

PARAMETERS	SYMBOL	MAX.	UNITS
LAMP VOLTAGE(DC)	V	12	V
POWER DISIPATION	P _d	2	WATTS
CURRENT	I	100	mA



NOTES:

- ALL DIMENSIONS IN MM [INCH]
- GENERAL TOLERANCE: X.X = ±0.4
X.XX = ±0.25

3. RATING:

6A @250VAC; 9A @125VAC (UL, CSA, VDE)
4(1)A @250VAC

- LAMP VOLTAGE: 12VDC (INCANDESCENT BULB)

5. MATERIAL:

CONTACT SURFACE: COIN SILVER, SILVER PLATE
TERMINAL: COPPER ALLOY W/SILVER PLATE.

- CONTACT RESISTANCE: 20 Milli-OHMS TYP. INITIAL

- INSULATION RESISTANCE: 1000 MEGAOHMS

8. DIELECTRIC STRENGTH:





>1500V RMS min. @SEA LEVEL

- MECHANICAL LIFE: 30,000 CYCLES.

- ELECTRICAL LIFE: 10,000 CYCLES

- ▲ DENOTES CRITICAL PARAMETER.

- 2011/65/EU (ROHS) COMPLIANT



B	22655	Add ON - OFF to circuit diagram	12/29/16	MW
A	18434	RELEASED FOR PRODUCTION	3/23/09	BLR
REV	PCR NO	DESCRIPTION	DATE	BY

TITLE R1973ABLKGILGF3				
SCALE	DATE	DR	DWG	REV
1.5:1	3/23/2009	TN	M400402	B

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO E-SWITCH AND IS NOT TO BE COPIED OR TRANSFERRED