

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







A Fine Technology Group

SOCKET PINS for 0.042" & 0.055" Dia. HOLES

VECTOR PART SERIES: R30, R31, R32, R50, R51, R52, R53

0.042" Dia. Holes: R32 Series

Low profile wire-wrap socket pins

Pressfit mounting with 3 Level wire wrap on 0.025" square posts

Four-finger contacts, tapered sockets for easy insertion

Accepts 0.015 - 0.025 diameter leads

Gold-plated contact surfaces (30 micro inch Gold over Nickel)

Gold finish shell (10 micro inch Gold over Nickel)

Male pin depth: 0.13"

Use P158 Insertion Tool with D9 Die Point.

Ordering Table	Part No.	Pkg. Qty.
	R32/C	100
	R32/M	1000



0.055" Dia. Holes: R31 Series

Low profile wire-wrap socket pins

Pressfit mounting with 3 Level wire wrap on 0.025" square posts

Four-finger contacts, tapered sockets for easy insertion


Gold-plated contact surfaces (30 micro inch Gold over Nickel)

Gold finish shell (10 micro inch Gold over Nickel)

Male pin depth: 0.17"

Use P158 Insertion Tool with D10 Die Point.

Ordering Table	Part No.	Pkg. Qty.
	R31/C	100
	R31/M	1000



0.055" Dia. Holes: R30 Series

Low profile, pressfit pins for hand or dip solder applications

Solder post extends 0.19 below and 0.030 above board surface

Four-finger contacts, tapered sockets for easy insertion


Gold-plated contact surfaces (30 micro inch Gold over Nickel)

Gold finish shell (10 micro inch Gold over Nickel)

Male pin depth: 0.17"

Use P158 Insertion Tool with D10 Die Point.

Ordering Table	Part No.	Pkg. Qty.
	R30/C	100
	R30/M	1000



0.055" Dia. Holes: R52 & R53 Series

Low profile wire-wrap socket pins

Gold-plated contact surfaces (30 micro inch Gold over Nickel)

Tin/Lead finish shell (200 micro inch Tin/Lead over Nickel)


3 Level wire wrap on 0.025" sauare posts

Use P158 Insertion Tool with D10 Die Point.

R52: Four fingure contacts, 3 level wire wrap on 0.025" square posts

R53: Six fingure contacts, 3 level wire wrap on 0.025" sauare posts

	Part No.	Pkg. Qty.
	R52/C	100
Ordering Table	R52/M	1000
	R53/C	100
	R53/M	1000



0.055" Dia. Holes: R50 & R51 Series

Low profile wire-wrap socket pins

Gold-plated contact surfaces (30 micro inch Gold over Nickel)

Tin/Lead finish shell (200 micro inch Tin/Lead over Nickel)


2 Level wire wrap on 0.025" sauare posts

Use P158 Insertion Tool with D10 Die Point.

R52: Four fingure contacts, 2 level wire wrap on 0.025" square posts

R53: Six fingure contacts, 2 level wire wrap on 0.025" sauare posts

Ordering Table	Part No.	Pkg. Qty.
	R50/C	100
	R50/M	1000
	R51/C	100
	R51/M	1000



email us your requirements: inquire@vectorelect.com

11115 Vanowen St., North Hollywood, CA 91605, USA

Tel.: (818) 985 8208, (800) 423 5659; Fax: (818) 985 7708

Circbord®, Vectorbord® and VectorPak® are registered trademarks of Vector Electronics & Technology, Inc. CompactPCl® is a registered trademark of PCIMG. © 2001 Vector Electronics & Technology, Inc. - All Rights Reserved