

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








ITEM	Q'TY	PART NUMBER	PART DESCRIPTION		<u> </u>	A Engineering	DESCRIPTION 1 Release	DATE 11/06/09	APPROVED T. Y.
1	1	LPR3-XXX-XXX	Surface Mount Right Angle Light Pipe, 2.8mm, 3 Station. See Table on 2nd Page			B Added OveC Added Ove	rall Height "K" Dim rall Snap Height Dimens or Options, Sheet #3	03/04/11	T. Y. T. Y.
2	1	RLPH3-XXX	LPR Housing, 3 Station, White. See Table on 2nd Page		E		opnono, onoceno	02/02/10	0. 0.
			0.566 [14.4mm] — — — — — — — — — — — — — — — — — —	[2.8mm] SQ. TYP. [13.0mm])					
	0.138 [3. 0.114		3X Ø.110 [Ø2.8mm] —0.110 [2.8mm] —0.069 [1.8mm] —0.059 [1.5 Tolday of the content of the cont	H 0.0	0.200 [5.1r	7.3mm]— mm] TYP. 3.6mm]— TYP.— 0mm]	LIGHT POMMENDED MOUN'		1.3mm]
	STANDARD TOLERANCE (UNLESS OTHERWISE SPECIFIED) DECIMALS ANGULAR X ± .1 X° ± 1° X ± .1 X° ± 1° XX ± .01 XXX ± .010 DESIGNED: DESIGNED: DESIGNED: DATE: CHECKED: T. Yin DATE: CAGE CODE: 32559 SHEET # 1 OF 3 CAD GENERATED DOCUMENT. DO NOT MEASURE DRAWING.							GHT PIPE, B STATION REVISION: X D 1 OF 3	


REV.	DESCRIPTION	DATE	APPROVED
	SEE SHEET #1		


RLP3-XXX-XXX						
ASSY P/N	Н	L	K	LPR3-XXX-XXX	RLPH3-XXX	FIGURE
RLP3-200-500		0.551 [14.0mm]		LPR3-200-500	RLPH3-200	
RLP3-200-650	0.197 [5.0mm]	0.669 [17.0mm]	0.287 [7.3mm]	LPR3-200-650	RLPH3-200	
RLP3-200-800		0.787 [20.0mm]		LPR3-200-800	RLPH3-200	
RLP3-400-500		0.551 [14.0mm]		LPR3-400-500	RLPH3-400	
RLP3-400-650	0.394 [10.0mm]	0.669 [17.0mm]	0.484 [12.3mm]	LPR3-400-650	RLPH3-400	
RLP3-400-800		0.787 [20.0mm]		LPR3-400-800	RPH3-400	
RLP3-600-500		0.551 [14.0mm]		LPR3-600-500	RLPH3-600	
RLP3-600-650	0.591 [15.0mm]	0.669 [17.0mm]	0.681 [17.3mm]	LPR3-600-650	RLPH3-600	
RLP3-600-800		0.787 [20.0mm]		LPR3-600-800	RLPH3-600	



OTHER AVAILABLE COLORS

* SEE TABLE FOR ORDERING INFORMATION





COLOR	Order Code
BLUE	BE
BLACK	BK
GREEN	GN
GRAY	GY
RED	RD
YELLOW	YW

NOTE: LEAVE ORDER CODE BLANK IF NO COLOR IS DESIRED.

2. ONLY LIGHT PIPES OF ASSEMBLIES WILL BE DYED.

1. PARTS ARE DYED TO COLOR UPON REQUEST.

