



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Suited for Intermediate Users

ABS by Chroma Strand Labs

3 mm , 1kg reel

Everyday, over 60 kg (132 lb) of filament is made into production-ready parts through our in-house cluster of LulzBot 3D Printers. This high level of production demands reliable, pinpoint performance, reel after reel. ABS, by Chroma Strand Labs, is perfect for users in need of a consistent coloration and print-finishing solution on retail-ready production parts or eye-catching prototypes.

ABS is the leading thermoplastic used in consumer electronics, balancing strength, resilience, and heat resistance.

PRODUCT ALERT (1)

Additional Accessory Recommendation:

3D printing in a cool or drafty environment? The [LulzBot TAZ 6 Enclosure](#) and the [LulzBot Mini Enclosure](#) by Printed Solid will help minimize warping and splitting.

Works with: LulzBot Mini, LulzBot TAZ 6, LulzBot TAZ 5, LulzBot TAZ 1-4, LulzBot TAZ/Mini Aerostruder, LulzBot TAZ Dual Extruder, LulzBot TAZ FlexyDually, LulzBot Hexagon, LulzBot TAZ 6 Hexagon, LulzBot TAZ 5 Hexagon, LulzBot TAZ 1-4 Budaschnozzle, LulzBot Budaschnozzle

Colors



Features

ABS by Chroma Strand Labs 3D offers repeatable results due to the consistent level of colorants used during filament production.

Parts & Specifications

Filament Specifications

Filament Diameter: 3 mm (0.12 inches)

Amount of Filament: 1 kg (2.2 lb)

Filament color may vary

Printing Specifications

Special Tool Head Requirements: LulzBot v2 All-Metal Hot End recommended

Hot End Temperature Range: 235-245°C

Print Surface: PEI film recommended.

Print Surface Temperature: 95°C

Packaging Information

Chroma Strand Labs ABS filament ships vacuum sealed and mounted on a reel.