Chipsmall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!

Contact us

Great for Beginners

PLA by <u>Verbatim</u>

3 mm , 1kg reel

Verbatim® PLA features vibrant colors and a smooth, glossy finish. PLA exhibits little-to-no warping and shrinking compared to other materials, which means it thrives when making larger objects featuring flat surfaces and hard angles, or requiring tight tolerances for fit. As a subsidiary of Mitsubishi Chemical Corporation, Verbatim leverages their decades of experience in the chemical and computer industries to create this premium PLA for desktop 3D printing.

Works with: LulzBot Mini, LulzBot TAZ 6, LulzBot TAZ 5, LulzBot TAZ 1-4, LulzBot TAZ/Mini Aerostruder, LulzBot TAZ Dual Extruder, LulzBot TAZ FlexyDually, LulzBot TAZ 6 Hexagon, LulzBot TAZ 5 Hexagon, LulzBot TAZ 1-4 Budaschnozzle

Colors

Black   Blue   Green   Natural Transparent

- Red   Silver   White   Yellow

- Features

  PLA is commonly used for prototypes, educational and architectural models, and artifact replicas. It can also be treated with a variety of post-processing techniques such as sanding and gluing. PLA is a popular choice for users looking to paint objects after they have been printed, such as costume props and figurines.

- Parts & Specifications

  Filament Specifications

  Filament Diameter: 2.9 mm (.114 inches)

  Amount of Filament: 1 kg (2.2 lbs)

Filament color may vary

Tool Head: LulzBot Hexagon Hot End recommended

Hot End Temperature: 195°C-215°C

Print Surface: PEI film recommended

Print Surface Temperature: 60°C

Verbatim PLA ships vacuum sealed with dessicant and mounted on a reel.