



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





2WD Mobile Platform for Arduino (SKU:ROB0005)

Contents

- [1 Introduction](#)
- [2 Specification](#)
- [3 Motor Specification](#)

Introduction



2WD Mobile Platform for Arduino (SKU:ROB0005)

This **2WD Mobile Platform for Arduino** is a small, low-cost mobile platform for use with a standard Arduino microcontroller. The robot comes as a kit which includes two drive motors, wheels (and rear caster ball), frame and all mounting hardware.

The Arduino 2WD four-wheel-drive robot is based on the DFRobot and widely used as self-developed control panel for Arduino platform. The platform 51 can be used not only to control STC controller, AVR controller but also for the world wide promotion for the use of Arduino controller. The Arduino platform has world's large number of users and abundant examples are available of procedures used. The two differential drives, the use of near zero turning radius, high-strength aluminum alloy body materials, plus high-quality high-speed motor and a flexible rubber wheel makes it suitable for indoor flat road surface.

To make this lovely robot run, you probably need a motor controller and MCU. Our [DFRduino Romeo-All in one Controller \(SKU:DFR0004\)](#) is an ideal candidate for this.

Specification

- 2WD Arduino mobile robot development platform
- Low-cost Arduino microcontroller mobile platform
- Two differential drive
- Caster ball included
- Complete chassis with mounting hardware
- Dimensions: 170mm diameter base
- Weight: 400g

Motor Specification

- Gear Ratio 1:120
- No-load speed(3V):100RPM
- No-load speed(6V):200RPM
- No-load current(3V):60mA
- No-load current(6V):71mA
- Stall current(3V):260mA
- Stall current(6V):470mA
- Torque (3V): 1.2Kgcm
- Torque (6V): 1.92Kgcm
- Size: 55mm x 48.3mm x 23mm
- Weight:45g