



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Table Top - Open Rack (RRTT Series)

[Home](#)[Products](#)[Distributors](#)[Technical](#)[Contact Us](#)[Other Options](#)

Path: [Home](#) > [Rack Index](#) > Table Top - Open Relay Racks (RRTT Series)





Features:

- Standard 19" rack mount, open frame...
- Rack mounting, on E.I.A. universal spacing (5/8 - 5/8 - 1/2 inch)
- Round hole punched for 10-32 clip nuts (included)...
- Choice of two heights, 21.0" (12U) or 28.0" (16U)...
- Heavy duty construction, 14 gauge steel...
- Supplied unassembled (four pieces), shipped in a flat pack container for handling ease & protection...
- Includes all hardware and four rubber feet...
- Recommended maximum weight (RRTT1928 tested) - 350 pounds (159 kg)...
- Rugged powder paint, textured black finish...




[Assembly
Instructions](#)





FRONT VIEW



SIDE VIEW

Part Number	Panel Height (B)		Overall Dimensions			Weight
	Inches	Units	Height (A)	Width	Base Depth	
RRTT1921BK1	21.0	12U	24" (610 mm)	20.375" (518 mm)	12" (305 mm)	19# (8.6 kg)
RRTT1928BK1	28.0	16U	31" (787 mm)	20.375" (518 mm)	12" (305 mm)	21 # (9.5 kg)

Universal Accessories

- Aluminum rack panels ([PBPA series](#))
- Steel rack panels ([PBPS series](#))
- Formed steel rack panels ([PBFS series](#))
- Ventilated & Access Panels ([Louvers, slots, baffles etc.](#))
- Doors & Chassis - Panel Mount ([Hinged & fixed](#))
- Cable Organizing ([Panel mount rings, velcro strap panels & guides](#))
- Shelves - Panel Mount ([Fixed, solid & vented](#))
- Keyboard Shelves & Drawers ([Vertical rail mount](#))
- Rack mount power bars ([1582 & 1583 series](#))
- Fans ([Fans, Fan Kits, Grills & Filters](#))
- Cooling Panels ([Ventilated Panels, Fan Panels & Baffles](#))
- Fan Trays ([FT series](#))
- Mounting hardware ([Hardware](#))

DOWNLOAD



[RRTT rack cabinet - catalog page \(1\)](#) - Adobe Reader .pdf format (251K)

DOWNLOAD



[rack cabinet accessories - catalog pages \(44\)](#) - Adobe Reader .pdf format (1,495K)

Exactly what you are looking for???

Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!

[Our Distributors](#)

[Order from your favorite distributor](#)

[Home](#) | [Products](#) | [Distributors](#) | [Technical](#) | [Contact Us](#) | [Other Options](#)

Copyright; © 2001-2010 Hammond Mfg Co Inc

URL: <http://www.hammondmfg.com>