

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









	REVISIONS								
REV	REV ECO DESCRIPTION		DATE	BY	APPR				
B1 -		RELEASED DRAWING	JUN-23-2014 BEN		TOMMY				








NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIAL:

SHELL: ZINC ALLOY, NICKEL PLATED. INSERT: THERMOPLASTIC, UL94 V-0.

SEAL GASKET: NBR. O-RING: NBR. 2. SPECIFICATIONS:

- 2.1 RATED CURRENT: 23A (MAX).
- 2.2 RATED VOLTAGE: 350V (AC/DC).
- 2.3 OPERATING TEMPERATURE : -40°C ~ +105°C.
- 2.4 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE@2000 VOLTS AC.
- $2.5\ \mbox{INSULATION}$ RESISTANCE : 5000 MEGOHMS MIN.
- 2.6 IP--CLASS: IP67.
- 2.7 MATING CYCLES DURABILITY: 500 CYCLES MIN.
- 2.8 ROHS COMPLIANT.
- 3. SUITABLE CONTACTS: 2.5mm CONTACTS.
- 4. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.



PANEL	CUT	OUT	REFERENCE

KEY POS	PART NUMBER					
N	RT00144PNH					
W	RT00144PWH					
X	RT00144PXH					
Υ	RT00144PYH					
Z	RT00144PZH					

	Cl-	HART										
QUANTITY	PARTÍ	NÜMBER			DESCRIPTION					ITEM]	
	MATERIALS LIST								H			
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/64 2 PL DEC ±0.15 3 PL DEC ±0.08 Fractions ±1/64 Angles ±1° 3) Note reference = X		SIGNATUR	ES DA	TE	Amphenol						1	
		DRAWN: BEN	JUN-23-	2014	Amphenor							
		CHECKED:			Sine Systems - www.amphenol-sine				e.com			
		ENGINEER:	NEER:		44724 Morley Drive Clinton Township, MI 48036							
MATERIAL ORGANICA	TIONIO	APPROVAL:						4				
MATERIAL SPECIFICATIONS:		CUSTOMER:			ECO-MATE,RECEPTACLE,							
		THIS DRAWING IS SUPPLIED FOR			SIZE 14,4POS, PIN.							
PROCESS SPECIFICATIONS:		SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL		DATA S DF GHTS	В	C-	DWG NO:	RT00144	₽*H		B1	
NEXT ASS'Y:		MANUFACTURING VARIATIONS.			CALE: NC	ONE			SHEET	1 0)F 1	

SEE PART NUMBER

REV: B1 SH: 1

RT00144P*H

ECO-MATE, RECEPTACLE, SIZE 14,4POS, PIN