

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









REVISIONS							
REV	ECO	DESCRIPTION	DATE	BY	APPR		
B1	-	RELEASED DRAWING	JAN-18-2014	ARROW	TOMMY		


ECO-MATE, CORD GRIP, SIZE 16


RT0L-16CG-xx

REV: B1 SH: 1









P/N	SHIELDING RING	CABLE RANGE	
RT0L-16CG-C1	WITHOUT	Ø9.0-Ø14.5mm	
RT0L-16CG-C2	WITHOUT	Ø13.5-Ø17mm	
RT0L-16CG-S1	WITH	Ø9.0-Ø14.5mm	
RT0L-16CG-S2	WITH	Ø13.5-Ø17mm	

NOTES : (UNLESS OTHERWISE SPECIFIED)

1. MATERIAL :

1.1. NUT: ZINC ALLOY, NICKEL PLATED.
1.2. CLAMP INSERT: THERMOPLASTIC UL94 V-0.
1.3. EMI SHIELDING RING: STAINLESS STEEL 1.4. BACK SHELL: ZINC ALLOY, NICKEL PLATED.

1.5. O-RING: SILICONE RUBBER.

1.6. GROMMET: RUBBER.

2. ROHS COMPLIANT.

3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

								٠.	
								유	
QUANTITY	PART N	IUMBER	DESCRIPTION			ITEM	-		
MATERIALS LIST									
	WISE SPECIFIED	SIGNATURES DATE		Amphenol			1		
All dimensions are in metric(mm). Tolerances are as follows: PL DEC ±0.30 Fractions ±1/64		DRAWN: ARROW	JAN-17-2014	T Amprierioi					
2 PL DEC ±0.30 3 PL DEC ±0.08	Fractions ±1/64 Angles ±1°	CHECKED:			e Systems - www.an	nphenol-sine.c	om		
3) Note reference = XX MATERIAL SPECIFICATIONS: PROCESS SPECIFICATIONS: NEXT ASSY:		ENGINEER:	44724 Morley Drive Clinton Township, MI 48036						
		APPROVAL:		_ Clinton Township, Wil 40000			ł		
		CUSTOMER:		ECO-MATE, CORD GRIP					
		SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL		SIZE 16					
					RT0L-16C		31		
				SCALE: NONE		SHEET 1 OF	1]	