imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Is Now Part of



ON Semiconductor®

To learn more about ON Semiconductor, please visit our website at <u>www.onsemi.com</u>

ON Semiconductor and the ON Semiconductor logo are trademarks of Semiconductor Components Industries, LLC dba ON Semiconductor or its subsidiaries in the United States and/or other countries. ON Semiconductor owns the rights to a number of patents, trademarks, copyrights, trade secrets, and other intellectual property. A listing of ON Semiconductor's product/patent coverage may be accessed at www.onsemi.com/site/pdf/Patent-Marking.pdf. ON Semiconductor reserves the right to make changes without further notice to any products herein. ON Semiconductor makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does ON Semiconductor assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. Buyer is responsible for its products and applications using ON Semiconductor dates sheds, regardless of any support or applications information provided by ON Semiconductor. "Typical" parameters which may be provided in ON Semiconductor dates sheds and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. ON Semiconductor does not convey any license under its patent rights of others. ON Semiconductor products are not designed, intended, or authorized for use on similar classification in a foreign jurisdiction or any devices intended for implantation in the human body. Should Buyer purchase or use ON Semiconductor and its officers, employees, subsidiaries, affliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out or i, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that ON Semiconduc





Data Sheet

November 2013

30 A, 200 V, Ultrafast Dual Diode

Description


The RURG3020CC is an ultrafast dual diode with low forward voltage drop. This device is intended for use as freewheeling and clamping diodes in a variety of switching power supplies and other power switching applications. It is specially suited for use in switching power supplies and industrial application.

Ordering Information

PART NUMBER	PACKAGE	BRAND	
RURG3020CC	TO-247	RURG3020C	

NOTE: When ordering, use the entire part number.

Symbol



Absolute Maximum Ratings (Per Leg) $T_C = 25^{\circ}C$

	RURG3020CC	UNIT
Peak Repetitive Reverse Voltage	200	V
Working Peak Reverse VoltageV _{RWM}	200	V
DC Blocking Voltage	200	V
Average Rectified Forward Current (Per Leg) I _{F(AV)}	30	А
$(T_{\rm C} = 145^{\rm o}{\rm C})$		
Repetitive Peak Surge CurrentI _{FRM}	70	А
(Square Wave, 20 kHz)		
Nonrepetitive Peak Surge CurrentI _{FSM}	325	А
(Halfwave, 1 Phase, 60 Hz)		
Maximum Power Dissipation	125	W
Avalanche Energy (See Figures 7 and 8)E _{AVL}	20	mJ
Operating and Storage Temperature	-65 to 175	°C

Features


- Ultrafast Recovery t_{rr} = 50 ns (@ I_F = 30 A)
- Max Forward Voltage, V_F = 1.0 V (@ T_C = 25°C)
- Reverse Voltage, V_{RRM} = 200 V
- Avalanche Energy Rated
- RoHS Compliant

Applications

- Switching Power Supplies
- Power Switching Circuits
- General Purpose

Packaging

JEDEC STYLE TO-247



SYMBOL	TEST CONDITION	MIN	ТҮР	MAX	UNIT
V _F	I _F = 30 A	-	-	1.0	V
	$I_{\rm F} = 30 \text{ A}, T_{\rm C} = 150^{\rm o}{\rm C}$	-	-	0.85	V
I _R	V _R = 200 V	-	-	250	μΑ
	V _R = 200 V, T _C = 150 ^o C	-	-	1	mA
t _{rr}	I _F = 1 A, dI _F /dt = 100 A/μs	-	-	45	ns
	I _F = 30 A, dI _F /dt = 100 A/μs	-	-	50	ns
t _a	I _F = 30 A, dI _F /dt = 100 A/μs	-	20	-	ns
t _b	I _F = 30 A, dI _F /dt = 100 A/μs	-	15	-	ns
R _{θJC}		-	-	1.2	°C/W

Electrical Specifications (Per Leg) T_C = 25°C, Unless Otherwise Specified

DEFINITIONS

 V_F = Instantaneous forward voltage (pw = 300 µs, D = 2%).

I_B = Instantaneous reverse current.

 T_{rr} = Reverse recovery time (See Figure 6), summation of $t_a + t_b$.

 t_a = Time to reach peak reverse current (See Figure 6).

t_b = Time from peak I_{RM} to projected zero crossing of I_{RM} based on a straight line from peak I_{RM} through 25% of I_{RM} (See Figure 6).

 $R_{\theta JC}$ = Thermal resistance junction to case.

pw = Pulse width.

D = Duty cycle.

Typical Performance Curves




FIGURE 1. FORWARD CURRENT vs FORWARD VOLTAGE





FIGURE 2. REVERSE CURRENT vs REVERSE VOLTAGE

Typical Performance Curves (Continued)





Test Circuits and Waveforms






FIGURE 7. AVALANCHE ENERGY TEST CIRCUIT













FIGURE 8. AVALANCHE CURRENT AND VOLTAGE WAVEFORMS





SEMICONDUCTOR

RURG3020CC — Ultrafast Diode

TRADEMARKS

A a a u D a u a r TM

The following includes registered and unregistered trademarks and service marks, owned by Fairchild Semiconductor and/or its global subsidiaries, and is not intended to be an exhaustive list of all such trademarks.

AccuPower™	F-PFS™	-215	Sync-Lock™
AX-CAP [®] *	FRFET®		SYSTEM ®*
BitSiC™	Global Power Resource SM	PowerTrench [®]	GENERAL
Build it Now™	GreenBridge™	PowerXS™	
CorePLUS™	Green FPS™	Programmable Active Droop™	TinyBoost [®]
CorePOWER™	Green FPS™ e-Series™	QFĔT®	TinyBuck [®]
CROSSVOLT™	Gmax™	QS™	TinyCalc™ TinyLogic [®]
CTL™	GTO™	Quiet Series™	
Current Transfer Logic™	IntelliMAX™	RapidConfigure™	TINYOPTO™ Tipu/Douror™
DEUXPEED®	ISOPLANAR™	TM	TinyPower™ TinyPWM™
Dual Cool™	Marking Small Speakers Sound Louder		TinyWire™
EcoSPARK [®]	and Better™	Saving our world, 1mW/W/kW at a time™	TranSiC™
EfficentMax™	MegaBuck™	SignalWise™	TriFault Detect™
ESBC™	MICROCOUPLER™	SmartMax™	TRUECURRENT [®] *
F R	MicroFET™	SMART START™	µSerDes™
+ °	MicroPak™	Solutions for Your Success™	µGer Des ·····
Fairchild®	MicroPak2™	SPM®	\mathcal{M}
Fairchild Semiconductor [®]	MillerDrive™	STEALTH™	/ SerDes"
FACT Quiet Series™	MotionMax™	SuperFET [®]	UHC®
FACT [®]	mWSaver [®]	SuperSOT™-3	Ultra FRFET™
FAST [®]	OptoHiT™	SuperSOT™-6	UniFET™
FastvCore™	OPTOLOGIC [®]	SuperSOT™-8	VCX™
FETBench™	OPTOPLANAR [®]	SupreMOS [®]	VisualMax™
FPS™		SyncFET™	VoltagePlus™
			XS™
*Trademarks of System General C	Corporation, used under license by Fairchil	ld Semiconductor.	
,			
DISCLAIMER			
		ES WITHOUT FURTHER NOTICE TO ANY I	
RELIABILITY, FUNCTION, OR DE	SIGN. FAIRCHILD DOES NOT ASSUM	E ANY LIABILITY ARISING OUT OF THE	APPLICATION OR USE OF ANY

PRODUCT OR CIRCUIT DESCRIBED HEREIN; NEITHER DOES IT CONVEY ANY LICENSE UNDER ITS PATENT RIGHTS, NOR THE RIGHTS OF OTHERS. THESE SPECIFICATIONS DO NOT EXPAND THE TERMS OF FAIRCHILD'S WORLDWIDE TERMS AND CONDITIONS. SPECIFICALLY THE WARRANTY THEREIN, WHICH COVERS THESE PRODUCTS.

LIFE SUPPORT POLICY FAIRCHILD'S PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS WITHOUT THE EXPRESS WRITTEN APPROVAL OF FAIRCHILD SEMICONDUCTOR CORPORATION.

As used here in:

Life support devices or systems are devices or systems which, (a) are 1. intended for surgical implant into the body or (b) support or sustain life, and (c) whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury of the user.

A critical component in any component of a life support, device, or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

Curre Leek TM

ANTI-COUNTERFEITING POLICY

Fairchild Semiconductor Corporation's Anti-Counterfeiting Policy. Fairchild's Anti-Counterfeiting Policy is also stated on our external website, www.Fairchildsemi.com, under Sales Support.

Counterfeiting of semiconductor parts is a growing problem in the industry. All manufactures of semiconductor products are experiencing counterfeiting of their parts. Customers who inadvertently purchase counterfeit parts experience many problems such as loss of brand reputation, substandard performance, failed application, and increased cost of production and manufacturing delays. Fairchild is taking strong measures to protect ourselves and our customers from the proliferation of counterfeit parts. Fairchild strongly encourages customers to purchase Fairchild parts either directly from Fairchild or from Authorized Fairchild Distributors who are listed by country on our web page cited above. Products customers buy either from Fairchild directly or from Authorized Fairchild Distributors are genuine parts, have full traceability, meet Fairchild's quality standards for handing and storage and provide access to Fairchild's full range of up-to-date technical and product information. Fairchild and our Authorized Distributors will stand behind all warranties and will appropriately address and warranty issues that may arise. Fairchild will not provide any warranty coverage or other assistance for parts bought from Unauthorized Sources. Fairchild is committed to combat this global problem and encourage our customers to do their part in stopping this practice by buying direct or from authorized distributors.

PRODUCT STATUS DEFINITIONS Definition of Terms

Datasheet Identification	Product Status	Definition
Advance Information	Formative / In Design	Datasheet contains the design specifications for product development. Specifications may change in any manner without notice.
Preliminary	First Production	Datasheet contains preliminary data; supplementary data will be published at a later date. Fairchild Semiconductor reserves the right to make changes at any time without notice to improve design.
No Identification Needed	Full Production	Datasheet contains final specifications. Fairchild Semiconductor reserves the right to make changes at any time without notice to improve the design.
Obsolete	Not In Production	Datasheet contains specifications on a product that is discontinued by Fairchild Semiconductor. The datasheet is for reference information only.
Obsolete		Semiconductor. The datasheet is for reference information only.

ON Semiconductor and are trademarks of Semiconductor Components Industries, LLC dba ON Semiconductor or its subsidiaries in the United States and/or other countries. ON Semiconductor owns the rights to a number of patents, trademarks, copyrights, trade secrets, and other intellectual property. A listing of ON Semiconductor's product/patent coverage may be accessed at <u>www.onsemi.com/site/pdf/Patent-Marking.pdf</u>. ON Semiconductor reserves the right to make changes without further notice to any products herein. ON Semiconductor makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does ON Semiconductor assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. Buyer is responsible for its products and applications using ON Semiconductor products, including compliance with all laws, regulations and safety requirements or standards, regardless of any support or applications information provided by ON Semiconductor. "Typical" parameters which may be provided in ON Semiconductor data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. ON Semiconductor does not convey any license under its patent rights of others. ON Semiconductor products are not designed, intended, or authorized for use as a critical component in life support systems or any FDA Class 3 medical devices or medical devices with a same or similar classification in a foreign jurisdiction or any devices intended for implantation in the human body. Should Buyer purchase or use ON Semiconductor has against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death ass

PUBLICATION ORDERING INFORMATION

LITERATURE FULFILLMENT:

Literature Distribution Center for ON Semiconductor 19521 E. 32nd Pkwy, Aurora, Colorado 80011 USA Phone: 303-675-2175 or 800-344-3860 Toll Free USA/Canada Fax: 303-675-2176 or 800-344-3867 Toll Free USA/Canada Email: orderlit@onsemi.com N. American Technical Support: 800–282–9855 Toll Free USA/Canada Europe, Middle East and Africa Technical Support: Phone: 421 33 790 2910

Japan Customer Focus Center Phone: 81-3-5817-1050 ON Semiconductor Website: www.onsemi.com

Order Literature: http://www.onsemi.com/orderlit

For additional information, please contact your local Sales Representative

© Semiconductor Components Industries, LLC