



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



REVISION			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE OF DWG ECO-16-000192	1/6/2016	S. GRAVANO







TABLE I – TUBING DIMENSIONS				RECOVERED WALL THICKNESS
MIL Spec No. AMS-DTL-23053/13	SIZE	ID Ø AS SUPPLIED	ID Ø AS RECOVERED	AFTER HEATING (NOMINAL)
		D MINIMUM	d MAXIMUM	RW-200
-012	1/8	3.2 (.125)	1.6 (.062)	0.76 (.030)
-001	3/16	4.8 (.187)	2.4 (.093)	0.89 (.035)
-002	1/4	6.4 (.250)	3.2 (.125)	0.89 (.035)
-003	3/8	9.5 (.375)	4.8 (.187)	0.89 (.035)
-004	1/2	12.7 (.500)	6.4 (.250)	0.89 (.035)
-005	5/8	15.9 (.625)	7.9 (.312)	1.07 (.042)
-006	3/4	19.1 (.750)	9.5 (.375)	1.07 (.042)
-007	7/8	22.2 (.875)	11.1 (.437)	1.25 (.049)
-008	1	25.4 (1.000)	12.7 (.500)	1.25 (.049)
-009	1 1/4	31.8 (1.250)	15.9 (.625)	1.40 (.055)
-010	1 1/2	38.1 (1.500)	19.1 (.750)	1.40 (.055)
-011	2	50.8 (2.000)	25.4 (1.000)	1.65 (.065)

NOTES:

1. THIS PRODUCT IS DESIGNED FOR A WIDE RANGE OF APPLICATIONS, AND MEETS THE PERFORMANCE REQUIREMENTS OF TE SPECIFICATION RW-3037 AND AMS-DTL-23053/13.
2. PACKAGED AND SUPPLIED ON A SPOOL AND LABELED WITH (example: RW-200 3/8-0), PART NUMBERING SYSTEM: RW-200= PART NUMBER, 3/8= ORDER SIZE, -0= BLACK (STANDARD COLOR).
3. ALWAYS ORDER THE LARGEST SIZE THAT WILL SHRINK SNUGLY OVER THE COMPONENT TO BE COVERED.
4. FOR MATERIAL AND FINISH INFORMATION REFER TO RW-3037 SPECIFICATION. FOR SPECIAL ORDER SIZES CONTACT TE CONNECTIVITY.

Raychem Harness & Components
© 2016 Tyco Electronics Corporation. All rights reserved. **CUSTOMER DRAWING**

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. AND INCH DIMENSIONS ARE IN SHOWN IN (PARENTHESES).		 TE Connectivity	
DECIMALS: .000 ± 0.000 .00 ± 0.00 .0 ± 0.0	ANGLES: ± 0° 00'		
TYCO ELECTRONICS RESERVES THE RIGHT TO AMEND THIS DRAWING AT ANYTIME. USERS SHOULD EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.		TITLE: RW-200 TUBING – HEAT-SHRINKABLE CHEMICAL-RESISTANT, HIGH-TEMPERATURE	
		DRAWING NO: RW-200	
DRAWN: 05NOV2013 T. NGUYEN	CHECKED: 07NOV2013 S. GRAVANO	APPROVED: 08NOV2013 J. KUSTER	CAGE CODE 06090
CAD FILE: RW-200_A_CD_A	SIZE: A	SCALE: 	THIRD ANGLE PROJ.  SHEET: 1_OF_1