



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




HMF3C Height extension adapter card/ HMF3D Height extension adapter card





The High Speed Mezzanine Connector (HSMC) adapters HMF3C and HMF3D are general purpose adapters for extending the height of an HSMC port. If two main FPGA boards are to be stacked, an HSMC adapter card must be used. Presently, the HMF3C and HMF3D HSMC adapters are compatible for stacking. These adapters add the necessary height required to mount one development board on top of another.

The HMF3C not only serves the purpose of connecting boards together, but also enables signaling between the boards by crisscrossing connections of the TX and RX signals as shown below. This allows two FPGAs to engage in single-ended transmission as well as differential I/O data transfer.



If signaling between the two boards on an HSMC port is not required, the HMF3D can be used, where the block diagram is shown below. The HSMC TX and RX pins will not cross to connect with their respective input pins.







1. HMF3C Height extension adapter card
Part No: S0171 Weight: 200g
2. HMF3D Height extension adapter card
Part No: S0172 Weight: 200g